



# PROTECH<sup>®</sup>

CLEANERS & LUBRICANTS

## PRODUCT GUIDE



**MAINTAIN  
OPTIMUM PERFORMANCE**



**PROTECH**<sup>®</sup>  
CLEANERS & LUBRICANTS



The **Dy-Mark PROTECH**<sup>®</sup> range has been the culmination of three meticulous years of product research and development. During this period, Dy-Mark worked closely with specialist chemists and manufacturers in the industrial maintenance sector to produce 15 world-class cleaners and lubricants.

Working with global leaders in actuator and valve development, Dy-Mark designed a world first, 2 way lockable actuator, which provides both a normal spray and extension-tube spray for hard to reach areas. There is also a selection of products that feature a **360° valve**, providing increased versatility in spray applications.

The **Dy-Mark PROTECH**<sup>®</sup> range of industrial grade cleaners and lubricants have been specially formulated for the professional who requires high performance results in industrial applications. The **Dy-Mark PROTECH**<sup>®</sup> range includes lubricants designed for convenient everyday use on industrial equipment such as; pulleys, conveyors, rusted bolts, tools and chains. The **Dy-Mark PROTECH**<sup>®</sup> cleaners make even the toughest jobs easier; suitable for engines, brakes and parts, machinery and electrical equipment.

Extensive testing in our technical laboratories and in the field was conducted to ensure **Dy-Mark PROTECH**<sup>®</sup> performs at optimum levels and outperforms competitor's products. Whatever your needs, you can be sure to achieve and maintain optimum performance with **Dy-Mark PROTECH**<sup>®</sup>.



# CONTENTS

- 3 WHITE LITHIUM GREASE
- 4 PENETRATING OIL
- 5 WET PTFE LUBRICANT
- 6 DRY PTFE LUBRICANT
- 7 CHAIN LUBRICANT
- 8 SILICONE LUBRICANT
- 9 MULTI-PURPOSE LUBRICANT
- 10 DRY GRAPHITE LUBRICANT
- 11 LANOLIN LUBRICANT
- 12 ISOPROPYL ALCOHOL
- 13 CONTACT CLEANER  
FLAMMABLE
- 14 CONTACT CLEANER  
NON-FLAMMABLE
- 15 AIR DUSTER
- 16 FREEZE SPRAY
- 17 BRAKE & PARTS CLEANER
- 18 BRAKE & PARTS CLEANER  
NON-CHLORINATED
- 19 HEAVY DUTY DEGREASER
- 20 DY-MARK 2 WAY ACTUATOR
- 21 PROTECH® DISPLAY STAND

# WHITE LITHIUM GREASE



## KEY FEATURES

- ⚙ High performance lithium based grease
- ⚙ Provides long lasting lubrication for all metal to metal applications
- ⚙ Excellent water and heat resistance
- ⚙ Reduces friction whilst protecting against rust and corrosion
- ⚙ Can work in extreme temperatures of -15°C to +115°C
- ⚙ Innovative 2 way actuator with locking tab
- ⚙ Uses a **360° valve** for upright and inverted applications

Size: 300g

**PRODUCT CODE: 42033001**



## RECOMMENDED USES



Hinges



Chains



Bearings



Conveyers

# PENETRATING OIL



## KEY FEATURES

- ⚙ High speed penetrant and lubricant that quickly penetrates rusted and seized metal parts
- ⚙ Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- ⚙ Helps prevent further corrosion
- ⚙ Innovative 2 way actuator with locking tab
- ⚙ Uses a **360° valve** for upright and inverted applications

Size: 400g

**PRODUCT CODE: 42034001**



### RECOMMENDED USES



Taps



Nuts & Bolts



Rusted Bolts



Padlocks

4

**LUBRICANT**





# WET PTFE LUBRICANT



## KEY FEATURES

- ⚙️ A high performance PTFE based lubricant
- ⚙️ Provides excellent lubrication and protection whilst reducing friction and wear
- ⚙️ Can work in extreme temperatures of  $-45^{\circ}\text{C}$  to  $+235^{\circ}\text{C}$
- ⚙️ Can be used on metal, glass, vinyl, rubber and plastics
- ⚙️ Innovative 2 way actuator with locking tab
- ⚙️ Uses a **360° valve** for upright and inverted applications

Size: 300g

PRODUCT CODE: 42033002



## RECOMMENDED USES



Hydraulics



Conveyers



Bearings



Cables

5



LUBRICANT

# DRY PTFE LUBRICANT



## KEY FEATURES

- ⚙️ A multi-purpose film lubricant
- ⚙️ Penetrates and bonds to metal, wood, rubber and most surfaces and will form a non-staining micro thin film that prevents sticking, reducing friction and wear
- ⚙️ Seals out moisture, inhibits corrosion and resists oil, dust and dirt build up
- ⚙️ Will not melt, freeze or wash off

Size: 150g

PRODUCT CODE: 42031501



## RECOMMENDED USES



Hinges



Chains



Window Tracks



Locks

6

LUBRICANT



# CHAIN LUBRICANT



## KEY FEATURES

- ⚙️ Heavy duty multi-purpose chain lubricant
- ⚙️ Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- ⚙️ Can work in extreme temperatures of  $-25^{\circ}\text{C}$  to  $+165^{\circ}\text{C}$
- ⚙️ Innovative 2 way actuator with locking tab

Size: 300g

PRODUCT CODE: 42033003



## RECOMMENDED USES



Cycle Chains



Chains



Pulleys



Wire Ropes

7



# SILICONE LUBRICANT



## KEY FEATURES

- ⚙️ A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- ⚙️ Provides a thin, clear protective film which is non-staining and non-corrosive
- ⚙️ For use on metal, plastic, rubber and wood
- ⚙️ Can work in extreme temperatures of  $-40^{\circ}\text{C}$  and  $+260^{\circ}\text{C}$
- ⚙️ Innovative 2 way actuator with locking tab

Size: 350g

**PRODUCT CODE: 42033501**



## RECOMMENDED USES



Pulleys



Pipes



Hinges



Conveyers

8

LUBRICANT



# MULTI-PURPOSE LUBRICANT



## KEY FEATURES

- ⚙️ A multi-use product that penetrates, lubricates, protects and displaces moisture
- ⚙️ It has hundreds of uses on the job, around the home, garden or garage
- ⚙️ The **60g** is perfect for the toolbox and glove box
- ⚙️ Innovative 2 way actuator with locking tab
- ⚙️ Uses a **360° valve** for upright and inverted applications

Size: 60g, 400g

**60G PRODUCT CODE: 42030601**

**400G PRODUCT CODE: 42034002**



## RECOMMENDED USES



Nuts & Bolts



Chains



Tools



Electrical

# DRY GRAPHITE LUBRICANT



## KEY FEATURES

- ⚙️ A multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- ⚙️ Lubricate locks, latches & hinges for long lasting, smooth operation
- ⚙️ Convenient aerosol delivery system
- ⚙️ Easy, no mess application
- ⚙️ Extension tube for hard to reach areas
- ⚙️ Use on metal, wood or plastic

Size: 150g

PRODUCT CODE: 42031502



## RECOMMENDED USES



Door Locks



Hinges



Zippers



Latches

10

LUBRICANT



# LANOLIN LUBRICANT



## KEY FEATURES

- ⚙ Non-toxic and biodegradable
- ⚙ Moisture, salt and acid resistant
- ⚙ Extension tube for hard to reach areas
- ⚙ Silicone free formula
- ⚙ Suitable for use in marine, agriculture, engineering and electrical applications
- ⚙ Forms a thin film of lanolin, which protects metals from corrosion

Size: 400g

**PRODUCT CODE: 42034005**



## RECOMMENDED USES



Outboard Motors



Saw Blades



Hinges



Battery Terminals

# ISOPROPYL ALCOHOL



## KEY FEATURES

- ⚙ High purity formula
- ⚙ Dries quickly and leaves no residue
- ⚙ Excellent for cleaning oil, grease, silicone, dirt, dust, fingerprints, flux and polar soils from electronics and electrical equipment
- ⚙ Non-conductive and non-corrosive
- ⚙ Ideal for use on printer heads and thermal printers
- ⚙ Innovative 2 way actuator with locking tab

Size: 275g

**PRODUCT CODE: 42032701**




## RECOMMENDED USES



Printer Heads



Thermal Printers



Circuit Boards



Telephones

12

**CLEANER**





# CONTACT CLEANER

**FLAMMABLE**



## KEY FEATURES

- ⚙️ A stable, inert, high purity cleaning solvent
- ⚙️ It dries quickly and leaves no residue
- ⚙️ Non-corrosive, non-staining and contains no lubricants
- ⚙️ Excellent for cleaning oil, dirt, flux residue and condensation from precision electronics and electrical equipment
- ⚙️ Innovative 2 way actuator with locking tab

Size: 350g

**PRODUCT CODE: 42033502**



## RECOMMENDED USES



Circuit Boards



Printers



Generators



Switches

# CONTACT CLEANER

NON-FLAMMABLE



## KEY FEATURES

- ⚙ Stable, no flash point, non-conductive, inert, high purity cleaning solvent
- ⚙ Non-flammable
- ⚙ Dries quickly and leaves no residue
- ⚙ Non-corrosive, non-staining and contains no lubricants
- ⚙ Excellent for cleaning oil, dirt, flux residue and condensation from precision electronic and electrical equipment
- ⚙ Innovative 2 way actuator with locking tab

Size: 400g

PRODUCT CODE: 42034004



## RECOMMENDED USES



Circuit Boards



Printers



Generators



Switches

14

CLEANER



# AIR DUSTER



## KEY FEATURES

- ⚙️ A dry, multi-purpose cleaner for the safe removal of dust and lint from all delicate precision equipment
- ⚙️ Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- ⚙️ Non-corrosive and leaves no residue or condensation
- ⚙️ Ideal for off-site servicing when compressed air is not available

Size: 235g

**PRODUCT CODE: 42032301**



## RECOMMENDED USES



Telephones



Circuit Boards



Keyboards



Printers

15



**CLEANER**

# FREEZE SPRAY



## KEY FEATURES

- ⚙️ An efficient cooling system that instantly freezes surfaces to  $-50^{\circ}\text{C}$
- ⚙️ Powerful blast of propellant instantly chills suspect electrical and electronic components
- ⚙️ Non-flammable, plastic safe, leaves no residue and is non-abrasive
- ⚙️ Ideal for removing chewing gum or sweets from fabrics

Size: 300g

**PRODUCT CODE: 42033004**



## RECOMMENDED USES



Thermostats



Computers



Thermometers



Circuit Boards

16

CLEANER



# BRAKE & PARTS CLEANER



## KEY FEATURES

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Cleans without disassembling the brake unit, is non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform
- Uses a **360° valve** for upright and inverted applications

Size: 500g

**PRODUCT CODE: 42035001**



## RECOMMENDED USES



Disc Brakes



Clutch Plates



Drum Brakes



Forklifts



# BRAKE & PARTS CLEANER

NON-CHLORINATED



## KEY FEATURES

- ⚙ Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- ⚙ Cleans without disassembling the brake unit, is non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform
- ⚙ Uses a **360° valve** for upright and inverted applications

Size: 350g

PRODUCT CODE: 42035002



## RECOMMENDED USES



Disc Brakes



Clutch Plates



Drum Brakes



Forklifts

18

CLEANER



# HEAVY DUTY DEGREASER



## KEY FEATURES

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water
- Uses a **360° valve** for upright and inverted applications

Size: 400g

**PRODUCT CODE: 42034003**



## RECOMMENDED USES



Engines



Metal Parts



Lifts & Hoists



Tools

19



# PROLOCK

2 WAY LOCKABLE ACTUATOR



Textured finger pad

2 way spray

Locking tab




**NORMAL SPRAY**



 **LOCKED**



**HARD TO REACH AREAS**



 **UNLOCKED**

# DISPLAY STAND

Dy-Mark PROTECH® Display Stand provides the best presentation solution for the entire range.

⚙ Each stand includes a corflute header card and Dy-Mark PROTECH® branded retail price stripping.




21

STAND



http://www

For further technical information including **TDS** and **SDS**, scan the QR codes located on the back of can or please visit: [www.dymark.com.au](http://www.dymark.com.au)







# PROTECH<sup>®</sup>

CLEANERS & LUBRICANTS

