# WHCX SERIES Outdoor Lighting

WHCX-24-40W-MCTP

CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE

Multi Color Temperature & Multi Power/Wattage (Selectable)




LED Wall Pack Light series can be widely used as Exterior or Interior LED lighting for Hotels, Garages, Commercial Buildings, Public areas, Schools and Hospitals, etc.

**Customer Name:** 

Project Name:

Note: Type:



12.99" (W) x 6.49" (H) x 6.49" (D)

# eatures

- High Light Transmittance, Anti-UV and Fire Resistant PC Lens
- 7-Year Warranty

- Die-Cast Aluminum With Powder Coat Finish (Dark
- Multi CCT and Power (Switches are inside fixture)

# **Technical Specifications**

# **Electrical:**

Voltage: 120-277VAC 60Hz Wattage: 24W/32W/40W Power Factor: >0.95 Efficacy: 145 LPW

## Mechanical:

- Twist-Lock Zhaga Socket Pre-Installed. See Motion Sensor Accessories
- Die-Cast Aluminum With Powder Coat Finish (Dark
- DC Button Photocell with ON/OFF switch Included
- Integrated Uplight, Can be Controlled By The Switch. UP: 10% DOWN: 90%
- High Light Transmittance, Anti-UV and Fire Resistant Shatterproof PC Lens
- Operating Temperature: -4°F to 104°F
- Full Cutoff, Dark Sky Compliant
- IP 65, Wet Location
- 7-Year Warranty

# **Lighting:**

- Dimming: 0~10V Dimmable
- Multi CCT and Power (Switches are inside fixture)
- The Type III Distribution Is Used for Wide WalkWays, on Ramps and Entrance Roadways, As Well As Other Long, Narrow Lighting
- Total Lumens: 5800LM Max.
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 80
- Rated Life: 70,000 Hrs

# **Applications:**

LED Wall Pack Light series can be widely used as Exterior or Interior LED lighting for Hotels, Garages, Commercial Buildings, Public areas, Schools and Hospitals, etc.

#### Other Models:

80W | 11600LM | WHCX-48-80W-MCTP

















# Photometrics: WHCX-24-40W-MCTP



BUD Rating: B0-U0-G1



# Other Views:



Side View



Front View



Back View



Integrated Uplight, Can be Controlled By The Switch

# Performance Table: WHCX-24-40W-MCTP

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
WHCX-24-40W-MCTP	24W 32W 40W	120~277V	3480LM 4640LM 5800LM	3000K 4000K 5000K	B0-U0-G1	145

# Sample Ordering

Model Wattage. Wattage. Color Temp.

WHCX -40W MCTP

# **Factory-Installed Options:**

Blank = No Option For Accessories WEC-8RC = OPTIONAL REMOTE

OPT-SEN-3MRLV-5 = PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)

OPT-EM-WHCX-40W = EMERGENCY BACK UP BATTERY

OPT-PC-B = BUTTON

OPT-WP-480V = CHANGE VOLTAGE

OPT-SEN-3MLV-5 = PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)

OPT-CLR-85(BK/GR/SR/WH) = PAINT

OPT-CLR-85MC (260 SET UP FEE PER PROJECT) = PAINT

OPT-TRS-T20 = TAMPER RESISTANT SCREW

## **FACTORY-INSTALLED OPTIONS:**







OPT-EM-WHCX-40W







# COLOR CHART: \* Choose from one of our Premium Colors with no set-up fee.

#### Gloss:



SILVER METALLIC 70 GLOSS T357-GR105



SILVER METALLIC 30 GLOSS T353-GR06



DARK RED 90 **GLOSS** P009-RD02



INTERNATIONAL **ORANGE 90** GLOSS T009-OG26



SAFETY ORANGE 90 GLOSS T009-OG01



YELLOW 90 GLOSS T009-YL14



YELLOW 90 GLOSS T009-YL01



TRAFFIC GREEN 70 GLOSS T007-GN16



**GREEN 70 GLOSS** T007-GN13



**GREEN 60 GLOSS** C006-GN03



**BLUE 90 GLOSS** T009-BL01



**DARK BLUE 80 GLOSS** T008-BL20



RAL 8028 TERRA **BROWN 90 GLOSS** C209-BR358

## Hammer:



WHITE HAMMER T013-WH09



BEIGE HAMMER T013-BG38



**GREY HAMMER** C013-GR08



**SILVER HAMMERTONE** T064-GR05



**BLACK HAMMER** T013-BK62



**RED HAMMER** T013-RD15



**GREEN HAMMER** T013-GN220



**BLUE HAMMER** T013-BL468



BRONZE HAMMER T012-BR161

## Texture:



WHITE TEXTURE C031-WH120



FLINT GRAY TEXTURE T243-GR522



**BLACK TEXTURE** C241-BK109



**RED TEXTURE** T241-RD129



**BLUE TEXTURE** C241-BL544



OIL RUBBED **BRONZE TEXTURE** T291-BR251

### Vein:



**BLACK/WHITE** VEIN T075-WH34



SILVER VEIN T375-BK26



COPPER VEIN **EXTERIOR** T075-BK211



**GOLD VEIN** T375-BK10



**COPPER VEIN** T375-BK07



