

TCP's energy-efficient High Lumen LED Filament Lamps are exceptional replacements for HID metal halide lamps and a great alternative to Corn Cob replacement lamps. The classic HID shape fits perfectly into existing fixtures. The lamps are an excellent fit for High Bay and Low Bay fixtures, as well as base down and horizontal applications such as bollards and wall packs. Bypass application means that no ballasts are needed.

Reasons to choose the High Lumen LED Filament Lamps from TCP

- Universal burn position
- Ballast bypass 120-277V
- Versatile can be used in open or enclosed fixtures
- 360° beam angle
- Lightweight

Typical Applications

- Warehouses
- Parking Structures
- Industrial Lighting

- Easy installation screw it into the existing socket
 Energy savings of more than 75% over traditional
- Energy savings of more than 75% over traditional HID metal halide lamps
- 2200K available perfect for HPS replacements
- Instant start
- Large Retail Facilities
- Gymnasiums
- Large Public Areas

- Movie Theatres
- Large Outdoor Areas
- Pathways

Specifications

Shapes	ED17, ED23, ED28, ED37
Color Temperatures	
Voltage	120-277V
Enclosed Fixture	Yes
Rated Life	50,000 Hours

Minimum Starting Temp	
Maximum Operating Temp	65°C (149°F)
CRI	280
Wet Location	Yes
Power Factor	>.9









ITEM #	DESCRIPTION	DLC	SHAPE	WATTAGE	LUMENS	LPW	COLOR TEMP	CRI	BASE	MOL (inches)	DIA (inches)	WEIGHT (lbs)	CASE
ED17 Lamps													
FED17N05022E26CL	ED17 22K E26 CLEAR		ED17	14	1800	128.6	2200K	80	E26	5.4	2.2	0.16	6
FED17N05040E26CL	ED17 40K E26 CLEAR		ED17	14	2500	178.5	4000K	80	E26	5.4	2.2	0.16	6
FED17N05050E26CL	ED17 50K E26 CLEAR		ED17	14	2500	178.5	5000K	80	E26	5.4	2.2	0.16	6
ED23 Lamps													
FED23N15022E26CL	ED23 22K E26 CLEAR		ED23	26	3600	138.5	2200K	80	E26	7.6	3.00	0.35	6
FED23N15040E26CL	ED23 40K E26 CLEAR		ED23	26	5000	192.3	4000K	80	E26	7.6	3.00	0.35	6
FED23N15050E26CL	ED23 50K E26 CLEAR		ED23	26	5000	192.3	5000K	80	E26	7.6	3.00	0.35	6
ED28 Lamps													
FED28N15022E39CL	ED28 22K E39 CLEAR		ED28	30	4600	153	2200K	80	E39	8.2	3.5	0.42	6
FED28N15040E39CL	ED28 40K E39 CLEAR	FED28N15040E39CL	ED28	30	6000	200	4000K	80	E39	8.2	3.5	0.42	6
FED28N15050E39CL	ED28 50K E39 CLEAR	FED28N15050E39CL	ED28	30	6000	200	5000K	80	E39	8.2	3.5	0.42	6
FED28N25040E39CL	ED28 40K E39 CLEAR		ED28	40	8000	200	4000K	80	E39	8.2	3.5	0.42	6
FED28N25050E39CL	ED28 50K E39 CLEAR		ED28	40	8000	200	5000K	80	E39	8.2	3.5	0.42	6
ED37 Lamps													
FED37N40040E39CL	ED37 40K E39 CLEAR		ED37	60	11000	183.3	4000K	80	E39	11.5	4.6	0.65	6
FED37N40050E39CL	ED37 50K E39 CLEAR		ED37	60	11000	183.3	5000K	80	E39	11.5	4.6	0.65	6

Accessories

ADAPTERE39E26 E39 lamp to E26 socket Adapter ADAPTERE26E39 E26 lamp to E39 socket Adapter



*Based on 12 hours use per day

RoHS

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Туре:
Model:	Notes:
Project:	TCD
Rep:	we know light."

For more information on the quality and care TCP can deliver, call us at 800.324.1496 or visit tcpi.com