Simply convenient:

Veneer handgluers from KUPER.

Simple handling, easy operation.

The KUPER hand gluer uses the KUPER glue thread as glueing medium. An ideal instrument to patch and bind splitted veneers. The KUPER KHL 2 is an ideal instrument to patch and join very buckled and thick veneer sheets. This device applies two threads in one operation with a 15 mm distance.

Advantages at a glance

- just approx. 5 min. heat-up
- exact, straight glueing
- clean break of the gluethread
- maintenance-free



Technical data

| KHL 1 | working with one thread |
|----------------------------|---------------------------|
| KHL 2 | working with two threads |
| Operating voltage standard | 230 V alternating current |
| Net weight | 1.34 kg 1.59 kg |



KUPER

Heinrich-Kuper-Straße 10 – 15 33397 Rietberg Germany

Heinrich KUPER GmbH & Co. KG Phone +49(0)5244/984-0 +49(0)5244/984-201 E-Mail info@KUPER.de Internet www.KUPER.de

KUPER FWM 630



Veneer Splicing Machine

D.B.P. and foreign patents



KUPER FWM 630

Zig-zag Veneer Splicing Machine for small quantities.

Very neat, very precise.

The KUPER FWM 630 is the ideal machine for smalle veneer quantities. It features the technical advantage of all zig-zag machines made by KUPER: For example the discs with tolerance compensating mechanism.



Function

A special KUPER gluethread applied in zig-zag fashion guarantees a completely firm and tight joint. The gluethread is laid inside during the pressing which saves the time consuming sanding off of the glueing medium.

Advantages at a glance

- flexible location
- simple operation
- discs with tolerance compensating mechanism
- 8-step switch for regulation of heating power



Technical data

| Throat depth | 630 mm |
|----------------------------|--|
| Feed speed | approx. 7 m/min. |
| Veneer thickness | approx. 0.4 – 2.0 mm |
| Operating voltage standard | 230 V, 1 Ph, 50/60 cycl. or special voltage |
| Total connected load | approx. 0.11 kVA |
| Space required (I x w) | 890 x 370 mm |