

Echo 30™ Jets


Specifications

Seating Capacity.....	7 Adults
Dimensions	78" x 78" x 36" (198 cm x 198 cm x 91 cm);
Perimeter.....	312 in. (714.7 cm)
Dry Weight.....	414 lbs (187 kg)
Filled Weight (Spa Volume)	4,117 lbs (1,867 kg)
Filled Weight (Average Fill).....	3,150 lbs (1,429 kg)
Water Capacity (Spa Volume) ...	444 US gallons (1,681 Liters)
Water Capacity (Average Fill) ...	328 US gallons (1,242 Liters)
Electronic Controls	Digital Touch Controller. Offers customizing of cleaning cycles and water temperature setting.
Pump 1.....	North America (60 Hz): 2-Speed, 2.0 HPR
Export (50 Hz):	2 kW, 2-Speed
Pump 2.....	N/A
Export (50 Hz):	N/A
Circulation Pump.....	N/A
Total Jets	30
Seat A Jets	4 DirectionalMax1 Jets, 2 DirectionalMax2 Jets
Seat B Jets	2 DirectionalMax1 Jets
Seat C Jets	8 DirectionalMax2 Jets
Seat D Jets	6 DirectionalMax2 Jets
Seat E Jets	2 DirectionalMax1 Jets
Seat F Jets.....	4 DirectionalMax1 Jets, 2 DirectionalMax2 Jets
Massage Selectors	N/A
Air Controls.....	2
Water Management System	One Easy Klean 30 ft ² filter cartridge; Optional factory installed Ozone
Export (50 Hz):	Optional factory installed Ozone
LED Lighting	Multicolor waterfall light; Exterior corner light (white color only)
Shell/Cabinet Colors	Mystic Sparkle, Tuscan Sparkle, Night Sparkle, Glacier Sparkle
Headrests	4
Waterfalls	One with independent flow rate (on or off) adjustment; powered by pump 1
Heater:	Hi Flow 1.0kW/4kW
Export (50 Hz):	Hi Flow 3.0kW
Electrical Requirements:	North America (60 Hz): Convertible 120 VAC@15A
Export (50 Hz):	220-240V@1x16A, 1X32A
Warranty*.....	North America (60 Hz): 5 Years Shell, 1 Year Plumbing Components, 1 Year Electrical Components, 1 Year Insulating Cover, 1 Year Labor; Export (50 Hz): 5 Years Shell, 2 Years Plumbing Components, 2 Years Electrical Components, 2 Years Insulating Cover, 2 Years Labor;
Special Features	N/A



Echo 30 Jets

Operation/Seat Depths



- Ⓐ Topside Control - Activate Jet Pump, Light and Control Water Temperature
- Ⓑ Water Feature Control - Controls Water Feature Output.
- Ⓒ Air Control - Activates Seat A Jets (4 DirectionalMax1 Jets, 2 DirectionalMax2 Jets), Seat B Jets (2 DirectionalMax1 Jets), Seat C Jets (8 DirectionalMax2 Jets)
- Ⓓ Air Control - Activates Seat D Jets (6 DirectionalMax2 Jets), Seat E Jets (2 DirectionalMax1 Jets), Seat F Jets (4 DirectionalMax1 Jets, 2 DirectionalMax2 Jets)

- Jet Pump 1: All seats and footwell jets

30 Total Jets

DirectionalMax1
Jets (12)

DirectionalMax2
Jets (18)



Spa Operation Subject to Change without Notice

A = 26.50" (67.30 cm)

B = 24.75" (62.86 cm)

C = 28.00" (71.12 cm)

D = 28.00" (71.12 cm)

E = 24.75" (62.86 cm)

F = 26.50" (67.30 cm)

G = 20.00" (50.80 cm)

H = 34.50" (87.63 cm)

Seat Depths

Listed dimensions represent distance from top of spa to lowest point in seat.




Tolerance: $\pm 0.5"$ (1.27 cm)




Dimensions/Specifications are Subject to Change Without Notice

Echo 30 Jets

Dimensions



IMPORTANT! Always measure each hot tub for exact dimensions BEFORE designing its foundational support and/or decking.



Dimensions/specifications subject to change without notice. Tolerance $\pm 0.5"$ (1.27 cm)