



Nika Company.bg



Ника Къмпани ЕООД



MONTO®



Program



 **QUALITY**
Since 1900



KRAUSE-Systems:

RollStop System




RSS -
Roll/Stop-System

4-fach-Connect System




4CS -
4-fach-Connect-System

AutoSnap System




ASS -
AutoSnap-System

SpeedMatic System



SMS -
SpeedMatic-System





MultiGrip
System




MGS -
MultiGrip-System

SafetyCap




SCA -
SafetyCap

ClickMatic
System




CMS -
ClickMatic-System

IntegratedTele
System





ITS -
IntegratedTele-System








Treppy®




Art.-No. 130013 (ca. m)
 2 x 2 2,45 m
 ca. 2,0 kg 0,45 m



StepTop®









Art.-No. 130099 (ca. m)
 ca. 9,0 kg 2,45 m
1,10 m





Topy XL®



| | |
|--|--|
| <p>Art.-No. 130860</p>  <p>2</p>  <p>ca. 4,5 kg</p> <p>(ca. m)</p> <p>2,50 m</p>  <p>1,15 m</p> | <p>Art.-No. 130877</p>  <p>3</p>  <p>ca. 6,0 kg</p> <p>(ca. m)</p> <p>2,75 m</p>  <p>1,40 m</p> |
|--|--|




Krause Komfort Stufen-Steh-Leiter

Oberklasse

Heimwerker
Praxis 6/2012

1,3

Preis/Leistung: gut - sehr gut



Art.-No. 200006

www.multigrip-system.de

Sepuro®



Art.-No. 127228



4 (ca. m)



ca. 4,2 kg

2,85 m

1,60 m



Art.-No. 127235



5 (ca. m)



ca. 5,1 kg

3,05 m

1,80 m



Art.-No. 127242



6 (ca. m)



ca. 5,8 kg

3,25 m

2,05 m





Dopplo®



| | | | |
|-----------------|---------------|--------|--|
| Art.-No. 120328 | 2 x 3 (ca. m) | 2,20 m | |
| ca. 2,5 kg | | 0,70 m | |
| Art.-No. 120335 | 2 x 4 (ca. m) | 2,40 m | |
| ca. 3,5 kg | | 0,90 m | |
| Art.-No. 120342 | 2 x 5 (ca. m) | 2,65 m | |
| ca. 4,5 kg | | 1,15 m | |
| Art.-No. 120359 | 2 x 6 (ca. m) | 2,85 m | |
| ca. 5,5 kg | | 1,40 m | |
| Art.-No. 120366 | 2 x 7 (ca. m) | 3,05 m | |
| ca. 7,0 kg | | 1,60 m | |
| Art.-No. 120373 | 2 x 8 (ca. m) | 3,30 m | |
| ca. 8,5 kg | | 1,85 m | |

SePro® S



| | | | |
|-----------------|-----------|--------|--|
| Art.-No. 124180 | 4 (ca. m) | 2,85 m | |
| ca. 4,4 kg | | 1,60 m | |
| Art.-No. 124197 | 5 (ca. m) | 3,05 m | |
| ca. 5,2 kg | | 1,80 m | |
| Art.-No. 124203 | 6 (ca. m) | 3,30 m | |
| ca. 6,0 kg | | 2,05 m | |
| Art.-No. 124210 | 7 (ca. m) | 3,50 m | |
| ca. 7,0 kg | | 2,30 m | |
| Art.-No. 124227 | 8 (ca. m) | 3,70 m | |
| ca. 8,0 kg | | 2,50 m | |



Tribilo®














| | | | | | | |
|---|--------------------|------------------|------------------|------------------|------------------|---------|
| Art.-No. 120601 3 x 9 ca. 16,3 kg | 6,85 m 6,05 m | 4,95 m 4,40 m | 3,85 m 2,70 m | 3,60 m 2,70 m | (ca. m) | |
| Art.-No. 120618 3 x 10 ca. 17,8 kg | 7,65 m 6,90 m | 5,45 m 4,95 m | 4,10 m 3,00 m | 3,85 m 3,00 m | (ca. m) | |
| Art.-No. 120625 3 x 12 ca. 26,7 kg | 9,30 m 8,60 m | 6,55 m 6,05 m | 4,65 m 3,55 m | 4,40 m 3,55 m | (ca. m) | |
| Art.-No. 120717 3 x 14 ca. 30,8 kg | 10,90 m 10,25 m | 7,60 m 7,20 m | 5,20 m 4,10 m | 4,95 m 4,10 m | (ca. m) | |
| Art.-No. 121226 3 x 8 ca. 15,3 kg | 6,05 m 5,25 m | 4,40 m 3,80 m | 3,60 m 2,40 m | 3,35 m 2,40 m | 4,40 m 3,25 m | (ca. m) |
| Art.-No. 121240 3 x 10 ca. 17,8 kg | 7,65 m 6,90 m | 5,45 m 4,95 m | 4,10 m 3,00 m | 3,85 m 3,00 m | 4,95 m 3,80 m | (ca. m) |
| Art.-No. 121257 3 x 12 ca. 26,7 kg | 9,30 m 8,60 m | 6,55 m 6,05 m | 4,65 m 3,55 m | 4,40 m 3,55 m | 5,45 m 4,35 m | (ca. m) |



Dubilo®



| | |
|--|---|
| <p>Art.-No. 120571</p> <p> 2 x 9</p> <p> ca. 9,7 kg</p> <p>(ca. m)</p> | <p>5,25 m </p> <p>4,35 m</p> |
| <p>3,85 m </p> <p>2,70 m</p> | <p>3,60 m </p> <p>2,70 m</p> |
| <p>Art.-No. 120588</p> <p> 2 x 12</p> <p> ca. 14,1 kg</p> <p>(ca. m)</p> | <p>6,85 m </p> <p>6,05 m</p> |
| <p>4,65 m </p> <p>3,50 m</p> | <p>4,40 m </p> <p>3,50 m</p> |
| <p>Combi 1, 2, 3, 4, 5, 6, 8  18 i</p> | |



MultiMatic®



Art.-No. 120632
4 x 3
ca. 12,2 kg



Art.-No. 120694
4 x 4
ca. 14,2 kg



(ca. m)



TriMatic®



Art.-No. 121325

2 x 6

ca. 8,2 kg

(ca. m)




Art.-No. 121332

2 x 8

ca. 10,2 kg

(ca. m)



Combi 1, 2, 3, 4, 5, 6, 8



TeleMatic®




Art.-No. 122315

4 x 4

ca. 15,2 kg

(ca. m)



Art.-No. 122322

4 x 5

ca. 17,7 kg

(ca. m)




Combi 1, 2, 3, 4, 5, 6, 8





TeleVario®



Art.-No. 122162



4 x 4

ca. 15,7 kg



(ca. m)



max. 3,00 m



Art.-No. 122179



4 x 5

ca. 18,2 kg



(ca. m)



max. 3,00 m




Combi 1, 2, 3, 4, 5, 6, 8

18 **i**




Combi EXTRAS

System




Art.-No.122063



Art.-No. 121417




Art.-No.121400




Art.-No. 122285




Art.-No.122292



Art.-No. 122261 (810 mm)



Art.-No.122018



Art.-No. 122469 (2x)



ClimTec®
System



ca. 3,00 m

ca. 1,00 m

0

Art.-No. 710116

ca. 31,0 kg

ca. 5,00 m

ca. 3,00 m

1

Art.-No. 710130

ca. 54,0 kg

ca. 7,00 m

ca. 5,00 m

2

Art.-No. 710154

ca. 84,0 kg


EXTRAS



Art.-No. 714169
4 x ø 125 mm



Art.-No. 914309
4 x ø 150 mm






Art.-No. 714039



Art.-No. 704306
10 kg




ProTec® XXL
System



| Art.-No. | A (ca. m) | B (ca. m) | 📦 (ca. kg) |
|----------|-----------|-----------|------------|
| 911117 | 0,90 | 2,90 | 61,0 |
| 911094 | 2,30 | 4,30 | 87,0 |
| 911131 | 3,30 | 5,30 | 119,0 |
| 911148 | 4,30 | 6,30 | 162,0 |
| 911155 | 5,30 | 7,30 | 201,0 |
| 911162 | 6,30 | 8,30 | 212,0 |
| 911179 | 7,30 | 9,30 | 220,0 |
| 911186 | 8,30 | 10,30 | 231,0 |
| 911193 | 9,30 | 11,30 | 272,0 |
| 911209 | 10,30 | 12,30 | 283,0 |



STABILO® Professional






STABILO® Professional





STABILO® Professional





Ника Къмпани ЕООД

1618 София, ж.к. Манастирски ливади,
ул. „Българска легия“ 2, офис 3



GSM: +359 897 019 057

Тел./Факс: +359 2 831 70 04



e-mail: kadieva@nika.bg



web: www.nikacompany.bg