



Sample Sample 2- D9 8mg Seltzer

Sample ID:	BBL_4055	Matrix:	Beverage	Analyses Executed:	Full Panel
Company:	Indigo Papers LLC	Batch ID:	D9 Nano 2	Reported:	16 Aug, 2023
Phone:		Received:	17 Mar, 2023	Note:	Amended Report
Address:	8841 Highland Rd Ste A, Baton Rouge, LA 70808				
Email:	indigopaperco@gmail.com				

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 23 Mar, 2023 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/ml	mg/pack
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.0018	0.018	0.019	6.745
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	0.0001	0.001	0.001	0.355
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.002	0.018		
Total CBD (CBDa * 0.877 + CBD)			ND	ND		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.002	0.019	0.02	7.1

Volume: 355.0000 ml, Density: 1.0604

Sample Photography



NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:16 AM



HME - Heavy Metals Detection

Analyzed 24 Mar, 2023 | Instrument ICP-MS | Method TM-105
 Analysis Comment: Result '0' implies detection less than LOQ.

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	0.005		
Cadmium (Cd)	0.005	0.016	ND		
Mercury (Hg)	0.004	0.013	ND		
Lead (Pb)	0.075	0.224	0.002		

MIB - Microbial Testing Analysis

Analyzed 24 Mar, 2023 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		NEG	
Total Yeast & Mold		<10	
Aspergillus fumigatus		NEG	
Aspergillus flavus		NEG	
Aspergillus niger		NEG	
Aspergillus terreus		NEG	
Shiga toxin-producing Escherichia Coli		NEG	

MTO - Mycotoxin Testing Analysis

Analyzed 23 Mar, 2023 | Instrument LCMS-MS | Method TM-104

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

PES - Pesticides Screening Analysis

Analyzed 23 Mar, 2023 | Instrument LCMS-MS | Method TM-103
 Analysis Comment: Captan is not A2LA accredited

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:16 AM

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Abamectin	0.110	0.330	N D		
Acephate	0.230	0.700	N D		
Acequinocyl	0.110	0.320	N D		
Acetamiprid	0.020	0.050	N D		
Aldicarb	0.020	0.050	N D		
Azoxystrobin	0.020	0.060	N D		
Bifenazate	0.010	0.030	N D		
Bifenthrin	0.020	0.060	N D		
Boscalid	0.060	0.170	N D		
Captan	3.096	9.383	N D		
Carbaryl	0.010	0.040	N D		
Carbofuran	0.010	0.020	N D		
Chlorantraniliprole	0.010	0.030	N D		
Chlorpyrifos	0.010	0.030	N D		
Clofentezine	0.010	0.040	N D		
Coumaphos	0.040	0.120	N D		
Cyfluthrin	2.320	7.020	N D		
Cypermethrin	0.370	1.130	N D		
Daminozide	0.550	1.650	N D		
Dichlorvos	0.050	0.140	N D		
Dimethoate	0.010	0.020	N D		
Dimethomorph	0.010	0.030	N D		
Ethoprophos	0.020	0.050	N D		
Etofenprox	0.010	0.040	N D		
Etoxazole	0.010	0.020	N D		
Fenhexamid	0.040	0.140	N D		
Fenoxycarb	0.020	0.060	N D		
Fenpyroximate	0.010	0.040	N D		
Fludioxinil	0.020	0.050	N D		
Flonicamide	0.010	0.030	N D		
Hexythiazox	0.010	0.020	N D		
Imazalil	0.060	0.170	N D		
Imidacloprid	0.040	0.110	N D		
Kresoxim-methyl	0.020	0.050	N D		
Malathion	0.010	0.030	N D		
Metalaxyl	0.010	0.020	N D		
Methiocarb	0.010	0.030	N D		
Methomyl	0.020	0.050	N D		
Mevinphos	0.060	0.180	N D		
Myclobutanil	1.190	3.610	N D		
Naled	0.030	0.080	N D		
Oxamyl	0.020	0.050	N D		
Paclobutrazole	0.020	0.060	N D		
Permethrin	0.080	0.260	N D		
Phosmet	0.010	0.030	N D		
Piperonyl butoxide	0.010	0.040	N D		
Prallethrin	0.100	0.300	N D		

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Archana

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:16 AM

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Methyl parathion	0.050	0.140	N D		
Thiamethoxam	0.010	0.040	N D		
Diazinon	0.010	0.040	N D		
Chlordane	0.740	2.250	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:16 AM

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

RES – Residual Solvent Analysis

Analyzed 24 Mar, 2023 | Instrument HS-GC/MS | Method TM-106

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Pentane	0.130	0.410	N D		
Ethanol	0.130	0.380	1305		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
Isopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Methylene chloride	0.010	0.020	N D		
Hexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
1,2-Dichloroethane	0.010	0.030	N D		
Heptane	0.020	0.060	N D		
Trichloroethene	0.010	0.030	N D		
Toluene	0.010	0.020	N D		
Isobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
m,p-Xylenes	0.010	0.030	N D		
o-Xylene	0.010	0.020	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:16 AM