



Sample Sample 1- D9 8mg Seltzer

| | | | | | |
|-------------------|---|------------------|--------------|---------------------------|----------------|
| Sample ID: | BBL_4054 | Matrix: | Beverage | Analyses Executed: | CAN |
| Company: | Indigo Papers LLC | Batch ID: | D9 Nano 1 | Reported: | 07 Aug, 2023 |
| Phone: | | Received: | 17 Mar, 2023 | Note: | Amended Report |
| Address: | 8841 Highland Rd Ste A, Baton Rouge, LA 70808 | | | | |
| Email: | indigopaperco@gmail.com | | | | |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.



Cannabinoid Profile Analysis

Analyzed 23 Mar, 2023 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/ml | mg/pack |
|---------------------------------------|-----------|-----------|----------|---------------|-------|---------|
| Cannabidivarinic acid (CBDVa) | 0.030 | 0.080 | ND | ND | ND | ND |
| Cannabidivarin (CBDV) | 0.050 | 0.150 | ND | ND | ND | ND |
| Cannabidiolic acid (CBDa) | 0.040 | 0.110 | ND | ND | ND | ND |
| Cannabigerolic acid (CBGa) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.080 | 0.230 | ND | ND | ND | ND |
| Cannabidiol (CBD) | 0.060 | 0.190 | ND | ND | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.080 | 0.240 | ND | ND | ND | ND |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050 | 0.160 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.040 | 0.120 | ND | ND | ND | ND |
| Cannabinolic acid (CBNa) | 0.080 | 0.250 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinol (D9-THC) | 0.120 | 0.360 | 0.002 | 0.02 | 0.021 | 7.455 |
| D8-Tetrahydrocannabinol (D8-THC) | 0.140 | 0.430 | 0.0001 | 0.001 | 0.001 | 0.355 |
| Cannabicyclol (CBL) | 0.210 | 0.640 | ND | ND | ND | ND |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130 | 0.400 | ND | ND | ND | ND |
| Cannabichromene (CBC) | 0.090 | 0.280 | ND | ND | ND | ND |
| Cannabichromenic acid (CBCa) | 0.350 | 1.060 | ND | ND | ND | ND |
| Total THC (THCa * 0.877 + THC) | | | 0.002 | 0.02 | | |
| Total CBD (CBDa * 0.877 + CBD) | | | ND | ND | | |
| Total CBG (CBGa * 0.877 + CBG) | | | ND | ND | | |
| Total Cannabinoids | | | 0.002 | 0.021 | 0.022 | 7.81 |

Volume: 355.0000 ml, Density: 1.0658

Sample Photography



NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >U.L.O.L Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:12 AM



HME - Heavy Metals Detection

Instrument ICP-MS | Method TM-105

Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005 | 0.015 | 0.005 | | |
| Cadmium (Cd) | 0.005 | 0.016 | ND | | |
| Mercury (Hg) | 0.004 | 0.013 | ND | | |
| Lead (Pb) | 0.075 | 0.224 | 0.002 | | |

MIB - Microbial Testing Analysis

Instrument PCR/ Plating | Method TM-109

| Analyte | Limit (CFU/g) | Result CFU/g | Flag |
|--|---------------|--------------|------|
| Salmonella SPP | | NEG | |
| Total Yeast & Mold | | <10 | |
| Aspergillus fumigatus | | NEG | |
| Aspergillus flavus | | NEG | |
| Aspergillus niger | | NEG | |
| Aspergillus terreus | | NEG | |
| Shiga toxin-producing Escherichia Coli | | NEG | |

MTO - Mycotoxin Testing Analysis

Instrument LCMS-MS | Method TM-104

| Analyte | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1 | 0.000 | 0.010 | N D | | |
| Mycotoxin B2 | 0.010 | 0.030 | N D | | |
| Mycotoxin G1 | 0.010 | 0.020 | N D | | |
| Mycotoxin G2 | 0.010 | 0.040 | N D | | |
| Ochratoxin A | 0.020 | 0.060 | N D | | |
| Total Mycotoxins | | | N D | | |

PES - Pesticides Screening Analysis

Analyzed 23 Mar, 2023 | Instrument LCMS-MS | Method TM-103

Analysis Comment: Captan is not A2LA accredited

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:12 AM

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin | 0.110 | 0.330 | N D | | |
| Acephate | 0.230 | 0.700 | N D | | |
| Acequinocyl | 0.110 | 0.320 | N D | | |
| Acetamiprid | 0.020 | 0.050 | N D | | |
| Aldicarb | 0.020 | 0.050 | N D | | |
| Azoxystrobin | 0.020 | 0.060 | N D | | |
| Bifenazate | 0.010 | 0.030 | N D | | |
| Bifenthrin | 0.020 | 0.060 | N D | | |
| Boscalid | 0.060 | 0.170 | N D | | |
| Captan | 3.096 | 9.383 | N D | | |
| Carbaryl | 0.010 | 0.040 | N D | | |
| Carbofuran | 0.010 | 0.020 | N D | | |
| Chlorantraniliprole | 0.010 | 0.030 | N D | | |
| Chlorpyrifos | 0.010 | 0.030 | N D | | |
| Clofentezine | 0.010 | 0.040 | N D | | |
| Coumaphos | 0.040 | 0.120 | N D | | |
| Cyfluthrin | 2.320 | 7.020 | N D | | |
| Cypermethrin | 0.370 | 1.130 | N D | | |
| Daminozide | 0.550 | 1.650 | N D | | |
| Dichlorvos | 0.050 | 0.140 | N D | | |
| Dimethoate | 0.010 | 0.020 | N D | | |
| Dimethomorph | 0.010 | 0.030 | N D | | |
| Ethoprophos | 0.020 | 0.050 | N D | | |
| Etofenprox | 0.010 | 0.040 | N D | | |
| Etoxazole | 0.010 | 0.020 | N D | | |
| Fenhexamid | 0.040 | 0.140 | N D | | |
| Fenoxycarb | 0.020 | 0.060 | N D | | |
| Fenpyroximate | 0.010 | 0.040 | N D | | |
| Fludioxinil | 0.020 | 0.050 | N D | | |
| Flonicamide | 0.010 | 0.030 | N D | | |
| Hexythiazox | 0.010 | 0.020 | N D | | |
| Imazalil | 0.060 | 0.170 | N D | | |
| Imidacloprid | 0.040 | 0.110 | N D | | |
| Kresoxim-methyl | 0.020 | 0.050 | N D | | |
| Malathion | 0.010 | 0.030 | N D | | |
| Metalaxyl | 0.010 | 0.020 | N D | | |
| Methiocarb | 0.010 | 0.030 | N D | | |
| Methomyl | 0.020 | 0.050 | N D | | |
| Mevinphos | 0.060 | 0.180 | N D | | |
| Myclobutanil | 1.190 | 3.610 | N D | | |
| Naled | 0.030 | 0.080 | N D | | |
| Oxamyl | 0.020 | 0.050 | N D | | |
| Paclobutrazole | 0.020 | 0.060 | N D | | |
| Permethrin | 0.080 | 0.260 | N D | | |
| Phosmet | 0.010 | 0.030 | N D | | |
| Piperonyl butoxide | 0.010 | 0.040 | N D | | |
| Prallethrin | 0.100 | 0.300 | N D | | |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:12 AM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Bluebonnet Labs

| Analytes | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Propiconazole | 0.070 | 0.220 | N D | | |
| Propoxur | 0.010 | 0.030 | N D | | |
| Pyrethrin-I | 0.020 | 0.060 | N D | | |
| Pyridaben | 0.010 | 0.020 | N D | | |
| Spinetoram | 0.230 | 0.690 | N D | | |
| Spinosyn A | 0.010 | 0.020 | N D | | |
| Spinosyn D | 0.000 | 0.010 | N D | | |
| Spiromesifen | 0.050 | 0.140 | N D | | |
| Spirotetramat | 0.010 | 0.030 | N D | | |
| Spiroxamine | 0.010 | 0.030 | N D | | |
| Tebuconazole | 0.010 | 0.030 | N D | | |
| Thiachloprid | 0.010 | 0.030 | N D | | |
| Methyl parathion | 0.050 | 0.140 | N D | | |
| Thiamethoxam | 0.010 | 0.040 | N D | | |
| Diazinon | 0.010 | 0.040 | N D | | |
| Chlordane | 0.740 | 2.250 | N D | | |
| Trifloxystrobin | 0.010 | 0.030 | N D | | |
| Chlorfenapyr | 0.830 | 2.530 | N D | | |
| Pentachloronitrobenzene | 0.060 | 0.170 | N D | | |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:12 AM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.



RES – Residual Solvent Analysis

Instrument HS-GC/MS | Method TM-106

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane | 0.470 | 1.410 | N D | | |
| Butane | 0.200 | 0.610 | N D | | |
| Methanol | 0.070 | 0.230 | N D | | |
| Pentane | 0.130 | 0.410 | N D | | |
| Ethanol | 0.130 | 0.380 | 1251 | | |
| Ethyl ether | 0.020 | 0.070 | N D | | |
| Acetone | 0.060 | 0.180 | N D | | |
| Isopropyl alcohol | 0.030 | 0.090 | N D | | |
| Acetonitrile | 0.020 | 0.060 | N D | | |
| Methylene chloride | 0.010 | 0.020 | N D | | |
| Hexane | 0.030 | 0.080 | N D | | |
| Ethyl acetate | 0.030 | 0.080 | N D | | |
| Chloroform | 0.010 | 0.030 | N D | | |
| Benzene | 0.010 | 0.030 | N D | | |
| 1,2-Dichloroethane | 0.010 | 0.030 | N D | | |
| Heptane | 0.020 | 0.060 | N D | | |
| Trichloroethene | 0.010 | 0.030 | N D | | |
| Toluene | 0.010 | 0.020 | N D | | |
| Isobutane | 3.900 | 11.820 | N D | | |
| Ethyl benzene | 1.700 | 5.160 | N D | | |
| m,p-Xylenes | 0.010 | 0.030 | N D | | |
| o-Xylene | 0.010 | 0.020 | N D | | |

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 07 Aug, 2023 11:58:12 AM