



# Sample Berry Bomb Syrup

|                   |  |                  |                  |                           |              |
|-------------------|--|------------------|------------------|---------------------------|--------------|
| <b>Sample ID:</b> | BBL_4852                                     | <b>Matrix:</b>   | Other            | <b>Analyses Executed:</b> | CAN          |
| <b>Company:</b>   | Indigo Papers LLC                            | <b>Batch ID:</b> | Berry Bomb Syrup | <b>Reported:</b>          | 13 Sep, 2023 |
| <b>Phone:</b>     | 985-373-6399                                 | <b>Received:</b> | 06 Sep, 2023     |                           |              |
| <b>Address:</b>   | 8883 Highland Rd Ste B, Baton Rouge LA 70808 |                  |                  |                           |              |
| <b>Email:</b>     | indigopaperco@gmail.com                      |                  |                  |                           |              |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


## Cannabinoid Profile Analysis

Analyzed 06 Sep, 2023 | Instrument HPLC-PDA | Method TM-101  
 Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte                               | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/ml  | mg/pack  |
|---------------------------------------|-----------|-----------|----------|---------------|--------|----------|
| Cannabidivarinic acid (CBDVa)         | 0.030     | 0.080     | ND       | ND            | ND     | ND       |
| Cannabidivarin (CBDV)                 | 0.050     | 0.150     | ND       | ND            | ND     | ND       |
| Cannabidiolic acid (CBDA)             | 0.040     | 0.110     | ND       | ND            | ND     | ND       |
| Cannabigerolic acid (CBGa)            | 0.040     | 0.120     | ND       | ND            | ND     | ND       |
| Cannabigerol (CBG)                    | 0.080     | 0.230     | ND       | ND            | ND     | ND       |
| Cannabidiol (CBD)                     | 0.060     | 0.190     | ND       | ND            | ND     | ND       |
| Tetrahydrocannabivarin (THCV)         | 0.080     | 0.240     | ND       | ND            | ND     | ND       |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050     | 0.160     | ND       | ND            | ND     | ND       |
| Cannabinol (CBN)                      | 0.040     | 0.120     | ND       | ND            | ND     | ND       |
| Cannabinolic acid (CBNa)              | 0.080     | 0.250     | ND       | ND            | ND     | ND       |
| D9-Tetrahydrocannabinol (D9-THC)      | 0.120     | 0.360     | 0.1167   | 1.167         | 1.6725 | 296.0325 |
| D8-Tetrahydrocannabinol (D8-THC)      | 0.140     | 0.430     | ND       | ND            | ND     | ND       |
| Cannabicyclol (CBL)                   | 0.210     | 0.640     | ND       | ND            | ND     | ND       |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130     | 0.400     | ND       | ND            | ND     | ND       |
| Cannabichromene (CBC)                 | 0.090     | 0.280     | ND       | ND            | ND     | ND       |
| Cannabichromenic acid (CBCa)          | 0.350     | 1.060     | ND       | ND            | ND     | ND       |
| Total THC (THCa * 0.877 + THC)        |           |           | 0.1167   | 1.167         |        |          |
| Total CBD (CBDA * 0.877 + CBD)        |           |           | ND       | ND            |        |          |
| Total CBG (CBGa * 0.877 + CBG)        |           |           | ND       | ND            |        |          |
| Total Cannabinoids                    |           |           | 0.1167   | 1.167         | 1.6725 | 296.0325 |

Volume: 177.0000 ml, Density: 1.4332

## Sample Photography



■ D9-THC

NR Not Reportable  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Tested  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,  
 Laboratory Director  
 13 Sep, 2023 09:26:05 AM



### HME - Heavy Metals Detection Analysis

Analyzed 06 Sep, 2023 | Instrument ICP-MS | Method TM-105  
 Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte      | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005     | 0.015     | 0           |      |            |
| Cadmium (Cd) | 0.005     | 0.016     | 0           |      |            |
| Mercury (Hg) | 0.004     | 0.013     | 0           |      |            |
| Lead (Pb)    | 0.075     | 0.224     | 0           |      |            |

### MIB - Microbial Testing Analysis

Analyzed 06 Sep, 2023 | Instrument PCR/ Plating | Method TM-109

| Analyte                                | Limit (CFU/g) | Result CFU/g | Flag |
|--|---------------|--------------|------|
| Salmonella SPP                         |               | NEG          |      |
| Total Yeast & Mold                     |               | <10          |      |
| Aspergillus fumigatus                  |               | NEG          |      |
| Aspergillus flavus                     |               | NEG          |      |
| Aspergillus niger                      |               | NEG          |      |
| Aspergillus terreus                    |               | NEG          |      |
| Shiga toxin-producing Escherichia Coli |               | NEG          |      |

### PES - Pesticides Screening Analysis

Analyzed 06 Sep, 2023 | Instrument LCMS-MS | Method TM-103  
 Analysis Comment: Captan is not A2LA accredited

| Analytes            | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin           | 0.110     | 0.330     | N D         |      |            |
| Acephate            | 0.230     | 0.700     | N D         |      |            |
| Acequinocyl         | 0.110     | 0.320     | N D         |      |            |
| Acetamiprid         | 0.020     | 0.050     | N D         |      |            |
| Aldicarb            | 0.020     | 0.050     | N D         |      |            |
| Azoxystrobin        | 0.020     | 0.060     | N D         |      |            |
| Bifenazate          | 0.010     | 0.030     | N D         |      |            |
| Bifenthrin          | 0.020     | 0.060     | N D         |      |            |
| Boscalid            | 0.060     | 0.170     | N D         |      |            |
| Captan              | 3.096     | 9.383     | N D         |      |            |
| Carbaryl            | 0.010     | 0.040     | N D         |      |            |
| Carbofuran          | 0.010     | 0.020     | N D         |      |            |
| Chlorantraniliprole | 0.010     | 0.030     | N D         |      |            |
| Chlorpyrifos        | 0.010     | 0.030     | N D         |      |            |
| Clofentezine        | 0.010     | 0.040     | N D         |      |            |
| Coumaphos           | 0.040     | 0.120     | N D         |      |            |
| Cyfluthrin          | 2.320     | 7.020     | N D         |      |            |
| Cypermethrin        | 0.370     | 1.130     | N D         |      |            |
| Daminozide          | 0.550     | 1.650     | N D         |      |            |
| Dichlorvos          | 0.050     | 0.140     | N D         |      |            |

NR Not Reportable  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Tested  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,  
 Laboratory Director  
 13 Sep, 2023 09:26:05 AM

# Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



## Bluebonnet Labs

| Analytes                | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Dimethoate              | 0.010     | 0.020     | N D         |      |            |
| Dimethomorph            | 0.010     | 0.030     | N D         |      |            |
| Ethoprophos             | 0.020     | 0.050     | N D         |      |            |
| Etofenprox              | 0.010     | 0.040     | N D         |      |            |
| Etoxazole               | 0.010     | 0.020     | N D         |      |            |
| Fenhexamid              | 0.040     | 0.140     | N D         |      |            |
| Fenoxycarb              | 0.020     | 0.060     | N D         |      |            |
| Fenpyroximate           | 0.010     | 0.040     | N D         |      |            |
| Fipronil                | 0.010     | 0.040     | N D         |      |            |
| Fludioxinil             | 0.020     | 0.050     | N D         |      |            |
| Flonicamide             | 0.010     | 0.030     | N D         |      |            |
| Hexythiazox             | 0.010     | 0.020     | N D         |      |            |
| Imazalil                | 0.060     | 0.170     | N D         |      |            |
| Imidacloprid            | 0.040     | 0.110     | N D         |      |            |
| Kresoxim-methyl         | 0.020     | 0.050     | N D         |      |            |
| Malathion               | 0.010     | 0.030     | N D         |      |            |
| Metalaxyl               | 0.010     | 0.020     | N D         |      |            |
| Methiocarb              | 0.010     | 0.030     | N D         |      |            |
| Methomyl                | 0.020     | 0.050     | N D         |      |            |
| Mevinphos               | 0.060     | 0.180     | N D         |      |            |
| Myclobutanil            | 1.190     | 3.610     | N D         |      |            |
| Naled                   | 0.030     | 0.080     | N D         |      |            |
| Oxamyl                  | 0.020     | 0.050     | N D         |      |            |
| Paclobutrazole          | 0.020     | 0.060     | N D         |      |            |
| Permethrin              | 0.080     | 0.260     | N D         |      |            |
| Phosmet                 | 0.010     | 0.030     | N D         |      |            |
| Piperonyl butoxide      | 0.010     | 0.040     | N D         |      |            |
| Prallethrin             | 0.100     | 0.300     | N D         |      |            |
| Propiconazole           | 0.070     | 0.220     | N D         |      |            |
| Propoxur                | 0.010     | 0.030     | N D         |      |            |
| Pyrethrin-I             | 0.020     | 0.060     | N D         |      |            |
| Pyridaben               | 0.010     | 0.020     | N D         |      |            |
| Spinetoram              | 0.230     | 0.690     | N D         |      |            |
| Spinosyn A              | 0.010     | 0.020     | N D         |      |            |
| Spinosyn D              | 0.000     | 0.010     | N D         |      |            |
| Spiromesifen            | 0.050     | 0.140     | N D         |      |            |
| Spirotetramat           | 0.010     | 0.030     | N D         |      |            |
| Spiroxamine             | 0.010     | 0.030     | N D         |      |            |
| Tebuconazole            | 0.010     | 0.030     | N D         |      |            |
| Thiachloprid            | 0.010     | 0.030     | N D         |      |            |
| Methyl parathion        | 0.050     | 0.140     | N D         |      |            |
| Thiamethoxam            | 0.010     | 0.040     | N D         |      |            |
| Diazinon                | 0.010     | 0.040     | N D         |      |            |
| Chlordane               | 0.740     | 2.250     | N D         |      |            |
| Trifloxystrobin         | 0.010     | 0.030     | N D         |      |            |
| Chlorfenapyr            | 0.830     | 2.530     | N D         |      |            |
| Pentachloronitrobenzene | 0.060     | 0.170     | N D         |      |            |

NR Not Reportable  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Tested  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,  
 Laboratory Director  
 13 Sep, 2023 09:26:05 AM

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.



## RES – Residual Solvent Analysis

Analyzed 06 Sep, 2023 | Instrument HS-GC/MS | Method TM-106

| Analyte            | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane            | 0.470     | 1.410     | N D          |      |            |
| Butane             | 0.200     | 0.610     | N D          |      |            |
| Methanol           | 0.070     | 0.230     | N D          |      |            |
| Pentane            | 0.130     | 0.410     | N D          |      |            |
| Ethanol            | 0.130     | 0.380     | 379          |      |            |
| Ethyl ether        | 0.020     | 0.070     | N D          |      |            |
| Acetone            | 0.060     | 0.180     | N D          |      |            |
| Isopropyl alcohol  | 0.030     | 0.090     | N D          |      |            |
| Acetonitrile       | 0.020     | 0.060     | N D          |      |            |
| Methylene chloride | 0.010     | 0.020     | N D          |      |            |
| Hexane             | 0.030     | 0.080     | N D          |      |            |
| Ethyl acetate      | 0.030     | 0.080     | 23.67        |      |            |
| Chloroform         | 0.010     | 0.030     | N D          |      |            |
| Benzene            | 0.010     | 0.030     | N D          |      |            |
| 1,2-Dichloroethane | 0.010     | 0.030     | N D          |      |            |
| Heptane            | 0.020     | 0.060     | N D          |      |            |
| Trichloroethene    | 0.010     | 0.030     | N D          |      |            |
| Toluene            | 0.010     | 0.020     | N D          |      |            |
| Isobutane          | 3.900     | 11.820    | N D          |      |            |
| Ethyl benzene      | 1.700     | 5.160     | N D          |      |            |
| m,p-Xylenes        | 0.010     | 0.030     | N D          |      |            |
| o-Xylene           | 0.010     | 0.020     | N D          |      |            |

NR Not Reportable  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Tested  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,  
 Laboratory Director  
 13 Sep, 2023 09:26:05 AM