Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

# **SECTION 1: IDENTIFICATION**

Product Name: Summon the Spirits Product Description: Fragrance Oil

Product Form: Mixture

# **Recommended Restrictions:**

For Manufacturing Use Only

# Company:

Simbi Fine Fragrance 9169 West State Street #2745 Boise, ID 83714 Melissa R.

Hello@SimbiFragrance.com

For Information Call: (208) 629-8603

# **Emergency Contact Information:**

No Information Available

# **SECTION 2: HAZARD(S) IDENTIFICATION**

## Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Class and category of danger: Skin Corrosion / Irritation Category 3
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H316, Causes mild skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

Precautionary P261, Avoid breathing vapour or dust.

statements: P264, Wash hands and other contacted skin thoroughly after handling.

Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





## 2.3 Other hazards

Other hazards: None

#### Section 4. First-aid measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

# 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving

Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Flammability (solid, gas):

#### Section 9. Physical and chemical properties

Not determined

## 9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined
Flash point: > 93 °C
Evaporation rate: Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure:

Vapour density:

Relative density:

Solubility(ies):

Not determined
1.0020 - 1.0120
Not determined
Partition coefficient: n-octanol/water:

Not determined

Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties:

Not expected

Not expected

9.2 Other information:

Refractive Index @ 20C: 1.5150 - 1.5180 Flash Point (Fahrenheit): > 200 °F

Color Range: 2 Very Pale Yellow - 4 Pale Yellow

## Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

# 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

# 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 3

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Version: 1 (05/18/2022)

# Safety Data Sheet

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

Reproductive toxicity:

STOT-single exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

#### 12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

## Section 13. Disposal considerations

## 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8-hexamethylcyclopenta- gamma-2-benzopyran)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8-hexamethylcyclopenta- gamma-2-benzopyran) MARINE POLLUTANT	9	-	III

Version: 1 (05/18/2022)

# **Safety Data Sheet**

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8-hexamethylcyclopenta- gamma-2-benzopyran)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## Section 15. Regulatory information

#### **Essential Oil Components:**

Name	CAS	%
CEDARWOOD OIL VIRGINIA	8000-27-9	10-<20%

# Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	5-<10%
Vanillin	121-33-5	1-<5%

## Components listed on California's SB312

Name	CAS	%
DIOCTYL ADIPATE ( S ) "DOA"	103-23-1	10-<20%
HEXYL CINNAMIC ALDEHYDE ( R )	101-86-0	5-<10%
BENZYL SALICYLATE (R)	118-58-1	1-<5%
LYRAL	31906-04-4	1-<5%
COUMARIN ( C )	91-64-5	1-<5%
BENZYL CINNAMATE ( R )	103-41-3	0.1-<1%
LINALOOL	78-70-6	0.1-<1%
METHYL IONONE GAMMA	127-51-5	0.1-<1%

US Department Of Transport Bulk Packing - Group:

## Section 16. Other information

Version: 1 (05/18/2022)

# **Safety Data Sheet**

In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

Concentration % Limits: EH A1=33.11% EH A2=3.23% EH A3=0.32185678% EH C1=42.33% EH

C2=4.05% EH C3=0.40448951% EH C4=27.65% SCI 3=7.10% EDI

2A=42.41% EDI 2B=81.97% SS 1=5.56%

Total Fractional Values: EH A1=3.02 EH A2=31.00 EH A3=310.70 EH C1=2.36 EH C2=24.70 EH

C3=247.23 EH C4=3.62 SCI 3=14.08 EDI 2A=2.36 EDI 2B=1.22 SS 1=18.

00

Key to revisions:

Not applicable

#### Key to abbreviations:

Acute Tox. 4 Acute Toxicity - Oral Category 4 Acute Tox. 5 Acute Toxicity - Dermal Category 5 Acute Tox. 5 Acute Toxicity - Dermal Category 5 Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 3 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed H305 May be harmful if swallowed. H306 May be harmful if swallowed. H317 May cause an altergic skin reaction. H319 Causes skin irritation. H310 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H400 H400 H400 H400 H400 H400 Very toxic to aquatic life.	key to appreviations:	
Acute Tox. 5 Acute Tox. 6 Acute	Abbreviation	Meaning
Acute Tox. 5 Acute Toxicity - Dermal Category 5 Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Very toxic to aquatic life. H400 H400 H400 H400 H400 H400 H400 H400	Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 3 Fiammable Liquid, Hazard Category 3 Fiam. Liq. 4 Fiammable Liquid, Hazard Category 4 H226 Fiammable Liquid and vapour. H227 Combustible liquid H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Very toxic to aquatic life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life.	Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H310 Causes eye irritation. H310 Causes eye irritation. H400 Very toxic to aquatic life. H400 Harmful to aquatic life. H400 Very toxic to aquatic life.	Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H400 Harmful to aquatic life. H401 Toxic to aquatic life.	Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H320 Causes serious eye irritation. H320 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. May be harmful if swallowed. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Harmful to aquatic life. H410 Very toxic to aquatic life. H4110 Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 4  Asp. Tox 1 Aspiration Hazard Category 1  Eye Irrit. 2 Eye Damage / Irritation Category 2  Eye Irrit. 2A Eye Damage / Irritation Category 2A  Eye Irrit. 2B Eye Damage / Irritation Category 2B  Flam. Liq. 3 Flammable Liquid, Hazard Category 3  Flam. Liq. 4 Flammable Liquid, Hazard Category 4  H226 Flammable liquid and vapour.  H227 Combustible liquid.  H302 Harmful if swallowed.  H303 May be harmful if swallowed.  H313 May be fatal if swallowed and enters airways.  H313 May be harmful in contact with skin.  H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life with long lasting effects.	Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Asp. Tox 1  Eye Irrit. 2  Eye Damage / Irritation Category 2  Eye Irrit. 2A  Eye Damage / Irritation Category 2A  Eye Irrit. 2B  Eye Damage / Irritation Category 2B  Flam. Liq. 3  Flammable Liquid, Hazard Category 3  Flam. Liq. 4  Flammable Liquid, Hazard Category 4  H226  Flammable liquid and vapour.  H302  Harmful if swallowed.  H303  May be harmful if swallowed.  H304  May be fatal if swallowed and enters airways.  H315  Causes skin irritation.  H316  Causes mild skin irritation.  H317  May cause an allergic skin reaction.  H320  Causes serious eye irritation.  H320  Causes eye irritation.  H320  Causes eye irritation.  H320  Causes eye irritation.  H340  H400  Very toxic to aquatic life.  H401  Harmful to aquatic life.  H402  Harmful to aquatic life with long lasting effects.	Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 H402 Harmful to aquatic life. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life.	Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4
Eye Irrit. 2A Eye Damage / Irritation Category 2A  Eye Irrit. 2B Eye Damage / Irritation Category 2B  Flam. Liq. 3 Flammable Liquid, Hazard Category 3  Flam. Liq. 4 Flammable Liquid, Hazard Category 4  H226 Flammable liquid and vapour.  H227 Combustible liquid.  H302 Harmful if swallowed.  H303 May be harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H313 May be harmful in contact with skin.  H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H4400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life with long lasting effects.	Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H340 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Eye Irrit. 2B	Eye Damage / Irritation Category 2B
H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H4400 Very toxic to aquatic life. H401 Harmful to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	H226	Flammable liquid and vapour.
H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	H227	Combustible liquid.
H304 May be fatal if swallowed and enters airways.  H313 May be harmful in contact with skin.  H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life with long lasting effects.	H302	Harmful if swallowed.
H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects.	H303	May be harmful if swallowed.
H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.
H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H313	May be harmful in contact with skin.
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H316	Causes mild skin irritation.
H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.
H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.	H320	Causes eye irritation.
H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.	H401	Toxic to aquatic life.
	H402	Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.

Version: 1 (05/18/2022)

# Safety Data Sheet In accordance with UN GHS latest edition

**Product: Summon the Spirits** 

H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.