Version: 2 (05/02/2023)

## Safety Data Sheet

In accordance with UN GHS latest edition

#### **SECTION 1: IDENTIFICATION**

**Product Name Sundazed** 

Product Description: Fragrance Oil

Product Form: Mixture

### **Recommended Restrictions:**

For Manufacturing Use Only

### Company:

Simbi Fine Fragrance

9169 West State Street #2745

Boise, ID 83714

Melissa R.

Hello@SimbiFragrance.com

For Information Call: (208) 629-8603

## **Emergency Contact Information:**

No Information Available

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger: Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid. H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

Version: 2 (05/02/2023)

## Safety Data Sheet

#### In accordance with UN GHS latest edition

Product: Sundazed

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.







#### 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 4.1553%

#### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### Contains:

Name	CAS	%	GHS Classification
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	5-<10%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
GALAXOLIDE 50 BB	Solution	1-<5%	Acute Tox. 5-Skin Irrit. 3;H303-H316
Acetyl cedrene	32388-55-9	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3:H227-H315-H317-H320-H402

Version: 2 (05/02/2023)

# Safety Data Sheet In accordance with UN GHS latest edition

Product: Sundazed

Dihydromyrcenol	18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402
2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol	63500-71-0	1-<5%	Eye Irrit. 2A;H319
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Ethylene brassylate	105-95-3	1-<5%	Aquatic Acute 2;H401
Benzyl benzoate	120-51-4	1-<5%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Cedrol methyl ether	19870-74-7	1-<5%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H316-H317- H319-H402
7-Methyl-2H-benzo-1,5-dioxepin- 3(4H)-one	28940-11-6	1-<5%	Skin Corr. 1B-Eye Dam. 1-STOT SE 3;H314-H336
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl-2- naphthyl)ethan-1-one (Fixolid)	1506-02-1	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
3,3,5,5-Tetramethyl-4- ethoxyvinylcyclohexanone	36306-87-3	0.1-<1%	Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H315- H411
alpha-Methyl-1,3-benzodioxole- 5-propionaldehyde	1205-17-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Repr. 2-Aquatic Acute 2- Aquatic Chronic 2;H303-H317-H361-H411
alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411
p-Mentha-1,4-diene	99-85-4	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1;H226-H303-H304-H316-H361
Oxacycloheptadec-10-ene-2-one	28645-51-4	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412
Amyl salicylate	2050-08-0	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410
1-Methyl-3-(4-methyl-3-pentenyl) cyclohex-3-ene-1-carbaldehyde	52474-60-9	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410
dl-Citronellol	106-22-9	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317- H319-H401
3-(o-Ethylphenyl)-2,2- dimethylpropionaldehyde	67634-14-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400-H411
Methyl atrarate	4707-47-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2;H317-H401
Eugenol	97-53-0	0.1-<1%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401
Benzyl salicylate	118-58-1	0.1-<1%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412
Geraniol	106-24-1	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1- Aquatic Acute 3;H303-H315-H317-H318-H402
Allyl (cyclohexyloxy)acetate	68901-15-5	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410
2,6-Dimethyl-5-heptenal	106-72-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Aquatic Acute 2;H227- H317-H401

Version: 2 (05/02/2023)

## Safety Data Sheet

### In accordance with UN GHS latest edition

Product: Sundazed

Myrcene	123-35-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
Geranyl acetate	105-87-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412
4-Methoxy-alpha- methylbenzenepropanal	5462-06-6	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401
trans-Anethole	4180-23-8	0.1-<1%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H401
2,6,10-Trimethyl-9-undecenal	141-13-9	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410
Cinnamaldehyde	104-55-2	<0.1%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303-H312-H315-H317-H319-H401-H412

#### Substances with workplace exposure limits, not listed above:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Version: 2 (05/02/2023)

## Safety Data Sheet

In accordance with UN GHS latest edition

Product: Sundazed

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Version: 2 (05/02/2023)

## Safety Data Sheet

In accordance with UN GHS latest edition

Product: Sundazed

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: 90 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Not determined Vapour pressure: Vapour density: Not determined -0.0050 - 0.0050 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined Auto-ignition temperature: Decomposition temperature: Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: -0.0015 - 0.0015

Flash Point (Fahrenheit): 194 °F

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

Version: 2 (05/02/2023)

## Safety Data Sheet

In accordance with UN GHS latest edition

Product: Sundazed

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
3,7-Dimethyl-1,6- nonadien-3-ol	10339-55-6	5000	Not available	Not available	Not available
Acetyl cedrene	32388-55-9	4500	Not available	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

Version: 2 (05/02/2023)

## Safety Data Sheet

In accordance with UN GHS latest edition

Product: Sundazed

12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Oxacycloheptadec-10-ene-2-one)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Oxacycloheptadec-10-ene-2-one) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Oxacycloheptadec-10-ene-2-one)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Oxacycloheptadec-10-ene-2-one)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Version: 2 (05/02/2023)

## **Safety Data Sheet**

In accordance with UN GHS latest edition

Product: Sundazed

#### Section 15. Regulatory information

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	0.1-<1%
Safrole (from natural sources)	94-59-7	<0.1%
Pulegone (Naturally-Occurring)	89-82-7	<0.1%
Eugenyl methyl ether (Naturally-Occurring)	93-15-2	<0.1%

#### **Essential Oil Components:**

Name	CAS	%
NUTMEG OIL	8008-45-5	0.1-<1%
PEPPERMINT OIL INDIAN	8006-90-4	<0.1%

#### Components listed on California's SB312

Name	CAS	%
DIOCTYL ADIPATE ( S ) "DOA"	103-23-1	20-<50%
LINALOOL	78-70-6	1-<5%
METHYL IONONE GAMMA	127-51-5	0.1-<1%
BENZYL SALICYLATE ( R )	118-58-1	0.1-<1%
EUGENOL	97-53-0	0.1-<1%
GERANIOL 980	106-24-1	0.1-<1%
CITRAL	5392-40-5	<0.1%
CINNAMIC ALDEHYDE	104-55-2	<0.1%

US Department Of Transport Bulk Packing - Group:

### Section 16. Other information

Concentration % Limits: SCI 2=33.05% SCI 3=2.95% EDI 2A=38.70% SS 1=16.67% EH A2=11.

51% EH A3=1.14% EH C2=12.16% EH C3=1.21% EH C4=94.31%

Total Fractional Values: SCI 2=3.03 SCI 3=33.86 EDI 2A=2.58 SS 1=6.00 EH A2=8.68 EH A3=87.

54 EH C2=8.22 EH C3=82.38 EH C4=1.06

#### Key to revisions:

2.1 Classification of the substance or mixture

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1

Version: 2 (05/02/2023)

# Safety Data Sheet In accordance with UN GHS latest edition

Product: Sundazed

Aquatic Acute 2 Aquatic Acute 3 Aquatic Acute 3 Aquatic Acute 3 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Chronic 2 Aquatic Chronic 3 Appear 3 Asp. Tox 1 Eye Dam. 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2 Eye Irrit. 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 4 H226 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid H303 May be harmful if swallowed. H304 May be fatal if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes serious eye irritation. H317 May cause an allergic skin reaction. H338 May cause an allergic skin reaction. H339 Causes serious eye irritation. H330 Causes serious eye irritation. H331 May be fast of swallowed. H331 May be fast of swallowed. H316 Causes serious eye damage. Causes serious eye irritation. H317 May cause an allergic skin reaction. H339 Causes serious eye irritation. H330 May be fast of swallowed. H330 May be fast of swallowed. H331 May be fast of swallo		
Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Dam. 1 Eye Dam. 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Irrit. 2B Eye Damage / Irritation Category 3B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid H3002 Harmful if swallowed. H3003 May be harmful if swallowed. H3004 H3004 H3004 May be fatal if swallowed and enters airways. H3112 Harmful in contact with skin. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H338 May cause drowsiness or dizziness. H339 Causes serious eye irritation. H339 Causes serious eye irritation. H3300 Causes serious eye irritation. H3301 H3301 H3302 H3303 H3404 H3503 H3504 H3505 H3506 H3506 H3507	Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Chronic 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Dam. 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid and vapour. H227 Combustible liquid and vapour. H303 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. Causes severe skin burms and eye damage. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes erious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H330 May cause drowsiness or dizziness. H331 Suspected of damage. H330 Causes serious eye irritation. H330 H330 H340 H340 H340 H340 H340 H340	Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harriful if swallowed. H303 May be harriful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harriful in contact with skin. H313 May be harriful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. Causes erious eye damage. Causes erious eye damage. Causes erious eye irritation. H336 Causes serious eye irritation. H337 May cause an allergic skin reaction. Causes erious eye irritation. H336 May cause drowsiness or dizziness. M336 May cause drowsiness or dizziness. H336 Suspected of damaging fertility or the unborn child (exposure route). Very toxic to aquatic life. H400 Harriful to aquatic life. H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Foxic to aquatic life with long lasting effects. P202 Do not handle until all septics, one flames and hot surfaces No smoking. P233 Keep container tightly closed.	Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Asp. Tox 1 Eye Dam. 1 Eye Dam. 1 Eye Dam. 2 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 Harmful in contact with skin. H316 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). Very toxic to aquatic life. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P233 Keep container tightly closed.	Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be harmful if swallowed. H305 H315 H316 Causes swallowed and enters airways. H3112 Harmful in contact with skin. H313 May be harmful in contact with skin. Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes swild skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. H319 Causes serious eye irritation. H330 Causes serious eye irritation. H330 Causes serious eye irritation. H331 H332 Causes damage. H3330 Causes damage. H3340 Causes damage. H3351 Causes serious eye irritation. H3360 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H401 H402 Harmful to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P233 Keep container tightly closed.	Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2A Eye Damage / Irritation Category 2A  Eye Irrit. 2B Eye Damage / Irritation Category 2B  Flam. Liq. 3 Flammable Liquid, Hazard Category 3  Flam. Liq. 4 Flammable Liquid, Hazard Category 4  H226 Flammable liquid and vapour.  H227 Combustible liquid.  H302 Harmful if swallowed.  H303 May be harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H315 Harmful in contact with skin.  H316 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H318 Causes sin irritation.  H319 Causes serious eye damage.  H319 Causes serious eye damage.  H319 Causes serious eye irritation.  H320 Causes serious eye irritation.  H320 Causes eye irritation.  H336 May cause drowsiness or dizziness.  H340 Very toxic to aquatic life.  H400 Harmful to aquatic life.  H401 Toxic to aquatic life.  H410 Very toxic to aquatic life.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P233 Keep container tightly closed.  Ground/bond container and receiving equipment.	Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. H330 Causes serious eye irritation. H3310 Causes damage. H3311 Causes serious eye irritation. H3111 Toxic to aquatic life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until ail safety precautions have been read and understood. F233 Keep container tightly closed. F240 Ground/bond container and receiving equipment.	Eye Dam. 1	Eye Damage / Irritation Category 1
Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes severe skin burns and eye damage. Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. Causes eye irritation. H331 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. F230 Keep container tightly closed. Ground/bond container and receiving equipment.	Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H315 H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye damage. H320 Causes serious eye damage. H3319 Causes serious eye damage. H320 Causes of irritation. H320 Causes of irritation. H320 Causes of irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). Very toxic to aquatic life. H400 Very toxic to aquatic life. H401 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container lightly closed.	Eye Irrit. 2B	Eye Damage / Irritation Category 2B
H226 Flammable liquid and vapour.  Combustible liquid.  H302 Harmful if swallowed.  H303 May be harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H312 Harmful in contact with skin.  H313 May be harmful in contact with skin.  H314 Causes severe skin burns and eye damage.  H315 Causes skin irritation.  H316 Causes sinid skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H320 Causes serious eye irritation.  H330 May cause drowsiness or dizziness.  H361 Suspected of damaging fertility or the unborn child (exposure route).  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.	Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be harmful if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes severe skin burns and eye damage. H317 May be harmful in contact with skin. H318 Causes severe skin burns and eye damage. H319 Causes mild skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed.	Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed.	H226	Flammable liquid and vapour.
H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H331 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H410 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H227	Combustible liquid.
H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H410 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H302	Harmful if swallowed.
H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H336 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and understood. H230 Keep away from heat, sparks, open flames and hot surfaces No smoking. H231 Keep container tightly closed.	H303	May be harmful if swallowed.
H313 May be harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H336 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H304	May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H312	Harmful in contact with skin.
H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H336 May cause drowsiness or dizziness.  H361 Suspected of damaging fertility or the unborn child (exposure route).  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H313	May be harmful in contact with skin.
H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H336 May cause drowsiness or dizziness.  H361 Suspected of damaging fertility or the unborn child (exposure route).  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H314	Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H315	Causes skin irritation.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H316	Causes mild skin irritation.
H319 Causes serious eye irritation. H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H317	May cause an allergic skin reaction.
H320 Causes eye irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H318	Causes serious eye damage.
H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H319	Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child (exposure route).  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  H220 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H320	Causes eye irritation.
H400  Very toxic to aquatic life.  H401  Toxic to aquatic life.  H402  Harmful to aquatic life.  Very toxic to aquatic life with long lasting effects.  H410  Very toxic to aquatic life with long lasting effects.  H411  Toxic to aquatic life with long lasting effects.  H412  Harmful to aquatic life with long lasting effects.  P202  Do not handle until all safety precautions have been read and understood.  P210  Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233  Keep container tightly closed.  P240  Ground/bond container and receiving equipment.	H336	May cause drowsiness or dizziness.
H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H361	Suspected of damaging fertility or the unborn child (exposure route).
H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H401	Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H402	Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H410	Very toxic to aquatic life with long lasting effects.
P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H411	Toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.	H412	Harmful to aquatic life with long lasting effects.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	P202	Do not handle until all safety precautions have been read and understood.
P240 Ground/bond container and receiving equipment.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
	P233	Keep container tightly closed.
P241 Use explosion-proof electrical, ventilating and lighting equipment.	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242 Use only non-sparking tools.	P242	Use only non-sparking tools.
P243 Take precautionary measures against static discharge.	P243	Take precautionary measures against static discharge.
P260 Do not breathe vapour or dust.	P260	Do not breathe vapour or dust.
P261 Avoid breathing vapour or dust.	P261	Avoid breathing vapour or dust.

Version: 2 (05/02/2023)

# Safety Data Sheet In accordance with UN GHS latest edition

Product: Sundazed

P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.