







Purified water for all your camping adventures.

Designed specifically for caravans, motor-homes boats & camper trailers Puretec's range of portable & compact systems are ideal for people who enjoy the great outdoors but want access to safe, pure and great-tasting water.

This range of filtration products and accessories are made to the highest of standards and tested to ensure AU/NZ requirements are not only but exceeded.

Designed to be connected to 12 mm metric fittings (the most common connections found in recreational vehicles) or standard 1/2" garden hose fittings, makes this range simple, quick and effortless to install.



CR Series

Portable Caravan Filter Systems

Designed to connect up easily to garden hose fittings which are readily available in most locations.





Connects to standard garden hose fittings.

The Puretec CR Series are high capacity, efficient filter systems designed to connect easily to garden hose fittings which are readily available in most locations.



Safe, great-tasting water no matter where you are.

The portability of the CR Series is ideal for caravans, camper trailers, boats and motorhomes, ensuring safe and great-tasting water on the go.







CR20

Inline filter with brass connectors, 20 Lpm, 1/2" Standard Garden Hose Connection

A portable inline water filter designed to connect up easily to garden hose fittings which are readily available in most locations

The Puretec CR20 filter incorporates carbon filtration with SilverPlus™ Antibacterial Technology to remove taste, odour, chemicals and inhibit bacterial growth leaving healthy, great tasting water even while you are on the go.



CR45

Dual stage filtration, 20 Lpm, 1/2" Standard Garden Hose Connection Extra Sediment Capacity

The CR45 caravan filter kit is the ultimate solution to safe purified water, no matter how remote the location of your camping adventures. It's never been easier.

This system is specifically designed to connect to a mains water tap to filter water while filling your tank or directly to the inlet water line. This kit is highly effective at reducing chlorine, bad taste & odour, as well as some organic chemicals.

SPECIFICATIONS

Model:	CR20	CR45
Rating:	1 micron*	1 micron*
Dimension:	W 65 mm x H 305 mm	W 290 mm x H 335 mm
Connection:	1/2" Garden Hose	1/2" Garden Hose
Min/Max Flow:	0 - 20 litres per minute	0 - 20 litres per minute
Min/Max Temp:	0 - 38°C	0 - 52°C
Min/Max Pressure:	200 - 860 kPa	200 - 875 kPa

CR-Z2

Compact Caravan/RV Inline Undersink Filter System with LED Faucet

A compact undersink system designed for applications where space is limited with a valve-in-head for quick DIY cartridge changes.







CR-Z2

Compact Inline Undersink Filter System, 5 Lpm, 12 mm Tube Connection

The Puretec CR-Z2 is a compact system designed specifically for applications where there is limited underbench space; perfect for caravans and RVs. It's compact design makes it easier to install where space is limited, installs very easily & mounts horizontally or vertically so no shelf cutouts are required.

The CR-Z2 features Z Plus Filtration Technology through an advanced 3 stage filtration process; filtering down to 1 micron* removing chlorine, chemical, sediment, rust, and algae - helping to ensure you only get healthy, great-tasting water on tap, wherever you go.



- · Connects to 12 mm tubing.
- Specifically designed for mains, rain, harsh and rural water supply.
- Provides pure, safe, filtered water, free of chlorine.
- · Incorporates Anti-scaling protection.
- · Z Plus Technology inhibits bacterial growth.
- Filter tap & standard caravan/RV fittings included.
- Valve-in-head means a DIY, no mess filter change.
- · Mounts horizontally or vertically.
- LED light that turns from blue to red when the filter needs replacing.

SPECIFICATIONS

Model:	CR-Z2
Replacement Cartridge:	Z2-R
Rating:	1 micron*
Flow:	5 litres per minute
Min/Max Temp:	0 - 38°C
Min/Max Pressure:	200 - 520 kPa

Capacity:	38,000L
Approx Space Required:	
Vertical Mounting:	290 mm (h) x 90 mm (w)
Horizontal Mounting:	90 mm (h) x 290 mm (w)
Warranty:	10 Years^

^{^10} year warranty is 1 year parts and labour plus 9 years parts only. Excludes cartridges.





PT-12DC11

Compact Fresh Water Pump, 11.3 Lpm, ½" Connection


Puretec's PT series pumps are designed to deliver pressurised fresh water throughout your caravan or RV. These compact pumps are self priming, run dry safe and quiet, making them the ideal pump for recreational vehicles or trailers.

- Self priming
- Run dry safe
- · Quiet operation
- · On-demand use
- · Industry standard mounting pattern
- · Rubber mounting base
- · Internal bypass technology reduces cycling

SPECIFICATIONS

Model:	PT-12DC11	
Dimensions:	(H) 202.5 x (D) 111 x (W) 125 mm	
Priming Capabilities:	1.8 metres suction lift	
Voltage:	12V	
Max Draw:	7A	

Max Temperature:	60°C	
Max Working Pressure:	55 psi (379 kPa)	
Flow:	11.3 Lpm	
Connection:	½" BSP	



Imperial Sizes	5/32" - 5/16"	3/8" - 1/2"
Metric Sizes	4-8 mm	10-12mm
Max. Pressure @ +65 °C	1000 kPa	700 kPa
Max. Pressure @ +20 °C	1600 kPa	1100 kPa
Max. Pressure @ +1 °C	1600 kPa	1100 kPa



K SERIES FITTINGS - METRIC

	Ordering Code	Туре	Size
5	KEC1212M	Elbow Connector	12mm Tube x 12mm Tube
	KEA1206M	Elbow Adaptor	12mm Tube x %" BSP
	KEA1207M	Elbow Adaptor	12mm Tube x ½" BSP
	KSA1206M	Straight Adaptor	12mm Tube x ¾"BSP
	KSA1207M	Straight Adaptor	12mm Tube x ½"BSP
OFF.	KSA1206M-PT	Straight Adaptor (PT)	12mm Tube x %"BSPT (PT)
	KSA1207M-PT	Straight Adaptor (PT)	12mm Tube x ½"BSPT (PT)
0	KRR0812M	Reducer	8mm Tube x 12mm Stem
	KRR1012M	Reducer	10mm Tube x 12mm Stem
	KRR1215M	Reducer	12mm Tube x 15mm Stem

	KSE1212M	Stem Elbow	12mm Tube x 12mm Stem
	KTA1206M	Tap Adaptor	12mm Tube x %"BSP
	KTA1207M	Tap Adaptor	12mm Tube x ½"BSP
	KSM1206M	Stem Adaptor	12mm Stem x %"BSP
кѕ	KSM1207M	Stem Adaptor	12mm Stem x ½"BSP
	KBC1212M	Bulkhead Connector	12mm Tube

KWIK LOCK FITTINGS - METRIC

	Ordering Code	Туре	Size
	KLSE1212M	Kwik Lock - Stem Elbow	12mm Tube x 12mm Stem
60	KLEC1212M	Kwik Lock - Elbow Connector	12mm Tube x 12mm Tube
	KLSC1212M	Kwik Lock - Straight Connector	12mm Tube x 12mm Tube
	KLTC1212M	Kwik Lock - Tee Connector	12mm Tube
	KLPI12M	Kwik Lock - Tube Insert	12mm
	KLTA1207M	Kwik Lock - Tap Adaptor	12mm Tube x ½" BSP
	KLSA1207M	Kwik Lock - Straight Adaptor	12mm Tube x ½" BSP
	KLPI12M-H	Kwik Lock - Tube Insert (suitable for hot water)	12mm

HIGH PRESSURE TUBING - METRIC

	Ordering Code	Туре	Size
Puretec	KTU12MBK-100	Tubing, High Pressure	12 mm Black (100 m)
-	KTU12MBK-2	Tubing, High Pressure	12 mm Black (2 m)
-	KTU12MBK-10	Tubing, High Pressure	12 mm Black (10 m)
7 Puretec	KTU12MR-100	Tubing, High Pressure	12 mm Red (100 m)
	KTU12MR-2	Tubing, High Pressure	12 mm Red (2 m)
<u> </u>	KTU12MR-10	Tubing, High Pressure	12 mm Red (10 m)
(3 Purotos	KTU12MBL-100	Tubing, High Pressure	12 mm Blue (100 m)
	KTU12MBL-2	Tubing, High Pressure	12 mm Blue (2 m)
-	KTU12MBL-10	Tubing, High Pressure	12 mm Blue (10 m)



Fitting you need not listed? Call our Customer Care Team to find out about our full range.

Puretec water care products are designed, manufactured and supported by Puretec Pty Ltd the name you can trust for viable and proven water solutions. The complete range of Puretec products are developed, refined, made to meet and exceed stringent specifications for the worldwide market.

Important Note: Sales of products are subject to our Terms and Conditions which are available upon request. All specifications, information and photos are used as a guide only and are subject to change without notice. Please ring to confirm details. This catalogue and all its contents are copyright protected. All rights are reserved, particularly alteration, translation and reproduction using electronic systems. Whilst every endeavour is made to ensure accuracy, no responsibility is taken for any errors or omissions in detail. Warning: For correct operation it is essential to observe manufacturer's instructions. Caution: The effectiveness of any water treatment system is affected by variances in incoming water quality. Do not use with unknown or contaminated water that does not fit the parameters of the system/product as specified by Puretec, for further assistance, contact the Puretec Customer Service Helpline on 1300 140 (AU) or 0800 130 140 (NZ). Under normal circumstances a pressure limiting valve is not required. Maximum flow depends on cartridges, vessel, pressure, impurities etc. 'Micron rating is nominal. Protect from freezing.

Copyright © Puretec Pty Ltd 2021.

AUSTRALIA

Phone: 1300 140 140 Email: sales@puretec.com.au Web: puretec.com.au NEW ZEALAND
Phone: 0800 130 140
Email: sales@puretec.co.nz
Web: puretec.co.nz

