

Sealant

MTS Number: 46056M, 46064M, 46057M, 46056MTOTE

Issued: May 1, 2020

Section 1: Identification of the substance/mixture and of the supplier

Product Name:WPL Race Ready Tubeless Bike Tire SealantProduct Info:https://wplbike.com/products/tire-sealant

Synonyms: Liquid gel

Use: Bicycle Tire Sealant

Supplier: Whistler Performance Lubricants

Street Address: 1293 South Main Street, Akron OH 44309

Telephone Number: (604) 907-3147 **Email:** info@wplbike.com **Emergency Telephone:** 613-996-6666 (Canutec)

Section 2: Hazards Identification

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WHMIS

Hazard Category: Not Applicable

Hazard Classification: NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS

Risk Phrases:NoneSafety Phrases:NonePoison Schedule (Canada):None

Section 3: Composition/Information on Ingredients

HS Code: 3824.99.9295 NOT CONTROLLED under WHMIS (Canada)

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WHMIS

Hazard Category: Not Applicable

Section 4: First-Aid Measures

Inhalation: No Adverse Effects Anticipated

Remove patient to fresh air. Rest and keep warm. Seek medical assistance if necessary.

Skin Contact: No Adverse Effects Anticipated
Remove contaminated clothing and wash skin with soap and water.

Eve Contact: No Adverse Effects Anticipated

Hold eyes open and flush with water for at least 15 minutes. Get medical assistance if necessary.

Ingestion: No Adverse Effects Anticipated By This Route of Exposure - Incidental to

Proper Industrial Handling of Product.

If swallowed do NOT induce vomiting. Rinse mouth thoroughly with water.

Notes to Doctor: Treat symptomatically.

Section 5: Firefighting Measures

Specific Hazards: Non-Combustible material



Sealant

MTS Number: 46056M, 46064M, 46057M, 46056MTOTE

Issued: May 1, 2020

Fire-fighting advice: No particular fire or explosion hazard

Suitable Extinguishing Media: All extinguishing agents can be used (water, dry chemical, carbon dioxide, foam

and sand).

Hazchem Code: None Applicable

Flammability: This product is not flammable.

Section 6: Accidental Release Measures

Slippery - Clean up Leaks and Spills with Standard Absorbent Material or wash with water.

Section 7: Handling and Storage

Handling advice: Not classified as a Dangerous substance for the purpose of transport, storage or

handling. No special requirements.

Storage advice: Keep dry and avoid spillage.

Control Parameters: No applicable occupational exposure limits

Section 8: Exposure Controls/Personal Protection

Appropriate Engineering controls: None

Respiratory protection: Not required under normal conditions of use. **Protection of skin:** Not required under normal conditions of use.

Eye protection: Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Wash hands before breaks and immediately after handling the product. Avoid

contact with eyes.

Section 9: Physical and Chemical Properties

Appearance:Grey - Liquid gelBoiling Point: $225^{\circ}F$ ($107.2^{\circ}C$)Freezing Point: $-10^{\circ}F$ ($-23.3^{\circ}C$)Flash Point: Closed cup: 160° C / 320° F

Auto-Ignition temperature: ND

Flammability Limits: Non-Flammable

Specific Gravity: 1.25
pH (1% dispersion): 7.5 – 8.5
Solubility in water: Water-soluble
Corrosiveness: Not corrosive

Section 10: Stability and Reactivity

Stability: Stable when stored in a sealed container.

Section 11: Toxicological Information



Sealant

MTS Number: 46056M, 46064M, 46057M, 46056MTOTE

Issued: May 1, 2020

No adverse health effects are expected, if the product is handled in accordance with this material safety data sheet and label. Symptoms and effects that may arise if the product is manhandled and overexposure occurs

Acute Health Effects:

Ingested: No Specific Data.

Eye: Moderate irritant to the eyes.

Skin: Not known to cause irritation but it is possible with sensitive skin.

Inhaled: None

Chronic: May irritate skin on prolonged or repeated exposure.

Section 12: Ecological Information

All Disposal Methods Must Be In Compliance with Federal / State and Local Laws.

Section 13: Ecological Information

All Disposal Methods Must Be In Compliance with Federal / State and Local Laws.

Section 14: Transport Information

Shipping Name: WPL Race Ready Tubeless Sealant

MTS Number: 46056M, 46064M, 46057M, 46056MTOTE

Dangerous Goods Class:Not ApplicableSubsidiary risk:Not ApplicablePacking Group:Not ApplicableHazchem Code:None allocated

Road and Rail Transport: Not classified as a Dangerous Good according to Toxic Substances Control Act

(TSCA) and Transport Canada.

Section 15: Regulatory Information

Classification: Based on available information, not classified as hazardous according to criteria

of WHMIS.

Poisons Schedule: None

Section 16: Other Information

This S.D.S. is valid for 2 years from the date of issue but may be withdrawn and revised anytime prior to that date. Please ensure that you are using the latest issue. All information contained in this Safety Data Sheet is as accurate and up-to-date as possible. Myers Tire Supply cannot anticipate or control the conditions under which this information can be used; each user should review this information in the specific context of the intended application. Myers Tire Supply will not be responsible for any damage or loss of any nature resulting from the use of or reliance upon this information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.



Sealan

MTS Number: 46056M, 46064M, 46057M, 46056MTOTE

Issued: May 1, 2020

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

Effective date: May 7, 2019