

CS19035

Customer Name	Qualimax LTD
Length	1.5m
Width	2m
Wall Height	1.2m
Apex Height	2m
Arch Distance	0.75m



Greenhouse Pack you



Unpack





Item NO.	Commodity	Picture	Dimension	Length(m)	Quantity
1	Half arch-1		25*1.2mm	1.0m	3
2	Half arch-2		25*1.2mm	0.73m	6
3	Column		25*1.2mm	1.45m	6
4	End Post-1		25*1.2mm	1m	4
5	End Post-2		25*1.2mm	0.94m	4
6	End side horizontal bar-1		25*1.2mm	0.56m	4
7	End side horizontal bar-2		25*1.2mm	0.8m	1



8	Purlin Pole		25*1.2mm	1.5m	5
9	Aluminum Basement -End-1		25*1.2mm	1.0m	2
10	Aluminum Basement -End-2		25*1.2mm	1.05m	2
11	Aluminum Basement -side		25*1.2mm	1.5m	2
12	Tube Clip	4	Ф25		120
13	Clamp 25		Ф25		40
14	Spring clip 25-25				5
15	Swing door		25*1.2mm	0.8m*1.8m	1



16	Self Screw-1		5.5*20		60
17	Self Screw-2		5.5*40		6
18	Bolt Nut M6*30				40
19	Locking Profile-1		1.5m/pc	1.5m	2
20	Locking Profile-2		1.8m/pc	1.8m	4
21	Locking Profile-3		0.8m/pc	0.8m	4
22	Wire for locking profile	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1.5m/pc	1.5m	2
23	Wire for locking profile	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1.8m/pc	1.8m	4





24	Wire for locking profile	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.8m/pc	0.8m	4
25	Expansion Nuts and Screws		M6		8
26	Roof Film	The same of the sa	150µm	10*15.5m	1
27	End Side Film	and the state of t	150µm	6.5*3.5m	2
28	Tube Clip	Can be in the place of Black Clamp	Ф25		40
29	Basement Fixer				4
30					
31					




Tools (by yourself)

Spanner		Tape Measure	
Safety Gloves			
Shovel		Ladder	
Razor Knives		Laddel	AA
Pliers			
Hammer			
Power Drill		Drilling machine	
Angle Grinder			










•W	
	Cor De:

Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25



2、Half arch-2


riin pole Photo as reference








Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25



The head of purlin pole is connected to the arch by Clamp 25.

3.Installation of Purlin Pole






1. The purlin pole is connected to the arch by spring clip.





	Company	Qualimax LTD
	Designer	LUCY
	Auditor	LEO
	Scale	1:1000
	Date	2021/1/25












8. purlin pole

18 Bolt Nut M6

1. Half arch


The end of purlin pole is connected to the last arch by clamp 25 and bolt nut M6.


Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25




2021/1/25

Date









	Company	Qualimax LTD
	Designer	LUCY
	Auditor	LEO
	Scale	1:1000
	Date	2021/1/25

7.Install the bottom frame LIVING CULTURE 17. Self Screw 16 Self Screw 9. Aluminum Basement -End-1

PHOTO AS REFERENCE











Company	Qualimax LTD	
Designer	LUCY	
Auditor	LEO	
Scale	1:1000	
Date	2021/1/25	

Suggestions: Use basement fixer install the greenhouse Base onto concrete floor or Wood Frame for better stability.

10. Aluminum Basement -End-2










	Company	Qualimax LTD
	Designer	LUCY
	Auditor	LEO
	Scale	1:1000
	Date	2021/1/25

9.Installation of locking profile for end side



Front









Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25

10.Installation of roof film



PHOTO AS REFERENCE





19、Locking Profile-1



Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/19

LIVING CULTURE

11.Installation of End Side Film







Behind


PHOTO AS REFERENCE



Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25

LIVING CULTURE







Company	Qualimax LTD
Designer	LUCY
Auditor	LEO
Scale	1:1000
Date	2021/1/25