


## Urban Wall Mounted Patio Cover Collection


Installation instruction




	REF	QTY	REF	QTY	REF	QTY	REF	QTY	REF	QTY	REF	QTY
Carton1/4	С	2pcs	D	7pcs	Н	27pcs						
Carton2/4	A	3pcs	В	6pcs	E	2pcs	F	2pcs	G	56pcs	S	3pcs
Carton3/4	I	16pcs	J	2pcs	L	2pcs	М	3pcs	N	3pcs	0	3pcs
	Р	9pcs	Q	9pcs	R	9pcs	Т	3pcs	U	6pcs	V	17pcs
	W	17pcs	X	194pcs	Y	6pcs	Z	32pcs	A1	9pcs	B1	6pcs
	C1	6pcs	D1	1pc	E1	1pc						
Carton4/4	К	8pcs										

## Main Component (Canopy: 5M\*4M)

Item code	Photo	Item name	Quantity	ltem code	Photo	ltem name	Quanti ty	ltem code	Photo	Item name	Quantity
А		post	3	L		Gutter end cover	1 pair	w		M8*90 wood screw	17
В		Post cover	6	м	6	Downpipe connector	3	Х	(	Screw 4.2*16	194
с		Side frame	2	N		T connector	3	Y	<b>0</b>	Screw 4.2*16	6
D		Middle frame	7	ο		Water Tube Soft Glue Cushion	3	Z	(=0	Hex screw M8*16(include gasket)	32
E	E.	Wall tube	2	Ρ		downPipe Holder	9	A1	(	Screw M4*38	9
F		gutter	2	Q	5	downpipe Clamps	9	B1		M6 expansion plug	6
G		Small bracket	56	R		elbow	9	C1	Q	screwM4*30	6
н		Hard rubber bush	27	S		42 down pipe	3	D1		Gutter casing	1
1		M8 screw cap	16	т	•	Gutter connector plate	3	E1		Gutter jucntion	1
J		Wall tube end cover	1 pair	U		Connector	6				
к	b.	Poly sheet	8	v	and	12*75 expansion plug	17				







1.1 drill 5 pcs holes (diameter 12mm) on the wall tube .both end of wall tube has 100mm inward migration


1.2 combine 2 pcs of wall tube :2492.5mm

1.3us e screw 4.2\*16 to fix and keep gap within 25 MM

1.4do silicone sealant work at the gap










**2.**drill diameter 12mm holes on the wall tube, depth is 10mm stuff M12\*75 expansion plug into the holes and screw the wall tube on the wall by wood screw M8\*90.Don't forget do silicon sealant work at the gap

2.1 stuff M12\*75 expansion plug into the holes and screw the wall tube on the wall by wood screw M8\*90




3.Inset the gutter connector plate into the gutter groove at bottom. Tight the gutter with post by connector and hex M8\*16 screw. The other post has same connection





8 Install per piece poly sheet and middle frame step by step. When you install the final poly sheet , you can tear part the side frame and put the poly sheet into the groove



10. Inset the Hard Rubber Bush into the gap between poly sheet and middle beam, the bar should be in correct direction and not loosen during using

