

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Kaycha Labs High Purity THC - Cherry Pie - 1g



Cherry Pie Matrix: Derivative Type: Vape Cartridge Sample:AL40429001-014

Batch#: PAX-0424-D-CHP-1G Sample Size Received: 2 units Total Amount: 400 units FOR COMPLIANCE Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Sampled: 04/25/24 02:10 PM Sampling Start: 02:10 PM Sampling End: 03:20 PM Sampling Method: SOP.T.20.010.NY Urbanxtracts PASSED License # : OCM-AUCP-22-000009 Pages 1 of 2 43 John Hicks Dr Warwick, NY, 10990, US SAFETY RESULTS MISC. 0 Water Activity Moisture Heavy Metals Microbials Filth



PASSED **NOT TESTED**

Mycotoxins **NOT TESTED**

Residuals Solvents **NOT TESTED**

NOT TESTED

NOT TESTED NOT TESTED Terpenes NOT TESTED

Bulk Oil for batch PAX-0424-D-CHP was tested under AL40429001-013 for all analyses except heavy metals. Results are attached below.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director NY Permit # OCM-CPL-2022-00006

ISO 17025 Accreditation # 97164

Signature 05/02/24



. High Purity THC - Cherry Pie - 1g Cherry Pie Matrix : Derivative Type: Vape Cartridge



PASSED

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Urbanxtracts

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License # : OCM-AUCP-22-000009 Sample : AL40429001-014

Batch#:PAX-0424-D-CHP-1G Sample Size Received: Sampled:04/25/24 02:10 PM Total Amount:400 units Sample Size Received : 2 units Sampling Method : SOP.T.20.010.NY

Page 2 of 2

| Hg | Heavy Meta | PASSE | | | | | |
|-------------------|------------|--------|-------|---------|----------------|-----------------|--|
| Metal | | LOQ | Units | Result | Pass / Fail | Action Level | |
| ANTIMONY | | 0.1000 | ug/g | <0.1000 | PASS | 2 | |
| ARSENIC | | 0.1000 | ug/g | <0.1000 | PASS | 0.2 | |
| CADMIUM | | 0.1000 | ug/g | <0.1000 | PASS | 0.3 | |
| CHROMIUM | | 1.0000 | ug/g | <1.0000 | PASS | 110 | |
| COPPER | | 1.0000 | ug/g | <1.0000 | PASS | 30 | |
| LEAD | | 0.1000 | ug/g | <0.1000 | PASS | 0.5 | |
| MERCURY | | 0.0100 | ug/g | <0.0100 | PASS | 0.1 | |
| NICKEL | | 0.1000 | ug/g | <0.1000 | PASS | 2 | |
| Weight: 0.403g | | | | | | | |
| A | | | | | | | |

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 04/29/24 17:53:07

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

Ent

Signature 05/02/24



1 Winners Circle Albany, NY, 12205, US (833) 465-8378


Certificate of Analysis

FOR COMPLIANCE



Urbanxtracts License # : OCM-AUCP-22-000009 43 John Hicks Dr Warwick, NY, 10990, US

SAFETY RESULTS



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 05/03/24

Kaycha Labs

High Purity THC - Cherry Pie - .5g Cherry Pie Matrix: Derivative Type: Vape Cartridge

Pages 1 of 6



PASSED

Sample:AL40429001-013 Batch#: PAX-0424-D-CHP-.5G Sample Size Received: 16 units Total Amount: 400 units Retail Product Size: .5 gram Retail Serving Size: 0.5 gram Servings: 1 Sampled: 04/25/24 02:10 PM Sampling Start: 02:10 PM Sampling End: 03:20 PM Sampling Method: SOP.T.20.010.NY



High Purity THC - Cherry Pie - .5g Cherry Pie Matrix : Derivative Type: Vape Cartridge



1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

PASSED

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License #: OCM-AUCP-22-000009

Urbanxtracts

Sample : AL40429001-013 Batch# : PAX-0424-D-CHP-.50

Batch#:PAX-0424-D-CHP-.5G Sample Size Received :16 units Sampled:04/25/24 02:10 PM Total Amount:400 units Sampling Method : SOP.T.20.010.NY

Page 2 of 6

| 💮 Terp | enes | | | | | | | | TESTED |
|---------------------------------|------|------------|--------------|------------|---|---------|---------|---|------------|
| Terpenes | LOQ | mg/uni | it % | Result (%) | Terpenes | LOQ (%) | mg/unit | % | Result (%) |
| MONTHE | (%) | | | | Weight: | | | | |
| IMONENE | 0.10 | 9.6 | 1.9 | | 1.0464g | | | | |
| BETA-PINENE INALOOL | 0.10 | 2.5 | 0.50 | | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY Analyzed Date : 04/30/24 10:07:04 | | | | |
| LINALOOL BETA-CARYOPHYLLENE | 0.10 | 2.2 1.8 | 0.43 0.36 | | Anaryzeu Date : 04/30/24 10:07:04 | | | | |
| | | | | | | | | | |
| ALPHA-PINENE ALPHA-BISABOLOL | 0.10 | 1.8 1.2 | 0.36 0.24 | | | | | | |
| ALPHA-BISABOLOL BETA-MYRCENE | | | | | | | | | |
| CAMPHENE | 0.10 | 0.6 0.6 | 0.12 | | | | | | |
| ALPHA-HUMULENE | 0.10 | 0.6 | 0.11 0.11 | | | | | | |
| CARYOPHYLLENE OXIDE | | 0.6 | | | | | | | |
| FENCHYL ALCOHOL | 0.04 | 0.4 | 0.08 | | | | | | |
| ALPHA TERPINEOL | 0.04 | 0.4 | 0.05 | | | | | | |
| GUAIOL | 0.04 | 0.2 | 0.05 | | | | | | |
| | 0.10 | < 0.5 | <0.10 | | | | | | |
| MENTHOL | 0.10 | < 0.5 | <0.10 | | | | | | |
| DCIMENE | 0.10 | < 0.5 | <0.10 | | | | | | |
| TERPINOLENE | 0.10 | <0.2 | <0.10 | | | | | | |
| ALENCENE | 0.04 | < 0.2 | <0.04 | | | | | | |
| ALPHA-PHELLANDRENE | 0.10 | <0.5 | <0.10 | | | | | | |
| ALPHA-TERPINENE | 0.10 | <0.5 | <0.10 | | | | | | |
| GERANIOL | 0.04 | <0.2 | <0.10 | | | | | | |
| otal (%) | 0.04 | | 4.4 | | 1 | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

Ent

Signature 05/03/24



. High Purity THC - Cherry Pie - .5g Cherry Pie Matrix : Derivative Type: Vape Cartridge



1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Urbanxtracts

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License # : OCM-AUCP-22-000009

Sample : AL40429001-013 Batch#:PAX-0424-D-CHP-5G Sample Size Received:16 units Sampled:04/25/24 02:10 PM Total Amount:400 units Sampling Method : SOP.T.20.010.NY

Page 3 of 6

0

Pesticides

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|------------------------|-----|-------|-----------------|-----------|--------|
| PYRETHRINS, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 |
| AZADIRACHTIN | 0.1 | ppm | 1 | PASS | <0.1 |
| INDOLE-3-BUTYRIC ACID | 0.1 | ppm | 1 | PASS | <0.1 |
| MYCLOBUTANIL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PIPERONYL BUTOXIDE | 0.1 | ppm | 2 | PASS | <0.1 |
| ABAMECTIN B1A | 0.1 | ppm | 0.5 | PASS | <0.1 |
| ACEPHATE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| ACEQUINOCYL | 0.1 | ppm | 2 | PASS | <0.1 |
| ACETAMIPRID | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ALDICARB | 0.1 | ppm | 0.4 | PASS | < 0.1 |
| AZOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| CHLORMEQUAT CHLORIDE | 0.1 | ppm | 1 | PASS | < 0.1 |
| BIFENAZATE | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| BIFENTHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CARBARYL | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| COUMAPHOS | 0.1 | ppm | 1 | PASS | < 0.1 |
| CHLORPYRIFOS | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| DAMINOZIDE | 0.1 | ppm | 1 | PASS | < 0.1 |
| BOSCALID | 0.1 | ppm | 0.4 | PASS | < 0.1 |
| CARBOFURAN | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| CHLORANTRANILIPROLE | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| CLOFENTEZINE | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| DIAZINON | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| DICHLORVOS | 0.1 | ppm | 1 | PASS | < 0.1 |
| DIMETHOATE | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| DIMETHOMORPH | 0.1 | ppm | 1 | PASS | < 0.1 |
| ETHOPROPHOS | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| ETOFENPROX | 0.1 | ppm | 0.4 | PASS | < 0.1 |
| ETOXAZOLE | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| FENHEXAMID | 0.1 | ppm | 1 | PASS | < 0.1 |
| FENOXYCARB | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| FENPYROXIMATE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| FIPRONIL | 0.1 | ppm | 0.4 | PASS | < 0.1 |
| FLONICAMID | 0.1 | ppm | 1 | PASS | <0.1 |
| FLUDIOXONIL | 0.1 | ppm | 0.4 | PASS | <0.1 |
| HEXYTHIAZOX | 0.1 | ppm | 1 | PASS | <0.1 |
| IMAZALIL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| IMIDACLOPRID | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| KRESOXIM METHYL | 0.1 | ppm | 0.4 | PASS | < 0.1 |
| MALATHION | 0.1 | ppm | 0.4 | PASS | <0.1 |
| MALATHION METALAXYL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| | 0.1 | | 0.2 | PASS | < 0.1 |
| METHIOCARB | 0.1 | ppm | 0.2 | PASS | < 0.1 |
| METHOMYL | | ppm | | PASS | |
| MEVINPHOS | 0.1 | ppm | 1 | | <0.1 |
| NALED | 0.1 | ppm | 0.5 | PASS | < 0.1 |
| OXAMYL | 0.1 | ppm | 1 | PASS | <0.1 |

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|---------------------------|-----|-------|-----------------|-----------|--------|
| PACLOBUTRAZOL | 0.1 | ppm | 0.4 | PASS | <0.1 |
| PERMETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PHOSMET | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PRALLETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PROPICONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| PROPOXUR | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PYRIDABEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| SPINETORAM, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 |
| SPINOSAD, TOTAL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| SPIROMESIFEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| SPIROTETRAMAT | 0.1 | ppm | 0.2 | PASS | <0.1 |
| SPIROXAMINE | 0.1 | ppm | 0.2 | PASS | <0.1 |
| TEBUCONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| THIACLOPRID | 0.1 | ppm | 0.2 | PASS | <0.1 |
| THIAMETHOXAM | 0.1 | ppm | 0.2 | PASS | <0.1 |
| TRIFLOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CAPTAN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CHLORDANE * | 0.1 | ppm | 1 | PASS | <0.1 |
| CHLORFENAPYR * | 0.1 | ppm | 1 | PASS | <0.1 |
| CYFLUTHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CYPERMETHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| METHYL PARATHION * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| MGK-264 * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PENTACHLORONITROBENZENE * | 0.1 | ppm | 1 | PASS | <0.1 |
| Weight: | | | | | |

Weight: 0.5095g

Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date :04/30/24 13:52:06

Weight: 0.5095g

Analysis Method :SOP.T.40.154.NY Analyzed Date :04/30/24 14:12:35

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 05/03/24

PASSED

PASSED



. High Purity THC - Cherry Pie - .5g Cherry Pie Matrix : Derivative Type: Vape Cartridge



PASSED

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Urbanxtracts

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License # : OCM-AUCP-22-000009 Sample : AL40429001-013

Batch#:PAX-0424-D-CHP-5G Sample Size Received:16 units Sampled:04/25/24 02:10 PM Total Amount:400 units Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

| 750.0 | ppm | 5000 | PASS | ND |
|--------|---|---|---|---|
| 225.0 | ppm | 1500 | PASS | ND |
| 625.0 | ppm | 290 | PASS | <625.0 |
| 375.0 | ppm | 5000 | PASS | <375.0 |
| 1800.0 | ppm | 5000 | PASS | <1800.0 |
| 250.0 | ppm | 2170 | PASS | <250.0 |
| 0.5 | ppm | 5 | PASS | ND |
| 900.0 | ppm | 5000 | PASS | ND |
| 125.0 | ppm | 3000 | PASS | ND |
| 125.0 | ppm | 5000 | PASS | ND |
| 125.0 | ppm | 5000 | PASS | <125.0 |
| 125.0 | ppm | 5000 | PASS | ND |
| 125.0 | ppm | 5000 | PASS | <125.0 |
| 125.0 | ppm | 410 | PASS | ND |
| 125.0 | ppm | 600 | PASS | ND |
| 125.0 | ppm | 5000 | PASS | <125.0 |
| 0.5 | ppm | 2 | PASS | < 0.5 |
| 125.0 | ppm | 5000 | PASS | <125.0 |
| 125.0 | ppm | 890 | PASS | ND |
| 0.5 | ppm | 60 | PASS | < 0.5 |
| | 225.0 625.0 375.0 1800.0 250.0 0.5 900.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 125.0 | 225.0 pm 625.0 ppm 375.0 ppm 1800.0 ppm 250.0 ppm 0.5 ppm 900.0 ppm 125.0 | 225.0ppm1500625.0ppm290375.0ppm50001800.0ppm5000250.0ppm21700.5ppm5900.0ppm5000125.0ppm3000125.0ppm5000125.0ppm5000125.0ppm5000125.0ppm5000125.0ppm5000125.0ppm600125.0ppm5000125.0ppm2125.0ppm2125.0ppm5000125.0ppm890 | 225.0 ppm 1500 PASS 625.0 ppm 290 PASS 375.0 ppm 5000 PASS 1800.0 ppm 5000 PASS 250.0 ppm 2170 PASS 0.5 ppm 5 PASS 900.0 ppm 5000 PASS 125.0 ppm 600 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 5000 PASS 125.0 ppm 8 |

Analyzed Date : 05/02/24 15:45:52

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

Ent

Signature 05/03/24

PASSED



High Purity THC - Cherry Pie - .5g Cherry Pie Matrix : Derivative Type: Vape Cartridge



PASSED

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Urbanxtracts

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License # : OCM-AUCP-22-000009 Sample : AL40429001-013

Batch#:PAX-0424-D-CHP-.5G Sample Size Received :16 units Sampled:04/25/24 02:10 PM Total Amount:400 units Sampling Method : SOP.T.20.010.NY

Page 5 of 6

| Ę, | Microbi | al | | | PAS | SED | ှိင္တိ Mycotoxir | IS | | I | PAS | SED |
|--------------------|--|------------|------------|----------------|----------------|-----------------|---|-----------|-------|---------|----------------|-----------------|
| Analyte | | LOQ | Units | Result | Pass / Fail | Action Level | Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
| TOTAL AERO | BIC BACTERIA | 100 | CFU/g | <100 | PASS | 10000 | AFLATOXIN G2 | 0.003 | ppm | < 0.003 | PASS | 0.02 |
| TOTAL YEAS | T AND MOLD | 100 | CFU/g | <100 | PASS | 1000 | AFLATOXIN G1 | 0.003 | ppm | < 0.003 | PASS | 0.02 |
| | A COLI SHIGELLA | | | Not Present | PASS | | AFLATOXIN B2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| SPP | | | | | | | AFLATOXIN B1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| SALMONELL | A SPECIES | | | Not Present | PASS | | OCHRATOXIN A+ | 0.010 | ppm | <0.010 | PASS | 0.02 |
| ASPERGILLU | S TERREUS | | | Not Present | PASS | | TOTAL AFLATOXINS (B1, B2, G1, G2) | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLU | S NIGER | | | Not Present | PASS | | W. L.L. | | | | | |
| ASPERGILLU | S FLAVUS | | | Not Present | PASS | | Weight: 0.5095g | | | | | |
| ASPERGILLU | S FUMIGATUS | | | Not Present | PASS | | | | | | | |
| Weight: 1.0811g | | | | | | | Analysis Method : SOP.T.30.104.NY, SOP.T Analyzed Date : 04/30/24 13:54:32 | 40.104.NY | | | | |
| | od : SOP.T.40.058A.NY : 04/29/24 15:29:35 | , SOP.T.40 | 058B.NY, S | OP.T.40.208.NY | | | · . | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

Ent

Signature 05/03/24



High Purity THC - Cherry Pie - .5g Cherry Pie Matrix : Derivative Type: Vape Cartridge



PASSED

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

Certificate of Analysis

Urbanxtracts

43 John Hicks Dr Warwick, NY, 10990, US Telephone: (212) 925-1070 Email: eran@urbanxtracts.com License #: OCM-AUCP-22-000009 Sample : AL40429001-013

Batch#: PAX-0424-D-CHP-5G Sample Size Received: 16 units Sampled: 04/25/24 02:10 PM Total Amount: 400 units Sampling Method: SOP.T.20.010.NY

Page 6 of 6

Homogeneity

| DA | | |
|----|--|--|
| PA | | |
| | | |

| Analyte | LOQ | Units | Pass/Fail | Result | Action Level |
|--------------------------------------|------|-------|-----------|--------|-----------------|
| HOM1 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 1.36 | 25 |
| HOM1 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | 3.57 | 25 |
| HOM2 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 1.24 | 25 |
| HOM2 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | 0.71 | 25 |
| HOM3 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 2.05 | 25 |
| HOM3 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | 2.14 | 25 |
| HOM4 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 3.85 | 25 |
| HOM4 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | 2.86 | 25 |
| HOM5 TOTAL THC PERCENT DIFFERENCE | 0.01 | % | PASS | 3.31 | 25 |
| HOM5 TOTAL CBD PERCENT DIFFERENCE | 0.01 | % | PASS | ND | 25 |

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date : 04/30/24 10:01:41

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164

Ent

Signature 05/03/24