



Phyto-farma Labs
49 John Hicks Drive
Warwick, NY 10990
Permit#: OCM-CPL-2022-00004
Phone: 845-988-0937

Compliance

Certificate Of Analysis

Results Summary

Average Cannabinoid Profile

Terpenes

Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)	PASS
--	------

Microbial Impurities (Total Aerobic Bacteria/CDP-TC)	PASS
--	------

Microbial Impurities (Total Yeast and Mold/CDP-YMR)	PASS
---	------

Mycotoxins	PASS
------------	------

Pesticides	PASS
------------	------

Pesticides cont.	PASS
------------------	------

Residual Solvents	PASS
-------------------	------

Trace Metals	PASS
--------------	------

Client Name: Urban Xtracts

Contact Name: Omeed Turan

Address: 43 John Hicks Drive
Warwick, NY
10990

Phone: 2129251070

License Number: OCM-AUCC-22-000253

Sample Description: PAX - Live Rosin - Huckleberry - 1g

Lot Number: PAX-1123-D-HCL-.5G

Regulatory Category: Adult Use

Sample Matrix: Extracted

Delivery Method: Inhalation

Sample Type: Concentrate

Sample Subtype: Vape

Sampling Site: 43 John Hicks Dr, Warwick NY 10990

Sampling Date and Time: 11/27/2023 11:57 AM

Certificate Of Analysis

Average Cannabinoid Profile

Date analyzed: 12/04/2023

Method: NY.SOP.T.40.260

Analyst: Stephanie Knapp

Date started: 12/02/2023 08:26 AM

Analyte	Average (%w/w)	mg/serving	Standard Deviation (mg/serving)	Homogeneity Pass/Fail*	LOQ (%w/w)
Δ8-THC†	<LOQ	<LOQ	-	-	0.02
Δ9-THC†	80.86	808.6	8.21	PASS	0.02
Δ10-THC-RS†	<LOQ	<LOQ	-	-	0.02
Δ10-THC-RR†	<LOQ	<LOQ	-	-	0.02
Tetrahydrocannabinolic acid (THCA)†	<LOQ	<LOQ	-	-	0.02
Tetrahydrocannabivarin (THCV)	<LOQ	<LOQ	-	-	0.02
Cannabidiol (CBD)*	<LOQ	<LOQ	-	-	0.02
Cannabinadiolic acid (CBDA)*	<LOQ	<LOQ	-	-	0.02
Cannabidivarin (CBDV)	<LOQ	<LOQ	-	-	0.02
Cannabinol (CBN)	<LOQ	<LOQ	-	-	0.02
Cannabigerol (CBG)	2.39	23.94	0.42	PASS	0.02
Cannabigerolic acid (CBGA)	<LOQ	<LOQ	-	-	0.02
Cannabichromene (CBC)	<LOQ	<LOQ	-	-	0.02
†Total Tetrahydrocannabinol (THC)	80.86	808.6	8.21	PASS	N/A
*Total Cannabidiol (CBD)	<LOQ	<LOQ	-	-	N/A
Overall Status				PASS	

*Pass if the concentration of individual samples is ±25% of the mean concentration

V158.21

Certificate Of Analysis

Terpenes

Date analyzed: 12/11/2023

Method: NY.SOP.T.40.090

Analyst: Lucia Orellana

Date started: 12/08/2023 04:37 PM

Analyte	Result (%w/w)	LOQ
3-Carene	<LOQ	0.02
alpha-Bisabolol	0.5	0.02
alpha-Humulene	0.2	0.03
alpha-Phellandrene	<LOQ	0.03
alpha-Pinene	0.2	0.02
alpha-Terpinene	<LOQ	0.01
alpha-Terpineol	0.2	0.02
beta-Myrcene	0.8	0.03
beta-Pinene	0.3	0.03
Borneol	<LOQ	0.02
Camphene	0.1	0.02
Camphor	<LOQ	0.02
Caryophyllene oxide	0.1	0.03
Cedrene	<LOQ	0.02
Cedrol	<LOQ	0.03
cis-Nerolidol	<LOQ	0.03
cis-Ocimene	<LOQ	0.03
Eucalyptol	<LOQ	0.04
Farnesene	<LOQ	0.04
Fenchol	<LOQ	0.02
Fenchone	<LOQ	0.03
gamma-Terpinene	<LOQ	0.02
gamma-Terpineol	<LOQ	0.02
Geraniol	<LOQ	0.02
Geranyl Acetate	<LOQ	0.03



Phyto-farma Labs

49 John Hicks Drive
 Warwick, NY 10990
 Permit#: OCM-CPL-2022-00004
 Phone: 845-988-0937

Compliance

Certificate Of Analysis

Guaiol	<LOQ	0.03
Isoborneol	<LOQ	0.02
Isopulegol	<LOQ	0.03
Limonene	1.7	0.04
Linalool	1.2	0.02
Menthol	<LOQ	0.02
Nerol	<LOQ	0.03
Pulegone	<LOQ	0.03
Sabinene	<LOQ	0.02
Sabinene Hydrate	<LOQ	0.02
Terpinolene	0.2	0.02
trans-b-Ocimene	<LOQ	0.02
trans-Caryophyllene	1.5	0.03
trans-Nerolidol	<LOQ	0.04
Valencene	<LOQ	0.03
TOTAL	7	

Analysis Instrument

29 GC-MS

V151.5

Certificate Of Analysis

Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)

PASS

Date analyzed: 11/30/2023

Method: NYS.SOP.T.40.273

Analyst: Kristy Lee

Date started: 11/28/2023 07:42 AM

Microbial Species	Microbial Type	Detection Status	Pass/Fail
Shiga toxin-producing Escherichia coli	Bacteria	Not Detected	PASS
Salmonella species	Bacteria	Not Detected	PASS
Aspergillus flavus	Fungal	Not Detected	PASS
Aspergillus niger	Fungal	Not Detected	PASS
Aspergillus terreus	Fungal	Not Detected	PASS
Aspergillus fumigatus	Fungal	Not Detected	PASS
		Overall Status	PASS

Analysis Instrument

125 Agilent AriaMx Real-time PCR System

V182.2

Microbial Impurities (Total Aerobic Bacteria/CDP-TC)

PASS

Date analyzed: 11/30/2023

Method: NYS.SOP.T.040.200

Analyst: Lindsey Vento

Date started: 11/28/2023 07:30 AM

Result (CFU/g)	LOQ	Allowable Limit	Pass/Fail
<LOQ	5	10000	PASS

Analysis Instrument

87 Colony Counter

V149.7

Certificate Of Analysis

Microbial Impurities (Total Yeast and Mold/CDP-YMR)

PASS

Date analyzed: 12/01/2023

Method: NYS.SOP.T.040.200

Analyst: Lindsey Vento

Date started: 11/28/2023 07:40 AM

Microbial Species	Result (cfu/g)	LOQ	Allowable Limit	Pass/Fail
Mold Count	<LOQ	5	1000	PASS
Yeast Count	<LOQ	5	1000	PASS
Total Yeast and Mold	<LOQ		1000	PASS
			Overall Status	PASS

Analysis Instrument 87 Colony Counter

V150.9

Mycotoxins

PASS

Date analyzed: 12/01/2023

Method: NY.SOP.T.40.180

Analyst: Destiny Ribadeneyra

Date started: 11/28/2023 03:44 PM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Aflatoxin B1	<LOQ	0.001	0.02	PASS
Aflatoxin B2	<LOQ	0.002	0.02	PASS
Aflatoxin G1	<LOQ	0.001	0.02	PASS
Aflatoxin G2	<LOQ	0.002	0.02	PASS
Sum of Aflatoxins	0	-	0.02	PASS
Ochratoxin A	<LOQ	0.002	0.02	PASS
			Overall Status	PASS

Analysis Instrument 30 LC-MS TQ

V141.3

Certificate Of Analysis

Pesticides

PASS

Date analyzed: 12/02/2023

Method: NY.SOP.T.040.270

Analyst: Stephanie Knapp

Date started: 11/29/2023 04:59 PM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Abamectin	<LOQ	0.02	0.5	PASS
Acephate	<LOQ	0.01	0.4	PASS
Acequinocyl	<LOQ	0.02	2	PASS
Acetamiprid	<LOQ	0.01	0.2	PASS
Aldicarb	<LOQ	0.01	0.4	PASS
Azadirachtin	<LOQ	0.02	1	PASS
Azoxystrobin	<LOQ	0.01	0.2	PASS
Bifenazate	<LOQ	0.01	0.2	PASS
Bifenthrin	<LOQ	0	0.2	PASS
Boscalid	<LOQ	0.01	0.4	PASS
Carbaryl	<LOQ	0.01	0.2	PASS
Carbofuran	<LOQ	0.01	0.2	PASS
Chlorantraniliprole	<LOQ	0.01	0.2	PASS
Chlormequat chloride	<LOQ	0.02	1	PASS
Chlorpyrifos	<LOQ	0.01	0.2	PASS
Clofentezine	<LOQ	0.01	0.2	PASS
Daminozide	<LOQ	0	1	PASS
Diazinon	<LOQ	0.01	0.2	PASS
Dichlorvos	<LOQ	0.01	1	PASS
Dimethoate	<LOQ	0.01	0.2	PASS
Dimethomorph	<LOQ	0.01	1	PASS
Ethoprophos	<LOQ	0.01	0.2	PASS
Etofenprox	<LOQ	0	0.4	PASS
Etoxazole	<LOQ	0.01	0.2	PASS
Fenhexamid	<LOQ	0.01	1	PASS

Certificate Of Analysis

Fenoxycarb	<LOQ	0.01	0.2	PASS
Fenpyroximate	<LOQ	0	0.4	PASS
Flonicamid	<LOQ	0.01	1	PASS
Fludioxonil	<LOQ	0.02	0.4	PASS
Hexythiazox	<LOQ	0	1	PASS
Imidacloprid	<LOQ	0.01	0.4	PASS
Indole-3-butyric acid	<LOQ	0.01	1	PASS
Kresoxim methyl	<LOQ	0.01	0.4	PASS
Malathion	<LOQ	0.01	0.2	PASS
Metalaxyl	<LOQ	0.01	0.2	PASS
Methiocarb	<LOQ	0	0.2	PASS
Methomyl	<LOQ	0.01	0.4	PASS
Mevinphos	<LOQ	0.02	1	PASS
MGK-264	<LOQ	0.01	0.2	PASS
Myclobutanil	<LOQ	0.01	0.2	PASS
Naled	<LOQ	0	0.5	PASS
Oxamyl	<LOQ	0.01	1	PASS
Paclobutrazol	<LOQ	0.01	0.4	PASS
Permethrins, Total	<LOQ	0.01	0.2	PASS
Phosmet	<LOQ	0.01	0.2	PASS
Piperonyl Butoxide	<LOQ	0.01	2	PASS
Prallethrin	<LOQ	0.01	0.2	PASS
Propiconazole	<LOQ	0.01	0.4	PASS
Propoxur	<LOQ	0.01	0.2	PASS
Pyrethrins	<LOQ	0.01	1	PASS
Pyridaben	<LOQ	0.01	0.2	PASS
Spinetoram, Total	<LOQ	0	1	PASS
Spinosad, Total	<LOQ	0.01	0.2	PASS
Spiromesifen	<LOQ	0.01	0.2	PASS
Spirotetramat	<LOQ	0.01	0.2	PASS
Spiroxamine	<LOQ	0	0.2	PASS



Phyto-farma Labs
 49 John Hicks Drive
 Warwick, NY 10990
 Permit#: OCM-CPL-2022-00004
 Phone: 845-988-0937

Compliance

Certificate Of Analysis

Tebuconazole	<LOQ	0.01	0.4	PASS
Thiacloprid	<LOQ	0.01	0.2	PASS
Thiamethoxam	<LOQ	0.01	0.2	PASS
Overall Status				PASS

Analysis Instrument 30 Agilent LS-MS TQ

V144.9

Pesticides cont.

PASS

Date analyzed: 12/01/2023 **Method:** NYS.SOP.T.040.271 **Analyst:** Destiny Ribadeneyra
Date started: 11/29/2023 05:00 PM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Captan	<LOQ	0.3	1	PASS
Chlordane	<LOQ	0.07	1	PASS
Chlorfenapyr	<LOQ	0.1	1	PASS
Coumaphos	<LOQ	0.19	1	PASS
Cyfluthrin	<LOQ	0.11	1	PASS
Cypermethrin	<LOQ	0.24	1	PASS
Fipronil	<LOQ	0.17	0.4	PASS
Imazalil	<LOQ	0.17	0.2	PASS
Methyl parathion	<LOQ	0.09	0.2	PASS
Pentachloronitrobenzene	<LOQ	0.17	1	PASS
Trifloxystrobin	<LOQ	0.11	0.2	PASS
Overall Status				PASS

Analysis Instrument 141 GC/TQ

V177.7

Certificate Of Analysis

Residual Solvents

PASS

Date analyzed: 11/30/2023

Method: NYS.SOP.T.040.272

Analyst: Lucia Orellana

Date started: 11/28/2023 03:48 PM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
1,2-Dichloroethane (Ethylene dichloride, Ethylene chloride)	<LOQ	0.67	5	PASS
2-Propanol (Isopropanol, Isopropyl alcohol)	336.34	21.68	5000	PASS
Acetone (2-Propanone)	<LOQ	15.9	5000	PASS
Acetonitrile	<LOQ	0.85	410	PASS
Benzene	<LOQ	0.71	2	PASS
Butanes, Total	<LOQ	0.35	5000	PASS
Chloroform	<LOQ	0.54	60	PASS
Dichloromethane (Methylene chloride)	<LOQ	1.07	600	PASS
Dimethyl sulfoxide (DMSO)	<LOQ	0.66	5000	PASS
Ethanol (Ethyl alcohol)	<LOQ	10.02	5000	PASS
Ethyl acetate (Acetic acid ethyl ester)	<LOQ	18.45	5000	PASS
Ethyl ether (Diethyl ether, 1,1'-Oxybisethane)	<LOQ	0.44	5000	PASS
Heptane (n-Heptane)	<LOQ	0.36	5000	PASS
Hexanes, Total	<LOQ	0.39	290	PASS
Methanol (Methyl alcohol)	<LOQ	2.47	3000	PASS
Pentanes, Total	<LOQ	0.37	5000	PASS
Propane	<LOQ	0.53	5000	PASS
Toluene (Methylbenzene)	<LOQ	2.34	890	PASS
Trichloroethane (1,1,1-)	<LOQ	0.41	1500	PASS
Xylenes, Total (ortho-, meta-, para-)	<LOQ	2.65	2170	PASS
Overall Status				PASS

Analysis Instrument

148 HS-GCMS-QP2020 NX_2

V148.9

Certificate Of Analysis

Trace Metals

PASS

Date analyzed: 11/30/2023

Method: NY.SOP.T.40.050

Analyst: Moni Kaneti

Date started: 11/29/2023 03:46 PM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Antimony (Sb)	<LOQ	0.13	2	PASS
Arsenic (As)	<LOQ	0.07	0.2	PASS
Cadmium (Cd)	<LOQ	0.06	0.3	PASS
Chromium (Cr)	<LOQ	0.36	110	PASS
Copper (Cu)	<LOQ	0.39	30	PASS
Lead (Pb)	<LOQ	0.08	0.5	PASS
Mercury (Hg)	<LOQ	0.01	0.1	PASS
Nickel (Ni)	<LOQ	0.11	2	PASS
Overall Status				PASS

Analyzed by ICP-MS

V114.33

Sample Comment: Amended: Includes terpenes analysis.

Alicia Caruso-Thomas

Alicia Caruso-Thomas
Laboratory Director
12/11/2023