



Certificate of Analysis

FOR COMPLIANCE

Sample:AL31011013-001
Harvest/Lot ID: M-PAX-1023-LR-GG-.5G
Batch#: M-PAX-1023-LR-GG-.5G
Sample Size Received: 2 units
Total Amount: 800 units
Retail Product Size: 1 gram
Sampled: 10/10/23 09:15 AM
Sampling Start: 09:15 AM
Sampling End: 09:15 AM
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 1

Urbanxtracts

License # : OCM-AUCP-22-000009
43 John Hicks Dr
Warwick, NY, 10990, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
82.3844%
Total THC/Container : 823.844 mg



Total CBD
<0.1000
Total CBD/Container : 0.000 mg



Total Cannabinoids
84.2811%
Total Cannabinoids/Container : 842.811 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	DB-THC	D9-THC	THCA	THCV
%	<0.1000	<0.1000	0.3394	<0.1000	<0.1000	<0.1000	0.6581	<0.1000	0.1619	0.4959	80.8640	1.1683	0.5935
mg/unit	<1.000	<1.000	3.394	<1.000	<1.000	<1.000	6.581	<1.000	1.619	4.959	808.640	11.683	5.935
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1492g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 10/13/23 12:28:14

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
10/23/23