

Mount Washington, KY, 40047, US

## Certificate of Analycic

or Analysis													Sample Size Received: 5 gram Retail Product Size: 1000 gram Ordered : 10/13/20 Sampled : 10/13/20 Completed: 10/15/20 Expires: 10/15/21 Sampling Method: SOP Client Method					
Oct 15 47 John Hicks Warwick, NY,	א זא	PASSED Page 1 of 1																
	P	ry result:	Hea	Hg		crobials TESTED		ک د د د د د د د د د د د د د د د د د د د	Residi Solve	uals	Filth NOT TESTE		ater Activit	-	Moisture		MISC.	
CANNABIN		Total 3.3	тнс	%	ŧ			Total 82	свр	7%	É	•			al Cann 9.60			
D9-THC	THCA	CBD	CBDA	D8-THC	тнсу	CBN	CBDV	СВС	CBG	CBGA								
3.387%	ND	<b>82.157</b> %	ND	ND	ND	0.386%	0.410%	2.659%	0.602%	ND								
33.870 mg/g	ND	821.570 mg/g	ND	ND	ND	3.860 mg/g	4.100 mg/g	26.590 mg/g	6.020 mg/g	ND								
LOD 0.0001 %	<b>0.001</b> %	0.0001 %	<b>0.001</b> %	0.001 %	0.001 %	<b>0.001</b> %	0.001 %	<b>0.001</b> %	0.001 %	0.001 %								
Cannabin		/		/						1.								
Analyzed by <sup>19</sup> Analysis Method				10/14/20 04: Reviewed	On - 10/15	5/20 09:14:4		19	cted By : 0/14/20 16:	37:25								
Analytical Batch -MO001269POT Instrument Us Reagent Dilution			sed : HPLC	Potency Ar	- //	ming On : ms. ID	+	$\rightarrow$	-/	+								
Full spectrum can sample prep and S Uncertainty: 2.7%	Shimadzu Hig										or							

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, pm=Parts Per Million, ppb=Parts Per Billion. Limit to Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

## **David Greene**

Lab Director State License # 19-05-02P ISO Accreditation # 17025:2017 #97164

Signature

10/15/2020

Sample:MO01013053-001 Harvest/Lot ID: 0901200002 Seed to Sale #N/A Batch Date :04/01/20 Batch#: 20NYS-041A Sample Size Received: 5 gram

N/A

DIS-20NYS-041A

Matrix: Derivative



Signed On