



Phyto-farma Labs
49 John Hicks Drive
Warwick, NY 10990
Permit#: OCMPPPL-2022-00004
Phone: 845-988-0937

Compliance

Certificate Of Analysis

Client Name: Urban Xtracts

Address: 47 John Hicks Drive
Warwick, NY
10990

Phone: None

License Number: None

Sample Description: Do-Si-Dos ROSIN

Lot Number: ROSIN-010923-DOS-1G

Regulatory Category: Adult Use

Sample Matrix: Extracted

Delivery Method: Inhalation

Results Summary

Average Cannabinoid Profile	
Microbial Impurities (CDP-TC)	PASS
Microbial Impurities (CDP-YMR)	PASS
Microbial Impurities (PdX for STEC, Salmonella, Asp sp.)	PASS
Mycotoxins	PASS
Pesticides	PASS
Trace Metals	PASS

This is a Phyto-farma certification that relates only to the material tested and shall not be reproduced, unless in its entirety, without written approval from Phyto-farma. Test results are confidential, unless explicitly waived. The product represented has been tested by Phyto-farma Labs using validated scientific methodologies. Note action levels are state determined thresholds for human safety and consumption. Acronym Definitions: ND - Not Detected, LOQ, - Limit of Quantification are terms used to describe the reliably measured smallest concentrations. LOQ* denotes the result is above detection limit, but below quantifiable limit. CFU - Colony Forming Units.

v28.1

Certificate Of Analysis

Average Cannabinoid Profile

Date analyzed: 04/12/2023

Method: NY.SOP.T.40.260

Analyst: Stephanie Knapp

Analyte	Average (%w/w)	mg/serving	Standard Deviation (mg/serving)	Homogeneity Pass/Fail*
Δ8-THC†	<LOQ	<LOQ	-	-
Δ9-THC†	1	9.96	0	PASS
Δ10-THC-RS†	<LOQ	<LOQ	-	-
Δ10-THC-RR†	<LOQ	<LOQ	-	-
Tetrahydrocannabinolic acid (THCA)†	77.68	776.84	42	PASS
Tetrahydrocannabivarin (THCV)	<LOQ	<LOQ	-	-
Cannabidiol (CBD)	<LOQ	<LOQ	-	-
Cannabinadiolic acid (CBDA)	<LOQ	<LOQ	-	-
Cannabidivarin (CBDV)	<LOQ	<LOQ	-	-
Cannabinol (CBN)	<LOQ	<LOQ	-	-
Cannabigerol (CBG)	<LOQ	<LOQ	-	-
Cannabigerolic acid (CBGA)	5.23	52.32	3.36	PASS
Cannabichromene (CBC)	<LOQ	<LOQ	-	-
†Total Tetrahydrocannabinol (THC)	69.13	691.25	46.25	PASS

Overall Status

PASS

*Pass if the concentration of individual samples is ± 1 standard deviation of the mean concentration

V158.11

Microbial Impurities (CDP-TC)

PASS

Date analyzed: 04/12/2023

Method: NYS.SOP.T.040.200

Analyst: Destiny Ribadeneyra

Result (CFU/g)	LOQ	Allowable Limit	Pass/Fail
<LOQ	5	10000	PASS

Analysis Instrument

87 Colony Counter

V149.7

Certificate Of Analysis

Microbial Impurities (CDP-YMR)

PASS

Date analyzed: 04/12/2023

Method: NYS.SOP.T.040.200

Analyst: Destiny Ribadeneyra

Microbial Species	Result (cfu/g)	LOQ	Allowable Limit	Pass/Fail
Mold Count	<LOQ	5	1000	PASS
Yeast Count	<LOQ	5	1000	PASS
Total Yeast and Mold	<LOQ		1000	PASS
			Overall Status	PASS

Analysis Instrument 87 Colony Counter

V150.9

Microbial Impurities (PdX for STEC, Salmonella, Asp sp.)

PASS

Date analyzed: 04/06/2023

Method: NY.SOP.T.040.170

Analyst: Kristy Lee

Microbial Species	Microbial Type	Detection Status	Pass/Fail
Escherichia coli specific gene	Bacteria	Not Detected	PASS
Escherichia coli/Shigella species	Bacteria	Not Detected	PASS
Salmonella species	Bacteria	Not Detected	PASS
stx1 gene (Shiga Toxin Gene 1)	Bacteria	Not Detected	PASS
stx2 gene (Shiga Toxin Gene 2)	Bacteria	Not Detected	PASS
Aspergillus flavus	Fungal	Not Detected	PASS
Aspergillus niger	Fungal	Not Detected	PASS
Aspergillus terreus	Fungal	Not Detected	PASS
Aspergillus fumigatus	Fungal	Not Detected	PASS
		Overall Status	PASS

Analysis Instrument PathogenDX-Sensovation AG 33

V133.11

Certificate Of Analysis

Mycotoxins

PASS

Date analyzed: 04/14/2023

Method: NY.SOP.T.40.180

Analyst: Alicia Caruso-Thomas

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Aflatoxin B1	<LOQ	0.001	0.02	PASS
Aflatoxin B2	<LOQ	0.002	0.02	PASS
Aflatoxin G1	<LOQ	0.001	0.02	PASS
Aflatoxin G2	<LOQ	0.002	0.02	PASS
Sum of Aflatoxins	0	-	0.02	PASS
Ochratoxin A	<LOQ	0.002	0.02	PASS
Overall Status				PASS

Analysis Instrument 30 LC-MS TQ

V141.3

Pesticides

PASS

Date analyzed: 04/13/2023

Method: NY.SOP.T.040.230

Analyst: Alicia Caruso-Thomas

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Azadirachtin	<LOQ	0.37	1	PASS
Cinerin I†	<LOQ	0.02	1	PASS
Indole-3-butyric Acid	<LOQ	1.26	1	PASS
Jasmolin I†	<LOQ	0.02	1	PASS
Myclobutanil	<LOQ	0.3	0.2	PASS
Piperonyl butoxide	<LOQ	0.21	2	PASS
Pyrethrin I†	<LOQ	0.43	1	PASS
Total Pyrethrins†	0		1	PASS
Overall Status				PASS

Analysis Instrument 30 LC-MS TQ

V144.5

Certificate Of Analysis

Trace Metals

PASS

Date analyzed: 04/14/2023

Method: NY.SOP.T.40.050

Analyst: Kyle Rappaport

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Antimony (Sb)	<LOQ	0.13	2	PASS
Arsenic (As)	<LOQ	0.07	0.2	PASS
Cadmium (Cd)	<LOQ	0.06	0.3	PASS
Chromium (Cr)	<LOQ	0.36	110	PASS
Copper (Cu)	<LOQ	0.39	30	PASS
Lead (Pb)	<LOQ	0.08	0.5	PASS
Mercury (Hg)	<LOQ	0.01	0.1	PASS
Nickel (Ni)	<LOQ	0.11	2	PASS
Overall Status				PASS

Analysis Instrument

Equipment ID: 1 ICP-MS

Alicia Caruso-Thomas

Alicia Caruso-Thomas
Laboratory Director
04/14/2023