



# Certificate of Analysis

Sample:AL30428002-001  
Harvest/Lot ID: D-STY-UX-041223-THO  
Batch#: D-STY-UX-041223-THO  
Seed to Sale# STRIMO  
Sample Size Received: 7 units  
Total Amount: 499 units  
Retail Product Size: 1 gram  
Sampled: 04/27/23  
Sampling Start: 01:15 PM  
Sampling End: 01:15 PM





**PASSED**

Dec 31, 1969 | Urbanextracts




43 John Hicks Dr  
Warwick, NY, 10990, US



Pages 1 of 4

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filth NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

 **Cannabinoid** **PASSED**

 <b>Total THC</b> <b>80.7321%</b> Total THC/Container : 807.321 mg	 <b>Total CBD</b> <b>1.5001%</b> Total CBD/Container : 15.001 mg	 <b>Total Cannabinoids</b> <b>87.2682%</b> Total Cannabinoids/Container : 872.682 mg
--	---	---

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<LOQ	<LOQ	1.1937	1.5001	<LOQ	<LOQ	2.697	<LOQ	0.5088	<LOQ	80.7321	<LOQ	0.6365
mg/unit	<LOQ	<LOQ	11.937	15.001	<LOQ	<LOQ	26.97	<LOQ	5.088	<LOQ	807.321	<LOQ	6.365
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight: 0.115g  
Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 05/01/23 15:37:47

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
05/09/23



# Certificate of Analysis

**PASSED**

Urbantracts

 Sample : AL30428002-001  
 Harvest/Lot ID: D-STY-UX-041223-THO

 43 John Hicks Dr  
 Warwick, NY, 10990, US  
 Telephone: (212) 925-1070  
 Email: eran@urbantracts.com

 Batch# : D-STY-UX-041223-THO  
 Sample Size Received : 7 units  
 Total Amount : 499 units  
 Sampled : 04/27/23  
 Sample Method : SOP Client Method

Page 2 of 4



## Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<LOQ	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<LOQ
AZADIRACHTIN	0.1	ppm	1	PASS	<LOQ	PERMETHRINS	0.1	ppm	0.2	PASS	<LOQ
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<LOQ	PHOSMET	0.1	ppm	0.2	PASS	<LOQ
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<LOQ	PRALLETHRIN	0.1	ppm	0.2	PASS	<LOQ
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<LOQ	PROPRICONAZOLE	0.1	ppm	0.4	PASS	<LOQ
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<LOQ	PROPOXUR	0.1	ppm	0.2	PASS	<LOQ
ACEPHATE	0.1	ppm	0.4	PASS	<LOQ	PYRIDABEN	0.1	ppm	0.2	PASS	<LOQ
ACEQUINOCYL	0.1	ppm	2	PASS	<LOQ	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<LOQ
ACETAMIPRID	0.1	ppm	0.2	PASS	<LOQ	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<LOQ
ALDICARB	0.1	ppm	0.4	PASS	<LOQ	SPIROMESIFEN	0.1	ppm	0.2	PASS	<LOQ
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<LOQ
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<LOQ	SPIROXAMINE	0.1	ppm	0.2	PASS	<LOQ
BIFENAZATE	0.1	ppm	0.2	PASS	<LOQ	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<LOQ
BIFENTHRIN	0.1	ppm	0.2	PASS	<LOQ	THIACLOPRID	0.1	ppm	0.2	PASS	<LOQ
CARBARYL	0.1	ppm	0.2	PASS	<LOQ	THIAMETHOXAM	0.1	ppm	0.2	PASS	<LOQ
COUMAPHOS	0.1	ppm	1	PASS	<LOQ	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<LOQ
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<LOQ	CAPTAN *	0.1	ppm	1	PASS	<LOQ
DAMINOZIDE	0.1	ppm	1	PASS	<LOQ	CHLORDANE *	0.1	ppm	1	PASS	<LOQ
BOSCALID	0.1	ppm	0.4	PASS	<LOQ	CHLORFENAPYR *	0.1	ppm	1	PASS	<LOQ
CARBOFURAN	0.1	ppm	0.2	PASS	<LOQ	CYFLUTHRIN *	0.1	ppm	1	PASS	<LOQ
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<LOQ	CYPERMETHRIN *	0.1	ppm	1	PASS	<LOQ
CLOFENTEZINE	0.1	ppm	0.2	PASS	<LOQ	METHYL PARATHION *	0.1	ppm	0.2	PASS	<LOQ
DIAZINON	0.1	ppm	0.2	PASS	<LOQ	MGK-264 *	0.1	ppm	0.2	PASS	<LOQ
DICHLORVOS	0.1	ppm	1	PASS	<LOQ	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<LOQ
DIMETHOATE	0.1	ppm	0.2	PASS	<LOQ						
DIMETHOMORPH	0.1	ppm	1	PASS	<LOQ	Weight:					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<LOQ	0.4623g					
ETOFENPROX	0.1	ppm	0.4	PASS	<LOQ	Analysis Method :SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOXAZOLE	0.1	ppm	0.2	PASS	<LOQ	Analyzed Date :05/02/23 08:23:45					
FENHEXAMID	0.1	ppm	1	PASS	<LOQ						
FENOXICARB	0.1	ppm	0.2	PASS	<LOQ	Weight:					
FENPYROXIMATE	0.1	ppm	0.4	PASS	<LOQ	0.4623g					
FIPRONIL	0.1	ppm	0.4	PASS	<LOQ	Analysis Method :SOP.T.40.154.NY					
FLONICAMID	0.1	ppm	1	PASS	<LOQ	Analyzed Date :05/02/23 08:24:06					
FLUDIOXONIL	0.1	ppm	0.4	PASS	<LOQ						
HEXYTHIAZOX	0.1	ppm	1	PASS	<LOQ						
IMAZALIL	0.1	ppm	0.2	PASS	<LOQ						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<LOQ						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<LOQ						
MALATHION	0.1	ppm	0.2	PASS	<LOQ						
METALAXYL	0.1	ppm	0.2	PASS	<LOQ						
METHIACARB	0.1	ppm	0.2	PASS	<LOQ						
METHOMYL	0.1	ppm	0.4	PASS	<LOQ						
MEVINPHOS	0.1	ppm	1	PASS	<LOQ						
NALED	0.1	ppm	0.5	PASS	<LOQ						
OXAMYL	0.1	ppm	1	PASS	<LOQ						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
 Lab Director

 NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



 Signature  
 05/09/23



# Certificate of Analysis

**PASSED**

Urbanextracts


43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: eran@urbanextracts.com

Sample : AL30428002-001  
Harvest/Lot ID: D-STY-UX-041223-THO

Batch# : D-STY-UX-041223-THO  
Sample Size Received : 7 units  
Total Amount : 499 units  
Sample Method : SOP Client Method

Sampled : 04/27/23

Page 3 of 4

	Residual Solvents				<b>PASSED</b>
Solvents	LOQ	Units	Action Level	Pass/Fail	Result
HEXANE, TOTAL	208.4	ppm	290	PASS	<LOQ
PENTANES, TOTAL	2700	ppm	5000	PASS	<LOQ
BUTANES, TOTAL	1800	ppm	5000	PASS	<LOQ
XYLENES, TOTAL	1171.8	ppm	2170	PASS	<LOQ
PROPANE	900	ppm	5000	PASS	<LOQ
METHANOL	540	ppm	3000	PASS	<LOQ
ETHANOL	900	ppm	5000	PASS	<LOQ
ETHYL ETHER	900	ppm	5000	PASS	<LOQ
ACETONE	180	ppm	5000	PASS	<LOQ
2-PROPANOL	900	ppm	5000	PASS	<LOQ
ACETONITRILE	73.8	ppm	410	PASS	<LOQ
DICHLOROMETHANE	108	ppm	600	PASS	<LOQ
ETHYL ACETATE	900	ppm	5000	PASS	<LOQ
BENZENE	0.45	ppm	2	PASS	<LOQ
N-HEPTANE	900	ppm	5000	PASS	<LOQ
TOLUENE	160.2	ppm	890	PASS	<LOQ
CHLOROFORM	10.8	ppm	60	PASS	<LOQ

Weight: 0.0215g  
Analysis Method : SOP.T.40.044.NY  
Analyzed Date : 05/03/23 08:20:40



# Certificate of Analysis

**PASSED**



**Urbantracts**


43 John Hicks Dr  
Warwick, NY, 10990, US  
Telephone: (212) 925-1070  
Email: eran@urbantracts.com

Sample : AL30428002-001  
Harvest/Lot ID: D-STY-UX-041223-THO

Batch# : D-STY-UX-041223-THO  
Sample Size Received : 7 units  
Total Amount : 499 units  
Sample Method : SOP Client Method

Page 4 of 4

 <b>Microbial</b> <span style="float: right;"><b>PASSED</b></span>						 <b>Mycotoxins</b> <span style="float: right;"><b>PASSED</b></span>					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	10	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0025	ppm	<LOQ	PASS	0.02
TOTAL YEAST AND MOLD	10	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0025	ppm	<LOQ	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.0025	ppm	<LOQ	PASS	0.02
SALMONELLA SPECIES			Not Present	PASS		AFLATOXIN B1	0.0025	ppm	<LOQ	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		OCHRATOXIN A+	0.01	ppm	<LOQ	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0025	ppm	<LOQ	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
Weight: 0.9218g Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY Analyzed Date : 05/01/23 11:20:40						Weight: 0.4623g Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 05/03/23 08:21:35					

 <b>Heavy Metals</b> <span style="float: right;"><b>PASSED</b></span>					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.02	ug/g	<LOQ	PASS	2
ARSENIC	0.02	ug/g	<LOQ	PASS	0.2
CADMIUM	0.02	ug/g	<LOQ	PASS	0.3
CHROMIUM	0.02	ug/g	<LOQ	PASS	110
COPPER	0.02	ug/g	0.2305	PASS	30
LEAD	0.02	ug/g	0.0275	PASS	0.5
MERCURY	0.002	ug/g	<LOQ	PASS	0.1
NICKEL	0.02	ug/g	0.0408	PASS	2
Weight: 0.4618g Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 05/01/23 14:29:34					