

Seal It Right

1	PRODUCT AND COMPANY IDENTIFICATION
Product Identifier:	Seal It Right
SDS Number:	15
Product Code:	641, 641C
Revision Date:	5/13/2019
Version:	1
Product Description:	High heat flexible sealant, no heat cure required, removable.
Product Use:	High heat flexible, removable sealant for direct vent appliances.
Supplier Details:	Rutland Products 7 Crabtree Road Jacksonville, IL 62650
Contact:	Faith Nergenah, Brian Miller
Phone:	217-245-7810
Fax:	217-245-1194
Email:	faith@rutland.com, bmiller@rutland.com
Web:	www.rutland.com
Emergency:	CHEMTREC (800) 424-9300

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:

2



GHS Hazard Statements:

- H303 May be harmful if swallowed
- H315 Causes skin irritation
- H320 Causes eye irritation

GHS Precautionary Statements:

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P312 - Call a POISON CONTROL CENTER (800-222-1222), doctor or emergency room if you feel unwell.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry:	Eyes; Skin; Ingestion
Skin Contact:	May cause irritation.
Eye Contact:	May cause irritation.
Ingestion:	Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.



Seal It Right

3

COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Chemical Ingredients: % Chemical Name:
1333-86-4	Carbon black (airborne, unbound particles of respirable size)
1317-65-3 52640-81-0	Calcium carbonate 2-Propenoic acid, polymer with 2- ethylhexyl 2-propenoate, ethyl 2- propenoate, N-(hydroxymethyl)-2- propenamide and 2-propenenitrile Calcium Metasilicate(Wollastonite)
13983-17-0	Calcium Metasilicate(wollastonite)

Percentages withheld, Trade secret

4	FIRST AID MEASURES	
Inhalation:	Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.	
Skin Contact:	Wash with plenty of water. Get medical attention if irritation develops or persists.	
Eye Contact:	Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.	
Ingestion:	If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.	
5	FIRE FIGHTING MEASURES	

Use any standard agent - choose the one most appropriate for type of surrounding fire.

ACCIDENTAL RELEASE MEASURES 6

Absorb spilled material and place in appropriate container for disposal.

7	HANDLING AND STORAGE		
Handling Precautions:	Avoid contact with eyes, skin, or clothing.		
Storage Requirements:	Keep container closed to prevent drying out. Store in a cool, well ventilated area.		
8	EXPOSURE CONTROLS/PERSO	ONAL PROTECTION	
Engineering Controls:	A system of local and/or general possible.	exhaust is recommended	to keep employee exposures as low as
Personal Protective Equipment:	Usage of safety glasses/ goggles is recommended. Wear protective clothing, including long sleeves and gloves, to prevent skin contact.		
9	PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Black		
Physical State:	Paste	Odor:	Mild
Odor Threshold:	Not Available	Molecular Formula:	Not Available
Particle Size:	Not Available	Solubility:	Soluble
Spec Grav./Density:	1.6	Softening Point:	Not Available
	Not Available	Percent Volatile:	Not Available
Viscosity:			



Concentration:

pH:

10

Boiling Point: Not Available Flammability: **Partition Coefficient:** Vapor Pressure: Evap. Rate: Molecular weight: **Decomp Temp:**

Not Available Not Available Not Available Not Available Not Available Not Available Not Available

Freezing/Melting Pt.: Not Available Flash Point: Octanol: Vapor Density: VOC: **Bulk Density:** Auto-Ignition Temp: UFL/LFL:

Not Available Not Available Not Available Not Available Not Available Not Available Not Available

STABILITY AND REACTIVITY

Reactivity: This product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical Stability:** Product is stable under normal conditions. **Conditions to Avoid:** None Known Materials to Avoid: None Known Hazardous Decomposition: None Known Hazardous Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION 11

No data available.

12	ECOLOGICAL INFORMATION

No information available

DISPOSAL CONSIDERATIONS 13

Dispose of this product in accordance with all applicable local, state and federal regulations.

14 **TRANSPORT INFORMATION**

Not Regulated

15

REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Carbon black (airborne, unbound particles of respirable size) (1333-86-4) MASS, OSHAWAC, PA, PROP65, TSCA, TXAIR

Calcium carbonate (1317-65-3) MASS, OSHAWAC, PA, TSCA, TXAIR

2-Propenoic acid, polymer with 2-ethylhexyl 2-propenoate, ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide and 2propenenitrile (52640-81-0) TSCA

Calcium Metasilicate(Wollastonite) (13983-17-0)



This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants



PA = PA Right-To-Know List of Hazardous Substances PROP65 = CA Prop 65 TSCA = Toxic Substances Control Act TXAIR = TX Air Contaminants with Health Effects Screening Level

OTHER INFORMATION

PREPARED BY: Brian Miller

16

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 5/13/2019