



Safety Data Sheet

Toss-In Creosote Remover

1

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Toss-In Creosote Remover
SDS Number: 50
Product Code: 97G, 97S
Revision Date: 6/19/2019
Version: 1
Product Description: Granular creosote remover for chimney and flue in 3 oz cannister, 3 oz toss-in stick.
Product Use: Creosote remover for chimney and flue.

Supplier Details: Rutland Products
7 Crabtree Road
Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller
Phone: 217-245-7810
Fax: 217-245-1194
Email: faith@rutland.com, bmillier@rutland.com
Web: www.rutland.com
Emergency: CHEMTREC (800) 424-9300

2**HAZARDS IDENTIFICATION****Classification of the Substance or Mixture****GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Health, Serious Eye Damage/Eye Irritation, 2 A
Health, Skin corrosion/irritation, 2
Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements**GHS Signal Word:** **WARNING****GHS Hazard Pictograms:****GHS Hazard Statements:**

H319 - Causes serious eye irritation
H315 - Causes skin irritation
H335 - May cause respiratory irritation

GHS Precautionary Statements:

P260 - Do not breathe dust or mist.
P264 - Wash skin thoroughly after handling.
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CONTROL CENTER (800-222-1222), physician or emergency room.
P321 - Specific treatment (see first aid instructions on this label).
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Skin; Inhalation
Skin Contact: May cause irritation.
Eye Contact: May cause irritation.
Ingestion: Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.

3**COMPOSITION/INFORMATION OF INGREDIENTS**

Chemical Ingredients:		
CAS#	%	Chemical Name:
10101-89-0		Trisodium Phosphate Dodecahydrate
14808-60-7		Silica, crystalline
6156-78-1		Manganese (II) Acetate Tetrahydrate
9004-34-6		cellulose

Percentages withheld, Trade Secret.

4**FIRST AID MEASURES**

Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.



Safety Data Sheet

Toss-In Creosote Remover

Skin Contact: Wash with plenty of water. Get medical attention if irritation develops or persists.
Eye Contact: Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.
Ingestion: If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

5 FIRE FIGHTING MEASURES

Flammability: Not Flammable

Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Vacuum or sweep the material into a bag or other sealed container and dispose of in accordance with local requirements.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes and skin. Use in a well-ventilated area. Keep away from food and drinking water.
Storage Requirements: Store in a cool, well ventilated area. Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.
Personal Protective Equipment: Exhaust ventilation; In poorly ventilated areas you must wear a supplied air respirator. Usage of safety glasses/ goggles is recommended. Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Trisodium Phosphate Dodecahydrate cas#:(10101-89-0)

Components with workplace control parameters

STEL 5 mg/m3 USA. Workplace Environmental Exposure Levels (WEEL)

Silica, crystalline cas#:(14808-60-7)

Components with workplace control parameters

TWA 0.025 mg/m3 USA. ACGIH Threshold Limit Values (TLV)
Suspected human carcinogen

TWA 0.025 mg/m3 USA. ACGIH Threshold Limit Values (TLV)
Lung cancer Pulmonary fibrosis Suspected human carcinogen

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	white to gray	Odor:	slight, vinegar-like
Physical State:	granular solid	Molecular Formula:	Not Available
Odor Threshold:	Not Applicable	Solubility:	Insoluble in water
Particle Size:	Not Applicable	Softening Point:	Not Applicable
Spec Grav./Density:	Not Available	Percent Volatile:	Not Available
Viscosity:	Not Applicable	Heat Value:	Not Available
Saturated Vapor	Not Applicable		

Safety Data Sheet

Toss-In Creosote Remover

Concentration:		Freezing/Melting Pt.:	Not Available
Boiling Point:	Not Available	Flash Point:	Not Applicable
Flammability:	Not Available	Octanol:	Not Available
Partition Coefficient:	Not Available	Vapor Density:	Not Available
Vapor Pressure:	Not Available	VOC:	Not Available
pH:	Not Available	Bulk Density:	Not Available
Evap. Rate:	Not Available	Auto-Ignition Temp:	Not Available
Molecular weight:	Not Available	UFL/LFL:	Not Applicable
Decomp Temp:	Not Available		

10 STABILITY AND REACTIVITY

Reactivity:	This product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Contact with incompatible materials
Materials to Avoid:	Strong Acids; Strong Bases; Strong Oxidizing Agents;
Hazardous Decomposition:	None Known
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

No data available.

12 ECOLOGICAL INFORMATION

No information available

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

Not Regulated

15 REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

Trisodium Phosphate Dodecahydrate (10101-89-0)

Silica, crystalline (14808-60-7) GADSL, MASS, NRC, OSHAWAC, PA, PROP65, TSCA, TXAIR

Manganese (II) Acetate Tetrahydrate (6156-78-1)

Cellulose (9004-34-6) MASS, OSHAWAC, PA, TSCA, TXAIR



WARNING

This product can expose you to chemicals including Silica, Crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

GADSL = Global Automotive Declarable Substance List (GADSL)

MASS = MA Massachusetts Hazardous Substances List

NRC = Nationally Recognized Carcinogens



Safety Data Sheet

Toss-In Creosote Remover

OSHA WAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

PROP65 = CA Prop 65

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 6/19/2019