
AFGHAN COMPOUND Assembly Instructions



Difficulty **EASY**



TOOLS WE SUGGEST YOU HAVE BEFORE GETTING STARTED



SAND

PAPER







SUPER





WHITE GLUE

CLAMPS OR PEGS

THIS KIT IS NOT A TOY - NOT FOR CHILDREN UNDER 15 - CONTAINS SMALL PARTS - PERMISSION TO PRINT THESE FOR PERSONAL USE ONLY THIS KIT IS NOT A TOY - NOT FOR CHILDREN UNDER 15 - CONTAINS SMALL PARTS - PERMISSION TO PRINT THESE FOR PERSONAL USE ONLY

Before starting this kit, make sure you read through all the instructions carefully. Always remember to dry fit parts and sand as needed.

We use two kinds of glue when assembling our kits. Super glue (cyanoacrylate) or PVA glue.

You can repaint or weather our kits easily! The paint we use is a great base primer and will take paint nicely.

If you have any issues during assembly, please contact us and we'll always do our best to help. We pride ourselves on taking care of our customers, so if you need anything at all, we're here!

As part of the laser cutting process, some colors or sheets may have more laser dust/residue than others. This is due to a wide variety of reasons and its 100% normal.

If the smell bothers you, set the kits outside for a day or so. If the residue is getting onto your hands, use some gloves!

Some folks like to wipe the kits down with a very lightly damp rag.

IMPORTANT SYMBOLS YOU MAY FIND WHILE ASSEMBLING THESE KITS



ATTENTION: This is a specifically important step.



NO GLUE: When you need to place a part without glue. Working doors are a good example



USE GLUE: This one isn't used much, as we assume almost all steps will have glue. But sometimes we use this for additional clarity



TRIM/SAND: Sometimes parts need to be slightly sanded, or trimmed in order to get the perfect fit.



DRY FIT: Sometimes we'll tell you to test fit items first. While we suggest doing this for ALL steps. Some are more important.


AFGHAN COMPOUND


Sheet Breakdown





IF YOU ARE MISSING ANY SHEETS, OR HAVE DEFECTIVE PARTS. FOLLOW THE QR CODE ON THE RIGHT AND SUBMIT A TICKET WITH OUR TEAM. WE'LL GET YOU SORTED!
















EXTRA PARTS:


SOMETIMES OUR KITS MAY COME WITH ADDITIONAL PARTS, GREEBLIES OR FREE DETAILS. WE DON'T ALWAYS SHOW THESE PARTS AS PART OF THE INSTRUCTIONS BECAUSE THEY MAY SOMETIMES CHANGE BETWEEN EDITIONS OR MANUFACTURING RUNS.

IF YOU GET TO THE END OF THIS KIT AND THERE ARE PARTS LEFT OVER, SIMPLY DISCARD THEM, OR USE THEM TO KITBASH SOME COOL ADDITIONAL FLAVOR TO YOUR KIT!


You should also have 1 Wooden dome

AFGHAN COMPOUND


PAGE 1




STEP 2



STEP 3 - Walls




STEP 1 - Gate




D18







STEP 4 - Walls



A18




STEP 5 - Hovel A




B1 - With Door Notch


STEP 7






STEP 9






STEP 10





The roof doors are cut in a way that you can bend the door at an

angle





STEP 12






STEP 14







STEP 15




STEP 16




STEP 17




STEP 18




STEP 19 - Hovel C







STEP 20




STEP 21




STEP 22




STEP 23




STEP 24




The wall posts are designed to slot into the walls, but make sure they are not sticking out and getting in the way of the roof.




STEP 25




The roof doors are cut in a way that you can bend the door at an angle



STEP 27







Glue them around the bar (part B7)



The bar can slot into the supports