

THE ARK - OVERLORDS OFFICE

ASSEMBLY INSTRUCTIONS



Before starting this kit, make sure you read through all the instructions carefully. Always remember to dry fit parts and sand as needed.

We use two kinds of glue when assembling our kits. Super glue (cyanoacrylate) or PVA glue.


You can repaint or weather our kits easily! The paint we use is a great base primer and will take paint nicely.

If you have any issues during assembly, please contact us and we'll always help!

We would like to take the time to thank you for purchasing a Black Site Studios product!

www.blacksitestudio.com

WE SUGGEST HAVING THESE TOOLS ON HAND



IMPORTANT SYMBOLS YOU'LL FIND ON YOUR JOURNEY



ATTENTION



DRY FIT



NO GLUE




GLUE






TRIM/SAND

THE ARK - OVERLORDS OFFICE

PAGE 1







A4 HAS A SPRUED IN WINDOW PART. PUNCH IT OUT IF YOU LIKE.



DRY FIT THESE WALLS FIRST

THE ARK - OVERLORDS OFFICE

PAGE 2










PARTS D2 NEED TO BE CAREFULLY BENT/CURVED FIRST BEFORE GLUING. ALSO MAKE SURE TO DRY FIT AND TRIM IF NEEDED. THE PARTS MAY NOT MAKE CONTACT WITH THE WALL SUPPORTS. THIS IS NORMAL.



DRY FIT THESE WALLS FIRST


THE ARK - OVERLORDS OFFICE

PAGE 3



THE ARK - OVERLORDS OFFICE

PAGE 4



**DONT GLUE
THE DOOR IN**

**WE HAVE ALSO INCLUDED A PRINTOUT
SHEET OF OPTIONAL POSTERS AND A
FANCY FLOOR INLAY (SEE PHOTOS ON
OUR WEBSITE)**

**YOU ALSO WILL FIND EXTRA CABLES
AND SUPPORTS (PARTS G5&G6) YOU
CAN GLUE THOSE RANDOMLY FOR SOME
EXTRA DETAILS.**

