

Prepared for:
Crested River Cannabis Company

79 Vernon Ave
Morgan, MN USA 56266

Lemon Haze

Batch ID or Lot Number: 230623.1	Test: Potency	Reported: 25Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000252902	Started: 23Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 21Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.312	0.684	ND	ND	# of Servings = 1, Sample Weight=473g
Cannabichromenic Acid (CBCA)	0.285	0.626	ND	ND	
Cannabidiol (CBD)	0.852	1.825	ND	ND	
Cannabidiolic Acid (CBDA)	0.873	1.872	ND	ND	
Cannabidivarin (CBDV)	0.201	0.432	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.364	0.781	ND	ND	
Cannabigerol (CBG)	0.177	0.389	10.180	0.00	
Cannabigerolic Acid (CBGA)	0.740	1.624	ND	ND	
Cannabinol (CBN)	0.231	0.507	ND	ND	
Cannabinolic Acid (CBNA)	0.505	1.108	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.882	1.935	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.801	1.758	10.120	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.710	1.557	ND	ND	
Tetrahydrocannabivarin (THCV)	0.161	0.353	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.626	1.373	ND	ND	
Total Cannabinoids			20.300	0.00	
Total Potential THC			10.120	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
25Aug2023
01:04:00 PM MDT

PREPARED BY / DATE



Sam Smith
25Aug2023
01:06:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/857ddf7f-e18d-4567-8ada-aeb90f3d3771>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
857ddf7fe18d45678adaeb90f3d3771.1