KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Foundry Blue Dream D9 Soda

kca

Sample ID: SA-230519-21866 Batch: 051124 Type: Finished Product - Ingestible Matrix: Oil / Liquid - Beverage Unit Mass (g):		Received: 05/23/2023 Completed: 05/30/2023		Client Foundry Nation 2708 Summer St. N.E. Minneapolis, MN 55413 USA	
				\mathbf{X}	
			Summary	Date Tested Status	
			Test		Status
			Cannabinoids	05/30/2023	Tested
	ALLER AND BLUEN				
0.0134 mg/mL	0.0134 mg/mL	0.0134 mg/mL	Not Tested	Not Tested	Yes
Total ∆9-THC	∆9-ТНС	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization
Cannabinoids	by HPLC-PDA,	LC-MS/MS, and	or GC-MS/MS		
	LOD (mg/mL)	LC-MS/MS, and LOQ (mg/mL)	Or GC-MS/MS Result (mg/mL)	Result (%)	Result (mg/unit)
nalyte	LOD	LOQ	Result		
nalyte BC	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	(%)	(mg/unit)
nalyte BC BCA	LOD (mg/mL) 0.00095	LOQ (mg/mL) 0.00284	Result (mg/mL) ND	(%) ND	(mg/unit) ND
nalyte BC BCA BCV	LOD (mg/mL) 0.00095 0.00181	LOQ (mg/mL) 0.00284 0.00543	Result (mg/mL) ND ND	(%) ND ND	(mg/unit) ND ND
nalyte BC BCA BCV BD	LOD (mg/mL) 0.00095 0.00181 0.0006	LOQ (mg/mL) 0.00284 0.00543 0.0018	Result (mg/mL) ND ND ND ND ND	(%) ND ND ND	(mg/unit) ND ND ND ND
nalyte BC BCA BCV BD BDA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242	Result (mg/mL) ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND
BC BCA BCV BD BDA BDA BDV	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.0013 0.00182	Result (mg/mL) ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND
BC BCA BCV BD BDA BDV BDVA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063	Result (mg/mL) ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND
analyte BC BCA BCV BD BDA BDA BDV BDVA BG	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.0013 0.00182 0.00063 0.00172	Result (mg/mL) ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND
analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND
BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BN BNA BT	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BN BNA BT BNA BT BA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BN BNA BT 88-THC 9-THC	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.000227	Result (mg/mL) ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BCA BL BLA BLA BNA BRA BRA BRA BRA BRA BRA BRA BRA BRA BR	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Analyte	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084 0.00069	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.0027 0.00251 0.00206	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Analyte BC BCA BCV BDA BDA BDA BDV BDVA BDVA BDVA BBC BBA BBA BBA BBA BBA BBA BBA BBA BB	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND
Cannabinoids Analyte CBC CBCA CBCV CBD CBDA CBDV CBDVA CBDV CBDVA CBC CBCA CBC CBCA CBC CBCA CBCA CBCA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.00076 0.00084 0.00069	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.0027 0.00251 0.00206	Result (mg/mL) ND ND ND ND ND ND ND ND ND ND ND ND ND	(%) ND ND ND ND ND ND ND ND ND ND	(mg/unit) ND ND ND ND ND ND ND ND ND ND ND ND ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 05/30/2023

Tested By: Nicholas Howard

estéd By: Nicholas Howard Scientist Date: 05/30/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.