

Prepared for:

Stigma

2563 Monterey Ave
Minneapolis, MN USA 55416


Stigma Lemonade Iced Tea

Batch ID or Lot Number: 08/31/23	Test: Potency	Reported: 07Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000255065	Started: 05Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 05Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.189	0.627	ND	ND	2 servings per can # of Servings = 1, Sample Weight=470.337g
Cannabichromenic Acid (CBCA)	0.172	0.573	ND	ND	
Cannabidiol (CBD)	0.606	1.659	ND	ND	
Cannabidiolic Acid (CBDA)	0.622	1.702	ND	ND	
Cannabidivarin (CBDV)	0.143	0.392	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.259	0.710	ND	ND	
Cannabigerol (CBG)	0.107	0.356	ND	ND	
Cannabigerolic Acid (CBGA)	0.447	1.488	ND	ND	
Cannabinol (CBN)	0.140	0.464	ND	ND	
Cannabinolic Acid (CBNA)	0.305	1.015	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.533	1.773	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.484	1.610	10.420	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.429	1.426	ND	ND	
Tetrahydrocannabivarin (THCV)	0.097	0.324	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.378	1.258	ND	ND	
Total Cannabinoids			10.420	0.00	
Total Potential THC			10.420	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
07Sep2023
10:31:00 AM MDT

PREPARED BY / DATE



Sam Smith
07Sep2023
10:33:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d4d74c0e-3c01-44dd-b0c3-bb2443cd2ba1>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
d4d74c0e3c0144ddb0c3bb2443cd2ba1.1