


Speed Crawler SC1 User Manual



*product colors may vary

PLEASE READ THIS MANUAL BEFORE USING.
PLEASE RETAIN THIS INFORMATION FOR FUTURE REFERENCE

Powering it On

How to turn on the SC1

Press here

Hold down the Power button
for 2 seconds to turn on the
SC1 Speed Crawler



SC1 Wrist Remote

How to use

Put it on

Put your thumb through the rubber loop and strap it around your palm. Attach the mode-switch button around your index finger so that your thumb can press it easily.



Boot

Long Press Power Button to turn on.



3 LED's blinking 3 times fast indicate the remote is booted



Remote is looking for SC1



Remote is connected, and in Mode 1

Mode 1: Default mode when device is turned



Move SC1 forward, back, left, and right



Car leans and lurches left/right



- Click once to switch to Mode 2
- Double click to switch to Mode 3

Mode 2: Alternate Controls



Move SC1 forward/back



Rotate SC1 left/right



SC1 leaning left and right



Toggle between Stealth Formation and Truck Formation in Mode 1 and Mode 2

Mode 3: Music Player



Tilt Forward: Next song
Tilt Back: Previous song
Tilt Forward/Back and Hold 3 seconds: Spray On/Off



Tilt Left: Volume down
Tilt Right: Volume up



SC1 Remote Control

How to use



Automatic Demo



Before switching to a new remote control, you need to turn off the previously connected remote control.

Battery Installation

SC1 Battery Installation

1. Use a small phillips head screwdriver to remove the battery cover.
 2. Attach the battery to the connector.
 3. Replace the battery cover and screw back into place.
- *When removing the battery to charge, take care to unclasp the connector before pulling it off.



Remote Battery Installation

1. Use a small phillips head screwdriver to remove the battery cover.
2. Place two AA's with the corresponding polarities as labeled on the unit.
3. Replace the battery cover and screw back into place.



The battery of the remote control watch does not need to be installed. Connect the charging cable to the charging port for charging.



Fill Up The Smoke Chamber

Open the stopper at the front of the car and pour water with the bottle included in the package.



Battery Warnings

1. There is a certain risk of using lithium batteries, which may cause significant damage to people and property. The end user must use it carefully and bear all the related responsibilities.
2. If the battery leaks, avoid contact with skin and eyes. If contact with skin occurs, wash with soap and water immediately. If contact with eyes occurs, rinse immediately with cold water for at least 15 minutes, and seek medical attention.
3. If the charger begins to emit a suspicious odor, noise, or smoke, unplug the power supply immediately.

Battery Charging

1. The light turns on when charging and turns off when it is fully charged.
2. Use only the original factory cable. Do not use damaged or cable of other brands.
3. Do not charge expanded, leaked, or damaged batteries.
4. Do not overcharge the battery. When the battery is fully charged, unplug the device.
5. Do not charge near inflammable materials (eg. carpets, wood flooring, solid wood furniture, etc.).
6. Do not charge the battery immediately after it has become hot.
7. The charging temperature of the battery should be between 0-40°C (32-104°F).
8. Recommend using a 5V 1A charger (Not included) for charging.

Recycling

This equipment consists of electronic components or batteries. For electronic waste, please dispose of according to local waste disposal laws and ordinances.

Charging Time

New Battery needs to be fully charged for 180 minutes and use time is up to 20 minutes.



CONTACT INFORMATION

E-Mail: support@contixo.com

Website: www.contixo.com

©2021 Contixo Inc. All rights reserved. Contixo®, the Contixo logo and associated characters, trademarks and design elements are owned and licensed by Contixo Company.