

## CERTIFICATE OF ANALYSIS

Prepared for:

## **HYROZ**

## **HYCBN**

Batch ID or Lot Number:	Test:	Reported:	USDA License:
HYCBN	<b>Potency</b>	22Aug2022	N/A
Matrix:	Test ID:	Started:	Sampler ID:
Concentrate	T000218353	19Aug2022	N/A
	Method(s):	Received:	Status:
	TM14 (HPLC-DAD)	17Aug2022	N/A

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
Cannabichromene (CBC)	0.027	0.082	ND	ND
Cannabichromenic Acid (CBCA)	0.025	0.075	ND	ND
Cannabidiol (CBD)	0.057	0.204	ND	ND
Cannabidiolic Acid (CBDA)	0.059	0.209	ND	ND
Cannabidivarin (CBDV)	0.014	0.048	ND	ND
Cannabidivarinic Acid (CBDVA)	0.024	0.087	ND	ND
Cannabigerol (CBG)	0.015	0.047	ND	ND
Cannabigerolic Acid (CBGA)	0.065	0.196	ND	ND
Cannabinol (CBN)	0.020	0.061	4.090	40.90
Cannabinolic Acid (CBNA)	0.044	0.133	ND	ND
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.077	0.233	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.070	0.212	ND	ND
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.062	0.188	ND	ND
Tetrahydrocannabivarin (THCV)	0.014	0.043	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.055	0.165	ND	ND
Total Cannabinoids			4.090	40.90
Total Potential THC			ND	ND
Total Potential CBD			ND	ND

**Final Approval** 

mel Wentersaul 22Aug2022 04:24:00 PM

PREPARED BY / DATE

Daniel Weidensaul 22Aug2022 04:24:00 PM MDT

APPROVED BY / DATE

Jacob Miller 22Aug2022 04:29:00 PM MDT



https://results.botanacor.com/api/v1/coas/uuid/09fd97f7-ad28-4160-8175-f7be6240132c

## **Definitions**

% = % (W/W) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.







Cert #4329.02 09fd97f7ad2841608175f7be6240132c.1