

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name METEX TUMBLEX-GLEAM

Synonyms METEX TUMBLEX GLEAM ● TUMBLEX-GLEAM

1.2 Uses and uses advised against

Uses COATING ● SURFACE FINISHING

1.3 Details of the supplier of the product

Supplier name DUBOIS CHEMICALS AUSTRALIA PTY LIMITED

Address 305 Frankston Dandenong Rd, Dandenong South, VIC, 3175, AUSTRALIA

**Telephone** (03) 9768 3860

 Email
 sales@duboischemicals.com.au

 Website
 http://duboischemicals.com.au/

1.4 Emergency telephone numbers

**Emergency** 13 11 26 (Poisons Information Centre)

### 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Physical Hazards** 

Not classified as a Physical Hazard

**Health Hazards** 

Serious Eye Damage / Eye Irritation: Category 2A

**Environmental Hazards** 

Aquatic Toxicity (Chronic): Category 4

2.2 GHS Label elements

Signal word WARNING

**Pictograms** 



**Hazard statements** 

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

**Prevention statements** 

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

ChemAlert.

SDS Date: 18 Nov 2021 Revision No: 1

#### PRODUCT NAME METEX TUMBLEX-GLEAM

#### Storage statements

None allocated.

#### **Disposal statements**

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
TETRASODIUM PYROPHOSPHATE	7722-88-5	231-767-1	<50%
ALCOHOLS, C12-15, ETHOXYLATED	68131-39-5	500-195-7	<5%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Rinse

mouth with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (phosphorus oxides) when heated to decomposition. May evolve sodium oxides when heated to decomposition.

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Ventilate area where possible.

# 6.2 Environmental precautions

Prevent product from entering drains and waterways.

ChemAlert.

SDS Date: 18 Nov 2021

#### **METEX TUMBLEX-GLEAM** PRODUCT NAME

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled and tightly closed when not in use.

### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters

#### **Exposure standards**

Ingredient	Reference	TWA		STEL	
Ingredient		ppm	mg/m³	ppm	mg/m³
Tetrasodium pyrophosphate	SWA [AUS]		5		

#### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Wear dust-proof goggles. Eye / Face

Hands Wear polychloroprene, nitrile or butyl gloves.

When using large quantities or where heavy contamination is likely, wear coveralls. Body

Where an inhalation risk exists, wear a Full-face Type A-Class P1 (Organic gases/vapours and Particulate) Respiratory

respirator.





### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Appearance** WHITE POWDER Odour FRAGRANT ODOUR **Flammability** NON FLAMMABLE Flash point NOT RELEVANT **Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE** рΗ **NOT AVAILABLE NOT AVAILABLE** Vapour density **NOT AVAILABLE** Relative density **MISCIBLE** Solubility (water) Vapour pressure **NOT AVAILABLE** 

> SDS Date: 18 Nov 2021 Page 3 of 6



#### PRODUCT NAME METEX TUMBLEX-GLEAM

### 9.1 Information on basic physical and chemical properties

Upper explosion limit **NOT RELEVANT** Lower explosion limit **NOT RELEVANT** Partition coefficient **NOT AVAILABLE** Autoignition temperature NOT AVAILABLE NOT AVAILABLE Decomposition temperature **NOT AVAILABLE** Viscosity **Explosive properties** NOT AVAILABLE Oxidising properties NOT AVAILABLE **Odour threshold** NOT AVAILABLE

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

### 10.6 Hazardous decomposition products

May evolve toxic gases (phosphorus oxides) when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity Acute oral exposure may result in irritation of the mouth, throat, oesophagus and gastrointestinal tract.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
TETRASODIUM PYROPHOSPHATE	2980 mg/kg (mouse)		

SkinContact may result in irritation, redness, rash and dermatitis.EyeContact may result in irritation, lacrimation, pain and redness.SensitisationNot classified as causing skin or respiratory sensitisation.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.ReproductiveNot classified as a reproductive toxin.

STOT - single

Over exposure may result in irritation of the nose and throat, with coughing. Ingestion of large quantities may exposure

also result in nausea, vomiting and gastrointestinal irritation, and potential disturbances in calcium

metabolism.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

**Aspiration** Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

May cause long lasting harmful effects in the aquatic environment.

# 12.2 Persistence and degradability

Not expected to be persistent in the aquatic environment,

ChemAlert.

SDS Date: 18 Nov 2021

#### **METEX TUMBLEX-GLEAM** PRODUCT NAME

### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

# 12.4 Mobility in soil

Miscible in water.

#### 12.5 Other adverse effects

No information provided.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste disposal Dispose of to an approved landfill or waste processing site. Contact the manufacturer/supplier for additional

information (if required).

Dispose of in accordance with relevant local legislation. Legislation

# 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE. IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant.

### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Poison schedule

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Page 5 of 6

Labelling of Chemicals (GHS Revision 7).

**AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals) Inventory listings** 

All components are listed on AIIC, or are exempt.

# 16. OTHER INFORMATION

#### Additional information

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final

selection of personal protective equipment is made.



SDS Date: 18 Nov 2021

### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

# Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]



SDS Date: 18 Nov 2021