

# Safety Data Sheet

## (SDS)

**Samples Name:** UV Lash Glue

**Model:** /

**Client Name:** UV Lash Glue Cosmetics Ltd

**Address:** Suite 06, 60 Churchill Square

Kings Hill

West Malling

Me19 4YU

**Post Code:** /

**Summary:** As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2020/878.

Remark: The SDS is prepared based on the information provided by client.

APPROVED BY:



Technology Manager



This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrals to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identification

Trade name: UV Lash Glue

UFI: No detailed information available

### 1.2 Relevant usage information and prohibited uses of the substance/mixture

Purpose of the substance/mixture: cosmetics

### 1.3 Supplier details in the safety technical manual

Manufacturer: UV Lash Glue Cosmetics Ltd

Address: Suite 06, 60 Churchill Square

Kings Hill

West Malling

Me19 4YU

Tel: +447413345560

Email: info@uvlashglue.co.uk

Sole representative/EU contact person: No relevant details available

## Section 2 - Hazards Identification

### 2.1 Hazard categories of substances or mixtures

Classification according to EU Regulation (EC) No. 1272/2008

Skin corrosion/irritation category 2

Severe eye injury/eye irritation category 2

Specific target organ toxicity single exposure category 3

Reproductive toxicity (Category 2)

GHS07



GHS08



H315 causes skin irritation.

H319 causes severe eye irritation.

H335 can cause respiratory irritation.

H361 Suspected harm to fertility or fetus.

Regarding information harmful to humans: According to the calculation method of EU Regulation (EC) No. 1272/2008, this product needs to be labeled.

Classification system: Classified according to the latest version of EU Regulation (EC) No. 1272/2008 and expanded

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

with company and literature data.

## 2.2 Label elements

Labeling according to EU Regulation (EC) No. 1272/2008. This product is classified and labeled according to the CLP regulations related to the classification, labeling, and packaging of EU substances and mixtures.

pictogram:

GHS07



Signal word: warning

Identify dangerous ingredients on the label:

Ethyl cyanoacrylate (29%) Danger statement

H315 causes skin irritation.

H319 causes severe eye irritation.

H335 can cause respiratory irritation.

Photoinitiator TPO (1%) Danger statement



GHS07

H361 is suspected of causing harm to fertility or fetus.

H411 is toxic to aquatic organisms and has long-term and lasting effects.

Precautionary instructions

- preventive measure

P264 Thoroughly clean after operation.

P280 Wear protective gloves/clothes/goggles/masks.

P261 Avoid inhaling dust/smoke/gas/smoke/vapor/spray.

P271 can only be used outdoors or in a well-ventilated place.

P201 Get special instructions before use.

P202 Do not operate before reading all safety precautions.

P273 Avoid releasing into the environment

P280 Wear protective gloves/goggles/masks.

- Accident response

P305+P351+P338 If it enters eyes, rinse it carefully with water for several minutes. If you wear contact lenses and can take them out easily, take out the contact lenses. Continue flushing

P333+P313. If skin irritation or rash occurs, seek medical advice/treatment.

P337+P313 If you still feel eye irritation, seek medical attention.

P304+P340 If inhaled by mistake: Move the person to fresh air and keep breathing comfortable.

P312 If you feel unwell, call a detoxification center/doctor.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

P305+P351+P338 If it enters eyes, rinse it carefully with water for several minutes. If you wear contact lenses and can take them out easily, take out the contact lenses. Continue flushing  
 P333+P313. If skin irritation or rash occurs, seek medical advice/treatment.  
 P337+P313 If you still feel eye irritation, seek medical attention.  
 P304+P340 If inhaled by mistake: Move the person to fresh air and keep breathing comfortable.  
 P312 If you feel unwell, call a detoxification center/doctor.

- Abandoned disposal

P501 Dispose of contents/containers in accordance with local/regional/national/international regulations.

### 2.3 Other hazards:

Evaluation results of PBT (persistent, bioaccumulative, and toxic substances) and vPvB (highly persistent and bioaccumulative substances)

PBT (persistent, bioaccumulative, and toxic substances): Not applicable

vPvB (high persistence and high bioaccumulation substances): Not applicable

## Section 3 –Composition/Information on Ingredients

### 3.1 Substances

### 3.2 Mixtures

Description: A mixture composed of the following components containing harmless additives.

CAS No: 9011-14-7 EINECS: 230-391-5	Polymethyl methacrylate	29%
CAS No: 7085-85-0 EINECS: 230-391-5	Ethyl cyanoacrylate H315, H319, H335 	70%
CAS No: 75980-60-8 EINECS: 278-355-8	Photoinitiator TPO H361 	1%

## Section 4 - First Aid Measures

### 4.1 Essentials of emergency measures

General instructions: Immediately remove the clothes stained with the product.

Inhalation: Provide fresh air and ensure that a doctor is called.

If the patient is not clear, please let them lie on their side for easy movement.

Skin contact: Immediately rinse thoroughly with water and soap.

Eye contact: Open your eyes and rinse under running water for several minutes. If the symptoms continue, consult a doctor.

Ingestion: If symptoms persist, consult a doctor.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrals to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

**4.2 Most important acute and chronic symptoms and their effects:** No detailed information available.

**4.3 Symptoms that require timely medical treatment and special treatment:** No detailed information available.

## Section 5 - Fire Fighting Measures

### 5.1 Fire extinguishing agents

**Suitable fire extinguishing agent:** Use fire extinguishing measures suitable for the surrounding environment.

**5.2 Special hazards of substances or mixtures:** No detailed information available.

### 5.3 Information for firefighters

Protective equipment: No special measures required.

## Section 6 –Accidental Release Measures

**6.1 Personal protective measures, protective equipment, and emergency response procedures:** No requirements.

**6.2 Environmental protection measures:** Do not let the product come into contact with the sewage system or any water source. If it seeps into the water source or sewage system, please notify the relevant authorities. Dilute with a large amount of water. Do not allow it to enter the sewer/water surface or groundwater.

### 6.3 Methods and materials for containment and removal of leaks:

Absorb liquid bonding materials (sand particles, diatomaceous earth, acidic adhesives, universal adhesives, sawdust). Dispose of contaminated materials according to Section 13.

Ensure that there is sufficient ventilation.

### 6.4 Refer to other parts:

Please refer to Section 7 for information on safe handling.

For information on personal protective equipment, see Section 8.

Please refer to Section 13 for information on disposal

## Section 7 - Handling and Storage

**7.1 Preventive measures for safe operation and disposal:** Ensure that the workplace has good ventilation/exhaust devices. Prevent the formation of aerosols. Please refer to Section 8 for general occupational health measures.

Information on fire and explosion prevention: No special measures are required.

### 7.2 Safe storage conditions, including any incompatibilities

Requirements to be met for storage and containers: There are no special requirements.

Information about storage in shared storage facilities: The storage area must be kept away from food. The storage

area must be kept away from water sources.

More information about storage conditions: Seal the container.

**7.3 Specific end use:** No detailed information available.

## Section 8 - Exposure Controls, Personal Protection

### 8.1. Control parameters

Ingredients that require limit monitoring in the workplace: Not applicable

Regulatory Information AGW (D): TRGS 900

Derived no impact concentration values without relevant detailed information

Estimated concentration values with no significant impact No relevant detailed information

Additional information: A valid list during the production period will be used as a basis.

**8.2 Exposure Control** Based on the ingredient information listed in Part 3, it is recommended to adopt the following safety measures in occupational exposure control

Appropriate technical control: stay away from food, beverages, and feed. Immediately remove all unclean and contaminated clothing. Please clean your hands before rest and after work. Avoid contact with eyes and skin. Please refer to Part 7 for information on technical facility design.

Personal protective measures, such as personal protective equipment

Respiratory system protection:

(Continued from page 3)

If you have had brief contact or in low pollution situations, please use a respiratory filtration device. If you have been in deep or prolonged contact, please use a separate respiratory protective device.

Hand protection:



Protective gloves

The material of gloves must be impermeable and resistant to the product/substance/additive. Due to the lack of testing, no recommendations for glove materials will be provided for products/formulations/chemical mixtures. When selecting glove materials, please pay attention to the penetration time, filtration rate, and degradation parameters of the material.

Glove material:

Choosing the right glove not only depends on the material, but also on the quality characteristics and which manufacturer it comes from. Because this product is made of many materials, the resistance of the glove material is unpredictable, so it must be checked before use.

Time of penetration of glove material: Please obtain accurate rupture time from the manufacturer of labor protection gloves and observe the actual rupture time.



Eye/face protection: Sealed goggles

Skin and body protection: Protective work clothes

Thermal hazard: Not required under normal use.

Environmental exposure control: Control measures must comply with environmental protection regulations.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrals to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

## Section 9 - Physical and Chemical Properties

### 9.1 Information about basic physical and chemical characteristics

Appearance: Viscous liquid

Color: Colorless and transparent

Odor: Slightly odorous

Meltingpoint/freezingpoint: Norelevantdetailedinformation available

Boiling point or initial boiling point and boiling range: No relevant detailed information available

Flammability: No relevant detailed information available

Explosion limit

Lower limit: No relevant detailed information available

Upper limit: No relevant details available

Flash point: No relevant detailed information available

Self ignition temperature: No relevant detailed information available

Decomposition temperature: No detailed information available

pH: No relevant details available

Dynamic viscosity: No detailed information available

Solubility : Water: No detailed information available

n-octanol/water partition coefficient (logarithmic value): No relevant detailed information available

Vapor pressure: No relevant detailed information available

Density/relative density

Density: No relevant detailed information available

Relative density: No relevant detailed information available

Relative vapor density: No detailed information available

## Section 10 - Stability and Reactivity

10.1 Reactivity: No detailed information available.

10.2 chemical stability: No relevant details.

10.3 Possibility of hazardous reactions: There are no known hazardous reactions.

10.4 Conditions to avoid: No relevant detailed information available.

10.5 Incompatible substances: No detailed information available.

10.6 Hazardous decomposition products: Unknown hazardous decomposition products.

## Section 11 - Toxicological Information

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

## 11.1 Information on hazard categories defined in EU Regulation (EC) No. 1272/2008

Acute toxicity: No detailed information available.

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/eye irritation: causing serious eye irritation

Respiratory or skin allergies: May cause skin allergic reactions

germ cell mutagenicity: Suspected of causing harm to Fertility or fetus

Carcinogenicity: According to existing data, it does not meet the classification criteria.

reproductive toxicity: according to the available data, the classification criteria are not met.

Specific target organ systemic toxicity - single exposure: According to existing data, it does not meet the classification criteria.

Specific target organ systemic toxicity - repeated exposure: Based on existing data, does not meet classification criteria.

Inhalation hazard: According to existing data, it does not meet the classification criteria.

## 11.2 Information on other hazards

Endocrine disrupting properties: No detailed information available.

Other information: No known other relevant information on adverse health effects.

## Section 12 - Ecological Information

### 12.1 Ecological toxicity

Aquatic toxicity: Toxic to aquatic organisms and has long-lasting effects.

12.2 Persistence and degradability: No detailed information available.

12.3 Potential bioaccumulation: No detailed information available.

12.4 Soil mobility: No detailed information available.

12.5 PBT (persistent, bioaccumulative, and toxic substances) and vPvB (highly persistent and bioaccumulative substances) evaluation results

PBT (persistent, bioaccumulative, and toxic substances): Not applicable

vPvB (high persistence and high bioaccumulation substances): Not applicable

12.6 Endocrine disrupting properties: This product does not contain substances with endocrine disrupting properties.

12.7 Other side effects: No detailed information available.

## Section 13 - Disposal Considerations

### 13.1 Waste disposal methods

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrals to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

Suggestion: Do not dispose of this product together with household waste. Do not let the product come into contact with the sewage system.

Contaminated containers and packaging:

Suggestion: It must be discarded according to official regulations.

## Section 14 - Transport Information

### 14.1 United Nations dangerous goods number (UN 号)

ADR/RID/ADN, IMDG, IATA      Unclassified

### 14.2 UNAppropriate shipping name

· ADR/RID/ADN Unclassified

### 14.3 Transportation hazard grade

· ADR/RID/ADN, IMDG, IATA

grade      Unclassified

### 14.4 PACKING GROUP

ADR/RID/ADN, IMDG, IATA      Unclassified

### 14.5 Environmental hazards:

· Marine pollutants:

No relevant details available.

No relevant details available.

No relevant details available.

Special marking (ADR/RID/ADN):

No relevant details available.

Special marking (IATA):

No relevant details available.

### 14.6 Special precautions for users

No relevant details available.

· Danger coding:

· EMSnumber:

No relevant details available.

Stowage Category

No relevant details available.

## Section 15 - Regulatory Information

### 15.1 Safety, health care and environmental regulations/laws for corresponding pure substances or mixtures.

EU Directive 2012/18/EU

Appendix 1 Dangerous substances These ingredients are not listed on the list.

Seveso category E2

Qualifying quantity (tonnes) for the application of lower-tier requirements : Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements : Not applicable

EU Regulation (EU) 2019/1021 Persistent Organic Pollutants (POPs): None of these components are listed on the list.

EU Regulation (EU) 649/2012: None of these ingredients are listed on the list.

EU Regulation (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)): None of these ingredients are listed on the list.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

Annex II - REPORTABLE EXPLOSIVES PRECURSORS: None of these ingredients are listed on the list.

EU Regulation (EC) 273/2004 Drug Precursors:None of these ingredients are listed on the list.

EU Regulation (EC) 111/2005 Monitoring Rules of Drug Precursor Trade between Community and Third Countries;None of these ingredients are listed on the list.

Annex I of EU Regulation (EC) 1005/2009 on Substances that Deplete the Ozone Layer:None of these ingredients are listed on the list.

Other regulations, restrictions and prohibitions

Candidate List of Substances of High Concern in Appendix XIV of REACH Regulation for Authorized Consideration (17/1/2023): No ingredients are listed.

Annex XVII Restricted Substances of EU Regulation REACH (13/12/2021)

Annex XIV of EU regulation REACH authorizes substances (8/4/2022): No ingredients are listed.

15.2 Safety evaluation of chemical substances: No safety evaluation of chemical substances has been conducted.

## Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*\*\*End of SDS\*\*\*\*\*

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com