

Model RDF-20LX

This Royal Sovereign 20" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.


Use as Floor Fan



or Mount to Wall







360° Rotation

FEATURES

High Velocity

- Delivers 4800 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for improved safety

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades


Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 6 ft power cord with convenient cord wrap



Model RDF-20LX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4800 CFM (high setting) of air flow
- 2 All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 20"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4800 CFM (High)

Speed: 1329 RPM (High) Cord Length: 6 ft. Cord Wrap: Yes Carrying Handle: Yes Decibel: 70 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 128W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

23.8" x "9.4" x 24.0" (605 x 240 x 610mm)

Drum Fan 3.3" Thick (85mm) **Unit Weight:** 13.0.lb. (5.9 kg)

Box Dimensions (w x d x h)

22" x 7.3" x 24.6" (56 x 18.5 x 62.5cm)

Box Weight 15.4lbs (7.0kg)

UPC Code

Carton Box: 849023062677

Warranty





Model RDF-18LX

This Royal Sovereign 18" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.


Use as Floor Fan



or Mount to Wall







FEATURES

High Velocity

- Delivers 4250 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for safety reasons

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades


Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 5.5 ft power cord with convenient cord wrap



Model RDF-18LX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4800 CFM (high setting) of air flow
- All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 18"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4250 CFM (High)

Speed: 1400 RPM (High) **Cord Length: 5.5** ft. (1.65m)

Cord Wrap: Yes Carrying Handle: Yes Decibel: 65 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 100W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

21.8" x "9.6" x 20.8" (555 x 245 x 530mm)

Drum Fan 3.2" Thick (82mm) **Unit Weight:** 11.9.lb. (5.4 kg)

Box Dimensions (w x d x h)

20.3" x 6.5" x 22.7"(515 x 165 x 575mm)

Box Weight 13.5 lbs (6kg)

UPC Code

Carton Box: 8490230

Warranty







Model OMDF-20HVX

The Omni Max 20" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.

Use as Floor Fan



or Mount to Wall







360° Rotation

FEATURES

High Velocity

- Delivers 4800 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for safety reasons

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades


Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 5.5 ft power cord with convenient cord wrap



Model OMDF-20HVX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4800 CFM (high setting) of air flow
- 2 All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 20"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4800 CFM (High)

Speed: 1329 RPM (High) **Cord Length:** 5.4 ft. (1.65m)

Cord Wrap: Yes Carrying Handle: Yes Decibel: 70 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 128W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

23.4" x "10.0" x 22.8" (595 x 255 x 580mm)

Drum Fan 3.3" Thick (85mm) **Unit Weight:** 16.5.lb. (7.5 kg)

Box Dimensions (w x d x h)

22" x 7.3" x 24.6" (56 x 18.5 x 62.5cm)

Box Weight 18lbs (8kg)

UPC Code

Carton Box: 8490230 62030

Warranty







Model OMDF-18HVX

The Omni Max 18" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.

Use as Floor Fan



or Mount to Wall







360° Rotation

FEATURES

High Velocity

- Delivers 4250 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for safety reasons

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades


Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 5.5 ft power cord with convenient cord wrap



Model OMDF-18HVX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4800 CFM (high setting) of air flow
- 2 All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 18"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4250 CFM (High)

Speed: 1400 RPM (High) **Cord Length: 5.5** ft. (1.65m)

Cord Wrap: Yes Carrying Handle: Yes Decibel: 65 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 100W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

21.8" x "9.6" x 20.8" (555 x 245 x 530mm)

Drum Fan 3.2" Thick (82mm) **Unit Weight:** 11.9.lb. (5.4 kg)

Box Dimensions (w x d x h)

20.3" x 6.5" x 22.7"(515 x 165 x 575mm)

Box Weight 13.5 lbs (6kg)

UPC Code

Carton Box: 8490230

Warranty





18" High Velocity Oscillating Pedestal Fan - 4100 CFM



Model OMPF-18HVX

This Omni Max medium-sized high velocity 4100 CFM Pedestal Fan provides a powerful airflow. Ideal for warehouses, factories and other large spaces. Equipped with 3 selectable speed options, 70° oscillation angle and adjustable height to set comfort level. Strong sturdy base



FEATURES

High Velocity

- At high fan speed delivers 4100 CFM air volume
- Powerful and portable with 3 speed selection

Durable Metal Construction

- Designed for rugged use.
- 3 wide aluminum fan blades

Customizable Air Circulation

- Wide angle 70°oscillating
- Adjustable height (42-59")

18" High Velocity Oscillating Pedestal Fan - 4100 CF



Model OMPF-18HVX

PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4100 CFM (high setting) of air flow
- Qurable Metal Construction
 Manufactured for heavy duty use -with 3 wide angle aluminum blades
- (3) Adjustable Height Adjust height by extending the pedestal stand up from 42-59"
- Oscillation
 Wide angle 70° oscillation
- Strong Sturdy Base

SPECIFICATIONS

Attributes

Fan Size: 18" Fan Speeds: 3

CFM Air Volume: 4100 CFM (High)

Speed: 1400 RPM Sound 63dB Oscillation: 70°

Height Adjustable: 42-59" Cord Length: 3m (10ft)

Material: Metal Construction (Aluminum Blades)

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 120W Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

500 x 500 x1450mm (19.8" x 19.8" x 57"),

Unit Weight: 8.3kg (18.2 lbs)

Box Dimensions (w x d x h)

64.5 x 17 x 50.5 cm (25.4" x 6.7" x 19.9"

Box Weight 8.3kg (18.3 lbs)

UPC Code

Carton Box: 8490230

Warranty





20" High Velocity Oscillating Pedestal Fan - 4650 CFM



Model OMPF-20HVX

This Omni Max medium/large-sized high velocity 4650 CFM Pedestal Fan provides a powerful airflow. Equipped with 3 selectable speed options, wide angle oscillation. tilt adjustable head and adjustable height to set ideal comfort level. Made of durable metal construction, this high velocity fan is ideal for warehouses, factories and other large spaces.



FEATURES

High Velocity

- At high fan speed delivers 4650 CFM air volume
- Powerful and portable with 3 speed selection

Durable Metal Construction

- Designed for rugged use.
- 3 wide aluminum fan blades

Customizable Air Circulation

- Wide angle oscillating
- Tilt adjustable fan head
- Adjustable height 46-62"

20" High Velocity Oscillating Pedestal Fan - 4650 CF



Model OMPF-20HVX

PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4650 CFM (high setting) of air flow
- 2 Durable Metal Construction
 Manufactured for heavy duty use -with 3 wide angle aluminum blades
- (3) Adjustable Height
 Adjust height by extending the pedestal stand up from 46-62"
- Oscillation
 Wide angle oscillation
- 5 Tilt Adjustable Head
- 5 Strong Sturdy Base

SPECIFICATIONS

Attributes

Fan Size: 20" Fan Speeds: 3

CFM Air Volume: 4650 CFM (High)

Speed: 1300 RPM Sound 70dB Oscillation: Yes

Height Adjustable: 46-62" Cord Length: 3m (10ft)

Material: Metal Construction (Aluminum Blades)

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 124W Certification: cETLus **Dimensions and Weights**

Unit Dimensions (w x d x h)

550 x 500 x1580mm (21.8" x 19.7" x 62.2"),

Unit Weight: 11kg (24.2 lbs)

Box Dimensions (w x d x h) 70.5 x 18 x 56 cm (27.8" x 7" x 22") Box Weight 12 kg (26.4 lbs)

UPC Code

Carton Box: 8490230

Warranty







Model PDF-20DX

The Premier 20" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.

Use as Floor Fan



or Mount to Wall







360° Rotation

FEATURES

High Velocity

- Delivers 4800 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for safety reasons

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades

Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 5.5 ft power cord with convenient cord wrap



Model PDF-20DX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4800 CFM (high setting) of air flow
- 2 All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 20"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4800 CFM (High)

Speed: 1329 RPM (High) **Cord Length:** 5.4 ft. (1.65m)

Cord Wrap: Yes Carrying Handle: Yes Decibel: 70 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 128W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

23.4" x "10.0" x 22.8" (595 x 255 x 580),

Drum Fan 3.3" Thick (85mm) **Unit Weight:** 16.5.lb. (7.5 kg)

Box Dimensions (w x d x h)

22" x 7.3" x 24.6" (56 x 18.5 x 62.5cm)

Box Weight 18lbs (8kg)

UPC Code

Carton Box: 8490230 62030

Warranty









Model PDF-18DX

The Premier 18" High Velocity Drum Fan is ideal for both residential and industrial use. Place the fan on the floor or easily mount to a wall for ventilating a large area. Customize air flow by using one of three speed settings and the tilt adjustable head to manage your comfort level. The unit has a rugged, all metal housing design and is easy to assemble. Ideal for home use such as in a living room or workshop and industrial applications such as schools, gyms, restaurants, and warehouses.

Use as Floor Fan



or Mount to Wall







360° Rotation

FEATURES

High Velocity

- Delivers 4250 CFM air volume (high setting)
- 3 speed selection using convenient rotary switch

Dual Floor or Ceiling Mount Application

- Use on floor to deliver wide area circulation in room
- Mount to wall to circulate air in room to provide added space and for safety reasons

All Metal Heavy Duty Construction

- Rust resistant grills for long durability
- Rugged design with 3 aluminum blades


Flexibility and Convenience

- 360 ° adjustable tilt head to direct airflow
- Convenient carrying handle for easy mobility
- Rubber foot pads

- Easy to assemble- Set up in minutes
- 5.5 ft power cord with convenient cord wrap



Model PDF-18DX PRODUCT OVERVIEW



- Powerful Air Flow with 3 Speed
 Sentrol 4250 CFM (high setting) of air flow
- 2 All Metal Housing

Made from heavy duty metal construction, with aluminum blades

- 3 Tilt Adjustable Head
 360° adjustable tilt head to customize air flow
- Carrying Handle Provides easy portability
- 5 Dual Function Mounting Bracket
 Use as floor stand or mount to wall

SPECIFICATIONS

Attributes

Fan Size: 18"

Applications: Wall Mount or Floor

Fan Speeds: 3

CFM Air Volume: 4250 CFM (High)

Speed: 1400 RPM (High) **Cord Length: 5.5** ft. (1.65m)

Cord Wrap: Yes Carrying Handle: Yes Decibel: 65 dB (High)

Material: Metal Construction (Aluminum Blades)

Tilt Adjustable Head: 360°

Safety Grill: Yes

Electrical Rating

Power Supply: 120V/60Hz Power Consumption: 100W (High)

Certification: cETLus

Dimensions and Weights

Unit Dimensions (w x d x h)

21.8" x "9.6" x 20.8" (555 x 245 x 530mm)

Drum Fan 3.2" Thick (82mm) **Unit Weight:** 11.9.lb. (5.4 kg)

Box Dimensions (w x d x h)

20.3" x 6.5" x 22.7"(515 x 165 x 575mm)

Box Weight 13.5 lbs (6kg)

UPC Code

Carton Box: 8490230 62023

Warranty





