Revision: 29.09.2015



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Version number 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: EPO 9052 HARDENER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Epoxy curing agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

AXSON FRANCE

15 Rue de l'Equerre - F-95310 SAINT OUEN L'AUMONE

Tél.+33 (0)1 34 40 34 60

- · Further information obtainable from: DPT HSE +33 (0)1 34 40 34 60 safety@axson.com
- 1.4 Emergency telephone number: ORFILA: +33 (0)1 45 42 59 59

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05







· Signal word Danger

· Hazard-determining components of labelling:

GHS07 GHS08

*m-phenylenebis*(*methylamine*)

*4,4'-methylenebis(cyclohexylamine)* 

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

(Contd. on page 2)

Printing date 29.09.2015 Version number 10 Revision: 29.09.2015

Trade name: EPO 9052 HARDENER

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 1477-55-0	m-phenylenebis(methylamine)	10-25%		
EINECS: 216-032-5 Reg.nr.: 01-2119480150-50	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412			
CAS: 1761-71-3 EINECS: 217-168-8 Reg.nr.: 01-2119541673-38	4,4'-methylenebis(cyclohexylamine) STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	10-25%		

<sup>·</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

*Immediately wash with water and soap and rinse thoroughly.* 

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:* 

Nitrogen oxides (NOx)

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)

GB

Printing date 29.09.2015 Ver

Version number 10 Revision: 29.09.2015

Trade name: EPO 9052 HARDENER

(Contd. of page 2)

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about fire and explosion protection: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 4)

GB

Printing date 29.09.2015 Version number 10 Revision: 29.09.2015

Trade name: EPO 9052 HARDENER

(Contd. of page 3)

#### · Protection of hands:



Protective gloves

#### · Material of gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Tightly sealed goggles

· **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Light blue
Odour: Amine-like

• pH-value at 20 °C: >10

· Change in condition

Melting point/Melting range: NA °C

Boiling point/Boiling range: >200 °C (DIN 53171)

· Flash point: > 100 °C (ISO 2719)

· Ignition temperature: >300 °C (DIN 51 794)

• Decomposition temperature: >260 °C (DIN 53171)

· Self-igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

• Density at 20 °C: 1.06 g/cm³ (ISO 1675:1985)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.
 organic solvents: Soluble in many organic solvents.

• 9.2 Other information No further relevant information available.

GB

(Contd. on page 5)

Printing date 29.09.2015

Version number 10

Trade name: EPO 9052 HARDENER

(Contd. of page 4)

Revision: 29.09.2015

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Corrosive gases/vapours

Ammonia

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relev	vant for classification:
------------------------	--------------------------

### 1477-55-0 m-phenylenebis(methylamine)

Oral	<i>LD50</i>	930 mg/kg (rat)
Dermal	LD50	>3100 mg/kg (rabbit)

### 1761-71-3 4,4'-methylenebis(cyclohexylamine)

Oral LD50 380 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Sensitisation May cause sensitisation by skin contact.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1477-55-0 m-phenylenebis(methylamine)

EC50 (48h) 15.2 mg/l (daphnia)

1761-71-3 4,4'-methylenebis(cyclohexylamine)

EC50 (48h) 7.64 mg/l (daphnia)

(Contd. on page 6)

GB

Version number 10 Printing date 29.09.2015 Revision: 29.09.2015

Trade name: EPO 9052 HARDENER

(Contd. of page 5)

EC50 (72h) 141.2 mg/l (alga) LC50 (48h) 32 mg/l (fish) LC50 (96h) 67.8 mg / l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is difficultly biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes: Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Dispose of the product by burning in a suitable incinerator or bury in an approved landfield following all applicable local and/or national regulations.

· European waste catalogue

20 01 27 paint, inks, adhesives and resins containing dangerous substances

- · Uncleaned packaging:
- · Recommendation:

· 14.1 UN-Number

Empty containers may not be disposed of unless any remaining material adhering to the internal walls has been removed.

Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

· ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name	
$\cdot ADR$	1760 CORROSIVE LIQUID, N.O.S. (4,4'-
	methylenebis(cyclohexylamine), m-
	phenylenebis (methylamine)),
	ENVIRONMENTALLY HAZARDOUS
$\cdot$ $IMDG$	CORROSIVE LIQUID, N.O.S. (4,4'-
	methylenebis(cyclohexylamine), m-
	phenylenebis(methylamine)), MARINE
	POLLUTANT
· IATA	CORROSIVE LIQUID, N.O.S. (4,4'-
	methylenebis(cyclohexylamine), m-
	phenylenebis(methylamine))

(Contd. on page 7)

Printing date 29.09.2015

Version number 10

Trade name: EPO 9052 HARDENER

(Contd. of page 6)

Revision: 29.09.2015

· 14.3 Transport hazard class(es)

· ADR, IMDG





· Class 8 Corrosive substances.

· Label 8

 $\cdot$  IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree)
Special marking (ADR):
Symbol (fish and tree)

• Special marking (ADK): Symbol (fish and tree)
• 14.6 Special precautions for user Warning: Corrosive substances.

· Danger code (Kemler): 80

• EMS Number: F-A,S-B • Segregation groups Alkalis

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

 $\cdot \textit{Transport/Additional information:}$ 

 $\cdot ADR$ 

· Limited quantities (LQ)

• Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

mi

Maximum net quantity per outer packaging: 500

ml

Transport categoryTunnel restriction codeE

 $\cdot$  IMDG

· Limited quantities (LQ)

 $\cdot$  Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

ml

Maximum net quantity per outer packaging: 500

ml

· UN "Model Regulation": UN1760, CORROSIVE LIQUID, N.O.S. (4,4'-

methylenebis(cyclohexylamine), m-phenylenebis(methylamine)),

ENVIRONMENTALLY HAZARDOUS, 8, II

- GB

(Contd. on page 8)

Printing date 29.09.2015 Version number 10 Revision: 29.09.2015

Trade name: EPO 9052 HARDENER

(Contd. of page 7)

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

\* \* Data compared to the previous version altered.

C.