CERTIFICATE OF ANALYSIS



Cali Sweets LLC

Customer: 11950 NW 38th St, Suite D-C

Coral Springs, FL 33065 USA

Batch #: 3531774-132

Laboratory Number: ATL-20604

Report Issue Date: 4/23/2024

Order Date: 4/19/2024

Analysis Date: 4/26/2024

Sample Description:

Koko Flower - Prerolls Fortifoed 1.5g

Unit Weight: 1.1095g / Pre Roll



Extraction Technician: LL Analytical Chemist: LL

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	1.342	0.121	CBN	<0.011	0.399	0.036
CBG-A	<0.008	30.012	2.705	D9-THC	<0.014	N/D	N/D
CBG	<0.007	50.149	4.520	D8-THC	<0.005	N/D	N/D
CBD	<0.008	3.917	0.353	9S-D10-THC	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D	9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
		/	
СВС	<0.009	4.016	0.362
			
CBC-A	<0.005	0.632	0.057
THC-A	<0.005	113.059	11.30

Max Active THC	mg/pi	Ж	% N/D	
	IN	/D	/ N/D	X
Max Active CBD	mg/p	reroll	%	/ \
	5.	09	0.46	

Total mg/preroll % Cannabinoids 203.53 18.33	Total Active	mg/preroll	%
	Cannabinoids	199.62	18.08
	/ 1 - / / / / / / / /	(9.)	

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene (CBC) Cannabichrom Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

