

# CERTIFICATE OF ANALYSIS



**Customer:** KOKO NUGGZ  
11950 NW 39th St  
Coral Springs, FL 33076

**Batch #:** 3531774-152505

**Laboratory Number:** ATL-20606

**Report Issue Date:** 4/24/2024

**Order Date:** 4/19/2024

**Analysis Date:** 4/23/2024

**Sample Description:**

Koko Jointz - Prerolls - Lemon Cherry



**Unit Weight:** 1.0046g / Pre Roll

**Extraction Technician:** LL

**Analytical Chemist:** LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results (mg/preroll)	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	6.429	0.640
CBG-A	<0.008	5.663	0.563
CBG	<0.007	2.777	0.277
CBD	<0.008	4.142	0.414
THCV	<0.008	0.221	0.022

Analyte	LOQ (mg/g)	Results (mg/preroll)	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	0.653	0.065
CBN	<0.011	0.512	0.051
D9-THC	<0.014	2.618	0.261
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results (mg/preroll)	%
CBC	<0.009	1.204	0.124
CBC-A	<0.005	2.331	0.233
THC-A	<0.005	239.561	23.956

<b>Max Active THC</b>	mg/preroll	%
	0.26	0.26
<b>Max Active CBD</b>	mg/preroll	%
	9.78	0.97

<b>Total Active Cannabinoids</b>	mg/preroll	%
	251.05	25.10
<b>Total Cannabinoids</b>	mg/preroll	%
	263.29	26.32

## NOTES

Blank notes box.

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)