## **CERTIFICATE OF ANALYSIS**



**KOKO NUGGZ** Customer: 11950 NW 39th St

Coral Springs, FL 33076

Batch #: 753459-711897

**Laboratory Number: ATL-16853** 

Report Issue Date: 10/27/2023

Order Date: 10/23/2023

Analysis Date: 10/27/2023

Extraction Technician: LL Analytical Chemist: LL

## **Sample Description:**

D8 Cereal Treats - Koko Delta Peanut Butter

Unit Weight: 6.0431g / Edible

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	
CBD-A	<0.008	N/D	N/D	CBN	<0.011	N/D	
CBG-A	<0.008	N/D	N/D	D9-THC	<0.014	N/D	
CBG	<0.007	N/D	N/D	D8-THC	<0.005	51.30	
CBD	<0.008	N/D	N/D	9S-D10-TI	HC <0.005	N/D	
THCV	<0.008	N/D	N/D	9R-D10-TI	HC <0.002	N/D	

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/preroll N/D	% N/D
Max Active CBD	mg/preroll	% N/D

Total Active	mg/preroll	%
Cannabinoids	51.30	0.85
Total	mg/preroll	%
Cannabinoids	51.30	0.85

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinol(9R-D10-THC) Cannabichromenic Acid(CBCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

