CERTIFICATE OF ANALYSIS



KOKO NUGGZ Customer: 11950 NW 39th St

Coral Springs, FL 33076

Batch #: 3531774-132217

Laboratory Number: ATL-16977

Report Issue Date: 11/10/2023

Order Date: 11/06/2023

Analysis Date: 11/10/2023

Sample Description:

D9 Cereal Treats - Koko Delta Peanut

Butter

Unit Weight: 6.5412g / Edible



Extraction Technician: LL Analytical Chemist: LL

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D		D9-THC	<0.014	13.15	0.20
CBG	<0.007	N/D	N/D		D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D		9S-D10-THC	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D
		1/1/	/	Z _/_	1 / / / / / / / / / / / / / / / / / / /	n/X		-

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/preroll	%	
	N/D	N/D	/
Max Active CBD	mg/preroll N/D	% N/D	١

Total Active	mg/prèroll	%
Cannabinoids	13.15	0.20
Total	mg/preroll	%
Cannabinoids	13.15	0.20

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene (CBC) Cannabichromene (CBC

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



