Printing date 08.07.2015 Revision: 08.07.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Boeshield T-9® Aerosol
- · Article number: L-11911
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Protective coating
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

PMS Products, Inc. 76 Veterans Drive, STE 110 Holland, MI 49423 Phone: (616) 355-6615

· 1.4 Emergency telephone number:

CHEMTREC 1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light Naphtha (petroleum), hydrotreated heavy

White Mineral Oil

· Hazard statements

H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

(Cont'd. on page 2)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 1)

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-47-8 EINECS: 265-149-8 Index number: 649-422-00-2	Distillates (petroleum), hydrotreated light \$\iff \text{Asp. Tox. 1, H304}\$	25-50%
CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy  \$\infty\$ Asp. Tox. 1, H304	10-25%
CAS: 8042-47-5 EINECS: 232-455-8	White Mineral Oil  Asp. Tox. 1, H304	10-25%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide ♦ Press. Gas L, H280	2,5-10%
CAS: 68608-26-4 EINECS: 271-781-5	Sulfonic acids sodium salts  Eye Irrit. 2, H319	≤ 2,5%
CAS: 8002-74-2 EINECS: 232-315-6	Paraffin waxes and Hydrocarbon waxes substance with a Community workplace exposure limit	≤ 2,5%

#### · Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Take affected persons out into the fresh air.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

(Cont'd. on page 3)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 2)

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

A person vomiting while laying on their back should be turned onto their side.

Do not induce vomiting; call for medical help immediately.

#### · 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Dizziness

Coughing

Slight irritant effect on eyes.

Slight irritant effect on skin and mucous membranes.

May cause gastro-intestinal irritation if ingested.

Nausea in case of ingestion.

Disorientation

#### · Hazards

Danger of pulmonary oedema.

Danger of impaired breathing.

Danger of pneumonia.

### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Contains petroleum distillates.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

If swallowed or in case of vomiting, danger of entering the lungs.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapour pressure when heated.

Formation of toxic gases is possible during heating or in case of fire.

#### 5.3 Advice for firefighters

### Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **Additional information**

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

(Cont'd. on page 4)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 3)

Cool endangered receptacles with water fog or haze.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Remove ignition sources.

Protect from heat

Ensure adequate ventilation

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Allow to evaporate.

Absorb liquid components with liquid-binding material.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Do not pierce or burn, even after use.

Avoid splashes or spray in enclosed areas.

### Information about fire - and explosion protection:

Flammable aerosol.

Do not spray onto a naked flame or any incandescent material.

Keep respiratory protective device available.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Emergency cooling must be available in case of nearby fire.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles:

DO NOT USE

Observe official regulations on storing packagings with pressurised containers.

Provide ventilation for receptacles.

### · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

### Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

(Cont'd. on page 5)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 4)

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

on control para	on control parameters			
Ingredients with limit values that require monitoring at the workplace:				
64742-47-8 Distillates (petroleum), hydrotreated light				
MAK (Germany)	Long-term value: 140 mg/m³, 20 ppm vgl.Abschn.Xc			
64742-48-9 Naphtha (petroleum), hydrotreated heavy				
MAK (Germany)	Long-term value: 300 mg/m³, 50 ppm vgl. Abschn. Xc			
124-38-9 carbon dioxide				
IOELV (EU)	Long-term value: 9000 mg/m³, 5000 ppm			
PEL (USA)	Long-term value: 9000 mg/m³, 5000 ppm			
REL (USA)	Short-term value: 54,000 mg/m³, 30,000 ppm Long-term value: 9000 mg/m³, 5000 ppm			
TLV (USA)	Short-term value: 54,000 mg/m³, 30,000 ppm Long-term value: 9000 mg/m³, 5000 ppm			
AGW (Germany)	Long-term value: 9100 mg/m³, 5000 ppm 2(II);DFG, EU			
8002-74-2 Paraffin waxes and Hydrocarbon waxes				
REL (USA)	Long-term value: 2 mg/m³			
TLV (USA)	Long-term value: 2 mg/m³			

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

(Cont'd. on page 6)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

· Protection of hands:

(Cont'd. from page 5)



Protective gloves

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile or neoprene gloves are recommended.
- · Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol Colour: Colourless

· Odour: Like aromatic solvents

Odour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not applicable, as aerosol.

**Boiling point/Boiling range:** Boiling Point Range: 315 ° F / 500 °C.

· **Flash point:** Not applicable, as aerosol.

Flammability (solid, gaseous): Not applicable.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Self-igniting:** Product is not self-igniting.

Danger of explosion: Not determined.

· Explosion limits:

Lower: 0,7 Vol %

(Cont'd. on page 7)

(Cont'd. from page 6)

## Safety data sheet according to 453/2010/EC

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

Upper: 6 Vol %

Not determined.

· Vapour pressure: Density at 20 °C: 0.84 a/cm3 · Relative density Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapour pressure when heated.

· 10.3 Possibility of hazardous reactions

Reacts with peroxides and other radical forming substances.

Develops readily flammable gases/fumes.

Reacts with oxidising agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Danger of receptacles bursting because of high vapour pressure when heated.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep ignition sources away - Do not smoke.

- · 10.5 Incompatible materials: Oxidizers
- 10.6 Hazardous decomposition products: Carbon monoxide, carbon dioxide, smoke, and soot.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects

· Acute toxicity				
· LD/LC50 values relevant for classification:				
64742-47-8 Distillates (petroleum), hydrotreated light				
Oral	LD50	> 5000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rabbit)		
64742-48-9 Naphtha (petroleum), hydrotreated heavy				
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>3000 mg/kg (rab)		

(Cont'd. on page 8)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 7)

- · Primary irritant effect:
- · Skin corrosion/irritation Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation Slight irritant effect on eyes.
- · Respiratory or skin sensitisation No sensitising effects known.
- Acute effects (acute toxicity, irritation and corrosivity): May be fatal if swallowed and enters airways.
- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to local official regulations.

(Cont'd. on page 9)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 8)

# **SECTION 14: Transport information**

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN1950

14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

DOT, IATA
 ADR
 IMDG
 Aerosols, flammable
 1950 AEROSOLS
 AEROSOLS

· 14.3 Transport hazard class(es)

· DOT



· Class 2 Gases. Label 2.1

· ADR



· Class 2 5F Gases. · Label 2.1

· IMDG



· Class 2 Gases. Label 2.1

· IATA



• Class 2.1 • Label 2.1

• 14.4 Packing group Not regulated for transport. • DOT, ADR, IMDG, IATA Not Regulated

14.5 Environmental hazards:

· Marine pollutant:

• 14.6 Special precautions for user Warning: Gases.

(Cont'd. on page 10)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 9)

· EMS Number: F-D,S-U

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ) 1L Code: E0

Not permitted as Excepted Quantity

· Transport category 2 · Tunnel restriction code D

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN1950, AEROSOLS, 2.1

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Carcinogenic Categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

(Cont'd. on page 11)

Printing date 08.07.2015 Revision: 08.07.2015

Trade name: Boeshield T-9® Aerosol

(Cont'd. from page 10)

H319 Causes serious eye irritation.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Aerosol 2: Flammable aerosols, Hazard Category 2

Press. Gas L: Gases under pressure: Liquefied gas

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

#### · Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com