

acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 1: Identification

1.1 Product identifier

Trade name ACAI BERRY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Alpha Aromatics 294 Alpha Dr Pittsburgh PA 15238 United States

Telephone: 412-252-1012 Telefax: 412-252-1014

e-mail: info@alphaaromatics.com

Website: http://www.alphaaromatics.com/

e-mail (competent person) info@alphaaromatics.com

1.4 Emergency telephone number

Emergency information service (800) 535-5053

This number is only available during the following

office hours: Mon-Fri 08:00 AM - 05:00 PM

InfoTrac contract number: H7V9634012.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word not required- Pictograms not required

2.3 Other hazards

There is no additional information.

United States: en Page: 1 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

IUPAC name	Identifier	Wt%	Classification acc. to GHS
benzyl benzoate	CAS No 120-51-4	≥90	Acute Tox. 4 / H302
ethyl butanoate	CAS No 105-54-4	1-<5	Flam. Liq. 3 / H226

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Brush off loose particles from skin. Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 3 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres
 Removal of dust deposits.
- Ventilation requirements
 Use local and general ventilation.
- Packaging compatibilities

 Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	benzyl benzoate 2-ethyl-3-hydroxy- 4H-pyran-4-one 3-hydroxy-2- methyl-4H-pyran-4- one methyl (2E)-3- phenylprop-2- enoate 4-hydroxy-3-meth- oxybenzaldehyde		REL							appx-D	NIOSH REL

United States: en Page: 4 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	benzyl benzoate 2-ethyl-3-hydroxy- 4H-pyran-4-one 3-hydroxy-2- methyl-4H-pyran-4- one methyl (2E)-3- phenylprop-2- enoate 4-hydroxy-3-meth- oxybenzaldehyde		PEL	1,766	15					partml, i, dust	29 CFR 1910.100 0
US	benzyl benzoate 2-ethyl-3-hydroxy- 4H-pyran-4-one 3-hydroxy-2- methyl-4H-pyran-4- one methyl (2E)-3- phenylprop-2- enoate 4-hydroxy-3-meth- oxybenzaldehyde		PEL	529.5	5					partml, r, dust	29 CFR 1910.100 0
US	benzyl benzoate 2-ethyl-3-hydroxy- 4H-pyran-4-one 3-hydroxy-2- methyl-4H-pyran-4- one methyl (2E)-3- phenylprop-2- enoate 4-hydroxy-3-meth- oxybenzaldehyde		PEL (CA)		10					dust	Cal/ OSHA PEL
US	benzyl benzoate 2-ethyl-3-hydroxy- 4H-pyran-4-one 3-hydroxy-2- methyl-4H-pyran-4- one methyl (2E)-3- phenylprop-2- enoate 4-hydroxy-3-meth- oxybenzaldehyde		PEL (CA)		5					r	Cal/ OSHA PEL
US	ethanoic acid phenylmethyl ester	140-11-4	PEL (CA)	10	61						Cal/ OSHA PEL
US	ethanoic acid phenylmethyl ester	140-11-4	TLV®	10							ACGIH® 2022

Notation

appx-D Ceiling-C see Appendix D - Substances with No Established RELs ceiling value is a limit value above which exposure should not occur

dust as dust

United States: en Page: 5 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Notation

i inhalable fraction partml particles/ml r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Color	clear
Odor	Comparable to standard

Other safety parameters

United States: en Page: 6 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

pH (value)	not applicable
Melting point/freezing point	-64 °C at 1,013 hPa
Initial boiling point and boiling range	249.8 °F at 972.4 hPa
Flash point	201 °F
Evaporation rate	Not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapor pressure	1,750 Pa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	480 °C (relative self-ignition temperature for solids)
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Solvent content	8.158 %
Solid content	91.84 %
Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)

United States: en Page: 7 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

United States: en Page: 8 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

United States: en Page: 9 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN	num	bei

DOT **UN 3077** IMDG-Code **UN 3077** ICAO-TI **UN 3077**

14.2 UN proper shipping name

DOT Environmentally hazardous substance, solid, n.o.s.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid, n.o.s.

BENZYL BENZOATE, ALDEHYDE C-16 Technical name (hazardous ingredients)

14.3 Transport hazard class(es)

DOT 9 IMDG-Code 9 **ICAO-TI** 9

14.4 Packing group

DOT III IMDG-Code III ICAO-TI III

14.5 Environmental hazards

Environmentally hazardous substance (aquatic environment)

hazardous to the aquatic environment BENZYL BENZOATE, ALDEHYDE C-16

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

United States: en Page: 10 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (contains: BÉNZYL BENZOATE, ALDE-

HYDE C-16), 9, III

Reportable quantity (RQ) 1,137,656 lbs (516,496 kg) (AMYL ACETATE) (ETHYL ACETATE)

Danger label(s) 9, fish and tree

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 8, 146, 335, 384, A112, B54, B120, IB8, IP3, N20,

N91, T1, TP33

ERG No 171

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Yes (hazardous to the aquatic environment) (BENZYL BENZOATE)

Danger label(s) 9, fish and tree



Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ)

Limited quantities (LQ)

5 kg

EmS

F-A, S-F

Stowage category

A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

United States: en Page: 11 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
benzyl benzoate	120-51-4		EU Fragrance Allergens

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
ethyl butanoate	105-54-4		CO F3

Legend

CO Corrosive

F3 Flammable - Third Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
BUTANOIC ACID, ETHYL ESTER	105-54-4	

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

United States: en Page: 12 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)

United States: en Page: 13 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

Abbr.	Descriptions of used abbreviations
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IUPAC	International Union of Pure and Applied Chemistry
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 14 / 15



acc. to 29 CFR 1910.1200 App D

ACAI BERRY

Version number: GHS 1.0 Date of compilation: 2023-01-31

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 15 / 15