acc. to 29 CFR 1910.1200 App D

## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

#### **SECTION 1: Identification**

1.1 Product identifier Trade name

#### **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Vehicle wax with resin

Vehicle wax with resin Professional use Industrial use 3405.30.00.

Shine Supply Banana Shine

HS code

**1.3 Details of the supplier of the safety data sheet** 

Shine Supply 1343 Callens Rd. Ventura CA 93003

805-535-4332 info@shinesupply.com

#### 1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

#### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.7	reproductive toxicity	2	Repr. 2	H361fd
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning



Revision: 2024-04-09

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

- Pictograms

Revision: 2024-04-09

GHS02, GHS07, GHS08

<ul> <li>Hazard statements</li> </ul>	
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.

- Precautionary statements

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308+P313	If exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

Naphtha (petroleum), hydrotreated light, octamethylcyclotetrasiloxane

#### 2.3 Other hazards

#### Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal). Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

#### Results of PBT and vPvB assessment

Contains a PBT-substance at a concentration of  $\ge 0.1\%$ . Contains a vPvB-substance at a concentration of  $\ge 0.1\%$ .

#### Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
decamethylcyclopentasiloxane	CAS No 541-02-6	20-<40	Flam. Liq. 4 / H227	PBT vPvB
Naphtha (petroleum), hydro- treated light	CAS No 64742-49-0	12-<20	Skin Irrit. 2 / H315 Repr. 2 / H361d STOT SE 3 / H336 Asp. Tox. 1 / H304 Flam. Liq. 2 / H225	
China Clay, calcined	CAS No 66402-68-4	1-<5	Acute Tox. 4 / H332	
octamethylcyclotetrasiloxane	CAS No 556-67-2	0.1-<1	Repr. 2 / H361f Flam. Liq. 3 / H226	PBT vPvB

#### Notes

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic)

vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

#### Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

#### Remarks

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains

acc. to 29 CFR 1910.1200 App D



### Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. Use only non-sparking tools.

#### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Γ

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
China Clay, calcined	66402-68-4	DNEL	16 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single in- stance)



г

## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	PNEC	13 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.2 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	0.12 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	2.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.059 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.7 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.44 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.044 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.59 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single in- stance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.16 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### 8.2 Exposure controls

Appropriate engineering controls General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection. According to EN166 .

#### Skin protection

#### - Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves (nitrile) which are tested according to EN 374.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	not determined
Particle	not relevant (liquid)
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	31 °C at 101 kPa 87 °F at 1 atm closed cup

acc. to 29 CFR 1910.1200 App D

## SHOP SHOP

## Shine Supply Banana Shine

Version number: GHS 6.0
Replaces version of: 2023-01-12 (GHS 5)

Revision: 2024-04-09

Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	
- Lower explosion limit (LEL)	0.9 vol%
- Upper explosion limit (UEL)	6.7 vol%
Vapor pressure	32 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	0.91 (water = 1)
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	246 °C (auto-ignition temperature (liquids and gases))
Viscosity	
- Kinematic viscosity	50 cSt at 25 °C
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	$T2C$ (maximum permissible surface temperature on the equipment: 230 $^\circ\text{C})$

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

#### If heated:

Risk of ignition

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

#### **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
China Clay, calcined	66402-68-4	inhalation: dust/mist	>2.3 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

Germ cell mutagenicity

Revision: 2024-04-09

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 <sup>µg</sup> / <sub>l</sub>	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	EC50	>2.9 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Naphtha (petroleum), hy- drotreated light	64742-49-0	LL50	8.2 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Naphtha (petroleum), hy- drotreated light	64742-49-0	EL50	4.5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 <sup>µg</sup> / <sub>l</sub>	fish	96 h
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	96 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 <sup>µg</sup> / <sub>l</sub>	fish	14 d

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decamethylcyclopentas- iloxane	541-02-6	EC50	>15 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Naphtha (petroleum), hy- drotreated light	64742-49-0	EL50	10 <sup>mg</sup> / <sub>l</sub>	fish	21 d
Naphtha (petroleum), hy- drotreated light	64742-49-0	EC50	15 <sup>mg</sup> / <sub>l</sub>	microorganisms	40 h
China Clay, calcined	66402-68-4	EC50	300 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
octamethylcyclotet- rasiloxane	556-67-2	LC50	10 <sup>µg</sup> / <sub>l</sub>	fish	14 d
octamethylcyclotet- rasiloxane	556-67-2	EC50	>500 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

#### 12.6 Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of  $\ge 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information Solvent reclamation/regeneration.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

acc. to 29 CFR 1910.1200 App D



### Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

#### 14.1 UN number

14.7	Transport in bulk according to IMO instruments	
14.6	Special precautions for user There is no additional information.	
	Environmentally hazardous substance (aquatic environment)	Naphtha (petroleum), hydrotreated light
14.5	Environmental hazards	hazardous to the aquatic environment
	ICAO-TI	III
	IMDG-Code	III
	DOT	III
14.4	Packing group	
	ICAO-TI	3
	IMDG-Code	3
	DOT	3
14.3	Transport hazard class(es)	
	Technical name (hazardous ingredients)	octamethylcyclotetrasiloxane, Naphtha (petroleum), hy- drotreated light
	ICAO-TI	Flammable liquid, n.o.s.
	IMDG-Code	FLAMMABLE LIQUID, N.O.S.
	DOT	Flammable liquid, n.o.s.
14.2	UN proper shipping name	
	ICAO-TI	UN 1993
	IMDG-Code	UN 1993
	DOT	UN 1993
1 4.1		

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

acc. to 29 CFR 1910.1200 App D

## SHOWE \* SUPPLY \*

## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

Transport of dangerous goods by road or rail (49	CFR US DOT) - Additional information
Particulars in the shipper's declaration	UN1993, Flammable liquid, n.o.s., (contains: octa- methylcyclotetrasiloxane, Naphtha (petroleum), hydro- treated light), 3, III, environmentally hazardous
Reportable quantity (RQ)	689,655 lbs (313,103 kg) (diethanolamine) (methanol)
Danger label(s)	3, fish and tree
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Special provisions (SP)	B1, B52, IB3, T4, TP1, TP29
ERG No	128
International Maritime Dangerous Goods Code (II	MDG) - Additional information
Marine pollutant	<b>YES</b> (hazardous to the aquatic environment) (Naphtha (petroleum), hydro- treated light)
Danger label(s)	3, fish and tree
Special provisions (SP)	223, 274, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, <u>S-E</u>
Stowage category	Α
International Civil Aviation Organization (ICAO-IA	TA/DGR) - Additional information
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	3
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

acc. to 29 CFR 1910.1200 App D

## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed (ACTIVE) or exempt from listing

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

#### **Clean Air Act**

none of the ingredients are listed

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
decamethylcyclopentasiloxane	541-02-6	solvents	Canada PBiTs CECBP - Priority Chemicals EC PBTs
Naphtha (petroleum), hydrotreated light	64742-49-0	solvents	EC Annex VI CMRs - Cat. 1B
polydimethylsiloxane	63148-62-9	surface modifier	
China Clay, calcined	66402-68-4	abrasive	
carnauba wax	8015-86-9	wax	
octamethylcyclotetrasiloxane	556-67-2	solvents	Canada PBiTs CECBP - Priority Chemicals EC PBTs
polytrimethylhydrosilylsiloxane	68988-56-7	surface modifier	
N,N-bis(2-Hydroxyethyl)oleamide	93-83-4	surfactant	
diethyl phthalate	84-66-2	fragrance	CDC 4th National Exposure Report CECBP - Priority Chemicals CWA 303(c) CWA 303(d)
diethyl phthalate	84-66-2	fragrance	Nonfunctional constituents
Dimethyl Siloxane, HO-term Rxn Methyltrimeth- oxysilane & Aminoethylaminopropyltrimethoxysil- ane	69430-37-1	surface modifier	
siloxane polyalkyleneoxide copolymer	68937-55-3	surfactant	
tetra(trimethylsiloxy)silane	3555-47-3	surface modifier	Canada PBiTs



acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

Name of substance	CAS No	Functionality	Authoritative Lists
2,2'-iminodiethanol	111-42-2	impurity	CA TACs IARC Carcinogens - 2B OEHHA RELs Prop 65

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the tox- icity
methanol	methanol	67-56-1	0.009		develop- mental
2,2'-iminodiethanol	diethanolamine	111-42-2	0.015		cancer

#### **VOC content**

- Regulated Volatile Organic Compounds (VOC-EPA)	15 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB)	15 %

#### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, poly- merize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

acc. to 29 CFR 1910.1200 App D

# SHOP CONTRACTOR

## Shine Supply Banana Shine

#### Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

Revision: 2024-04-09

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual in- jury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status	
CA	DSL	all ingredients are listed	
EU	REACH Reg.	not all ingredients are listed	
US	TSCA	all ingredients are listed (ACTIVE)	
AU	AIIC	all ingredients are listed	
CN	IECSC	all ingredients are listed	
EU	ECSI	not all ingredients are listed	
JP	CSCL-ENCS	not all ingredients are listed	
JP	ISHA-ENCS	not all ingredients are listed	
KR	KECI	all ingredients are listed	
MX	INSQ	not all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	

Legend

Logona	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Shine Supply 1302 Tower Square, Unit 1 Ventura, CA. 93003 805-535-4332 info@shinesupply.com	Details of the supplier of the safety data sheet: Shine Supply 1343 Callens Rd. Ventura CA 93003 805-535-4332 info@shinesupply.com	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: octamethylcyclotetrasiloxane, Naphtha (petroleum), hydrotreated light	- Hazardous ingredients for labelling: Naphtha (petroleum), hydrotreated light, octamethyl- cyclotetrasiloxane	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concentra- tion of $\ge 0,1\%$ .	Results of PBT and vPvB assessment: Contains a PBT-substance at a concentration of $\geq$ 0.1%. Contains a vPvB-substance at a concentration of $\geq$ 0.1%.	yes
2.3	Endocrine disrupting properties: Contains an endocrine disruptor (EDC) in a concentra- tion of ≥ 0,1%.	Endocrine disrupting properties: Contains an endocrine disruptor (ED) in a concentra- tion of $\ge 0.1\%$ .	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.For full text of abbreviations: see SECTION 16.	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful in contact with skin.	yes

acc. to 29 CFR 1910.1200 App D

## Shine Supply Banana Shine

#### Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

Revision: 2024-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
12.1		Aquatic toxicity (acute) of components: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components: change in the listing (table)	yes
12.6	Endocrine disrupting properties: Contains an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$ .	Endocrine disrupting properties: Contains an endocrine disruptor (ED) in a concentra- tion of $\ge 0.1\%$ .	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed as "ACTIVE" tous les com- posants sont énumérés comme "ACTIVE"	Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from list- ing	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test or- ganisms
ELINCS	European List of Notified Chemical Substances



acc. to 29 CFR 1910.1200 App D

## Shine Supply Banana Shine

#### Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5)

Revision: 2024-04-09

Abbr.	Descriptions of used abbreviations
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Or- ganisation)
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.



acc. to 29 CFR 1910.1200 App D



## Shine Supply Banana Shine

Version number: GHS 6.0 Replaces version of: 2023-01-12 (GHS 5) Revision: 2024-04-09

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.