



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name

**Shine Scents: Cruisin' Concentrate**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Air freshener  
Concentrate  
Professional use  
Industrial use

#### 1.3 Details of the supplier of the safety data sheet

Shine Supply  
1343 Callens Rd.  
Ventura CA 93003

805-535-4332  
info@shinesupply.com

#### 1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500  
24 hour emergency number

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.1O	acute toxicity (oral)	4	Acute Tox. 4	H302
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word                      danger



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### - Pictograms

GHS05, GHS07



### - Hazard statements

H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

### - Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### - Hazardous ingredients for labelling

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone, Alcohols, C9-11 ethoxylated, Hexyl salicylate, Coumarin, di-Citronellol, Dihydro Pentamethylindanone

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).  
Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).  
Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	55 - < 70	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	CAS No 54464-57-2	12 - < 20	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
sodium methyl-2 sulfolaurate	CAS No 149458-07-1	5 - < 12	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319	
Dihydromyrcenol	CAS No 18479-58-8	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 4 / H227	
methanol	CAS No 67-56-1	0.1 - < 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225	
di-Citronellol	CAS No 106-22-9	0.1 - < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Dihydro Pentamethylindanone	CAS No 33704-61-9	0.1 - < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Coumarin	CAS No 91-64-5	0.1 - < 1	Acute Tox. 3 / H301 Skin Sens. 1 / H317	
Hexyl salicylate	CAS No 6259-76-3	0.1 - < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

#### Remarks

For full text of abbreviations: see SECTION 16.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

##### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	methanol	67-56-1	TLV®	200		250				H	AC-GIH® 2019
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325				NIOSH REL
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1000
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000			Cal/OSHA PEL

**Notation**

Ceiling-C

H

STEL

TWA

ceiling value is a limit value above which exposure should not occur absorbed through the skin

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2019

### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	25 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
di-Citronellol	106-22-9	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
di-Citronellol	106-22-9	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
di-Citronellol	106-22-9	DNEL	327 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
di-Citronellol	106-22-9	DNEL	162 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl salicylate	6259-76-3	DNEL	1.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl salicylate	6259-76-3	DNEL	6.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl salicylate	6259-76-3	DNEL	885 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hexyl salicylate	6259-76-3	DNEL	885 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Coumarin	91-64-5	DNEL	0.79 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	6.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydro Pentamethylindanone	33704-61-9	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydro Pentamethylindanone	33704-61-9	DNEL	0.42 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dihydro Pentamethylindanone	33704-61-9	DNEL	5,510 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects

### Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1.4 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	14 mg/kg	benthic organisms	sediment	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	14 mg/kg	pelagic organisms	sediment	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.014 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	28 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.8 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	0.59 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.1 mg/kg	terrestrial organisms	soil	short-term (single instance)
methanol	67-56-1	PNEC	100 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
methanol	67-56-1	PNEC	77 mg/kg	benthic organisms	sediment	short-term (single instance)
methanol	67-56-1	PNEC	7.7 mg/kg	pelagic organisms	sediment	short-term (single instance)
methanol	67-56-1	PNEC	1,540 mg/l	aquatic organisms	water	intermittent release
methanol	67-56-1	PNEC	21 mg/l	aquatic organisms	freshwater	short-term (single instance)
methanol	67-56-1	PNEC	2.1 mg/l	aquatic organisms	marine water	short-term (single instance)
methanol	67-56-1	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
methanol	67-56-1	PNEC	77 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
methanol	67-56-1	PNEC	7.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
methanol	67-56-1	PNEC	100 mg/kg	terrestrial organisms	soil	short-term (single instance)
di-Citronellol	106-22-9	PNEC	0.0024 mg/l	aquatic organisms	freshwater	short-term (single instance)
di-Citronellol	106-22-9	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
di-Citronellol	106-22-9	PNEC	0.00024 mg/l	aquatic organisms	marine water	short-term (single instance)
di-Citronellol	106-22-9	PNEC	0.026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
di-Citronellol	106-22-9	PNEC	0.0026 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
di-Citronellol	106-22-9	PNEC	0.0037 mg/kg	terrestrial organisms	soil	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
di-Citronellol	106-22-9	PNEC	0.024 mg/l	aquatic organisms	water	intermittent release
Hexyl salicylate	6259-76-3	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.27 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.027 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.054 mg/kg	terrestrial organisms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 µg/l	aquatic organisms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 mg/kg	terrestrial organisms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	0.004 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	99 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	9.9 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydro Pentamethylindanone	33704-61-9	PNEC	17 µg/kg	terrestrial organisms	soil	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. According to EN166 .

Skin protection

- Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves (nitrile) which are tested according to EN 374.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	yellowish brown
Particle	not relevant (liquid)
Odor	woody

#### Other safety parameters

pH (value)	6 – 8
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	76 °C at 101 kPa closed cup



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature	306 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300 °C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

#### - Acute toxicity estimate (ATE)

Oral 1,685 mg/kg

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 mg/kg
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 mg/kg
methanol	67-56-1	oral	100 mg/kg
methanol	67-56-1	inhalation: gas	700 ppmV/4h
methanol	67-56-1	inhalation: dust/mist	0.5 mg/l/4h
Coumarin	91-64-5	oral	293 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Respiratory or skin sensitization

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Remarks	Number
Coumarin	91-64-5	3		

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	8.5 mg/l	fathead minnow	96 h
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	5.3 mg/l	daphnia magna	48 h
Alcohols, C9-11 ethoxylated	68439-46-3	ErC50	1 - 10 mg/l	algae	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	54464-57-2	EC50	>2.6 mg/l	algae	72 h
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	54464-57-2	EC50	1.4 mg/l	daphnia magna	48 h
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	54464-57-2	LC50	1.3 mg/l	bluegill	96 h
sodium methyl-2 sulfolaurate	149458-07-1	LC50	4.7 mg/l	fish	96 h
sodium methyl-2 sulfolaurate	149458-07-1	EC50	1.8 mg/l	algae	72 h
sodium methyl-2 sulfolaurate	149458-07-1	EC50	6.3 mg/l	daphnia	48 h
Dihydromyrcenol	18479-58-8	LC50	28 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	algae	72 h
methanol	67-56-1	LC50	15,400 mg/l	fish	96 h
methanol	67-56-1	EC50	12,700 mg/l	fish	96 h
methanol	67-56-1	ErC50	22,000 mg/l	algae	96 h
di-Citronellol	106-22-9	LC50	15 mg/l	fish	96 h
di-Citronellol	106-22-9	EC50	17 mg/l	aquatic invertebrates	48 h
Hexyl salicylate	6259-76-3	EC50	0.54 mg/l	aquatic invertebrates	24 h
Hexyl salicylate	6259-76-3	ErC50	0.61 mg/l	algae	72 h
Coumarin	91-64-5	EC50	1.5 mg/l	algae	96 h
Dihydro Pentamethylindanone	33704-61-9	LC50	2.1 mg/l	fish	96 h
Dihydro Pentamethylindanone	33704-61-9	EC50	1.5 mg/l	aquatic invertebrates	48 h
Dihydro Pentamethylindanone	33704-61-9	ErC50	10 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium methyl-2 sulfo-laurate	149458-07-1	EC50	0.25 – 0.8 mg/l	daphnia magna	21 d
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
di-Citronellol	106-22-9	EC50	>10,000 mg/l	microorganisms	30 min
Dihydro Pentamethyl-indanone	33704-61-9	EC50	>1,000 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

##### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

##### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

##### Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
methanol	67-56-1		1986-12-31



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
methanol	67-56-1		3 4	5000 (2270)

#### Legend

- 3 "3" indicates that the source is section 112 of the Clean Air Act  
4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

### Clean Air Act

none of the ingredients are listed

### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	54464-57-2	fragrance	
water	7732-18-5	solvent	
sodium methyl-2 sulfolaurate	149458-07-1	surfactant	
Dihydromyrcenol	18479-58-8	fragrance	
methanol	67-56-1	alcohols	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
di-Citronellol	106-22-9	fragrance	
sodium sulfate	7757-82-6	cleaning agent	
Coumarin	91-64-5	fragrance	EU Fragrance Allergens
Butylated hydroxytoluene	128-37-0	preservative	
Hexyl salicylate	6259-76-3	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
methanol	67-56-1				1.0 %



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
methanol	67-56-1		TE F3

#### Legend

F3 Flammable - Third Degree  
TE Teratogenic

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
METHANOL	67-56-1	E

#### Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
methanol	67-56-1	T, F

#### Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals					
Name of substance	Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity
methanol	methanol	67-56-1	0.69		developmental

### VOC content

- Regulated Volatile Organic Compounds (VOC-EPA) 6.8 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 6.8 %

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Country	Inventory	Status
TW	TCSI	all ingredients are listed
VN	NCI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

### Legend

AIIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: Shine Supply 1302 Tower Square, Unit 1 Ventura, CA. 93003 805-535-4332 info@shinesupply.com	Details of the supplier of the safety data sheet: Shine Supply 1343 Callens Rd. Ventura CA 93003  805-535-4332 info@shinesupply.com	yes
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$ .	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$ .	yes
3.2	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret. For full text of abbreviations: see SECTION 16.	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Shine Scents: Cruisin' Concentrate

Version number: GHS 2.0  
Replaces version of: 2023-12-06 (GHS 1)

Revision: 2024-04-09

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.