SHINE * SUPPLY *

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

SECTION 1: Identification

1.1 Product identifier

Trade name Shine Supply Heavy Cut

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle polishing compound

Professional use Industrial use

1.3 Details of the supplier of the safety data sheet

Shine Supply 1343 Callens Rd. Ventura CA 93003

805-535-4332 info@shinesupply.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H319 Causes serious eye irritation.

United States: en Page: 1 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
distillates (petroleum) hydro- treated, light	CAS No 64742-47-8	20-<40	Asp. Tox. 1 / H304	
ethylene glycol monomontan- ate	CAS No 73138-45-1	1-<5	cD / OSHA003	
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318	
benzaldehyde	CAS No 100-52-7	0.1 - < 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Flam. Liq. 4 / H227	

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

Remarks

For full text of abbreviations: see SECTION 16.

United States: en Page: 2 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow fire-fighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 3 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

United States: en Page: 4 / 19





Shine Supply Heavy Cut

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)
Revision: 2024-04-09

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota- tion	Sourc e
US	alpha-Alumina	1344-28- 1	REL							appx- D	NIOSH REL
US	alpha-alumina	1344-28- 1	PEL		15					i, dust	29 CFR 1910.1 000
US	alpha-alumina	1344-28- 1	PEL		5					r, dust	29 CFR 1910.1 000
US	aluminium, insol- uble compounds	1344-28- 1	TLV®		1					r	AC- GIH® 2019
US	aluminium oxide	1344-28- 1	PEL (CA)		10					dust	Cal/ OSHA PEL
US	aluminium oxide	1344-28- 1	PEL (CA)		5					r	Cal/ OSHA PEL
US	glycerine	56-81-5	REL							mist, appx- D	NIOSH REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1 000
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1 000

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

dust as dust

i inhalable fraction mist as mists r respirable fraction

United States: en Page: 5 / 19

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)
Revision: 2024-04-09

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
ethylene glycol monomontanate	73138-45-1	DNEL	50 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects	
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
benzaldehyde	100-52-7	DNEL	9.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
benzaldehyde	100-52-7	DNEL	9.8 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects	
benzaldehyde	100-52-7	DNEL	1.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	

Relevant PNECs of	Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _I	aquatic organisms	freshwater	short-term (single in- stance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg} / _I	microorganisms	sewage treatment plant (STP)	short-term (single instance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single in- stance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	14 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single in- stance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)			
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg} / _l	aquatic organisms	water	intermittent release			
benzaldehyde	100-52-7	PNEC	0.002 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			

United States: en Page: 6 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
benzaldehyde	100-52-7	PNEC	0 ^{mg} / _I	aquatic organisms	marine water	short-term (single in- stance)
benzaldehyde	100-52-7	PNEC	7.6 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzaldehyde	100-52-7	PNEC	0.022 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
benzaldehyde	100-52-7	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
benzaldehyde	100-52-7	PNEC	0.003 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. According to EN166.

Skin protection

- Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 7 / 19

SHINE * SUPPLY *

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Revision: 2024-04-09

Version number: GHS 3.0 Replaces version of: 2022-03-03 (GHS 2)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

Physical state	liquid (viscous)
Color	off-white
Particle	not relevant (liquid)
Odor	fruity

Other safety parameters

pH (value)	8-8.5
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101 kPa >212 °F at 1 atm closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	0.6 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	32 hPa at 25 °C
Density	0.4 ^g / _{ml}
Vapor density	this information is not available
Relative density	1.3 (water = 1)
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available

United States: en Page: 8 / 19

SHINE

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Auto-ignition temperature	262 °C
Viscosity	
- Kinematic viscosity	6,000 cSt
- Dynamic viscosity	2,423 cP
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2B (maximum permissible surface temperature on the equipment: 260°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

United States: en Page: 9 / 19

SHINE * SUPPLY *

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg} / _{kg}
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg} / _{kg}
benzaldehyde	100-52-7	oral	1,430 ^{mg} / _{kg}
benzaldehyde	100-52-7	inhalation: vapor	5 ^{mg} / _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethylene glycol monomontanate	73138-45-1	LC50	>10 ^g / _l	fish	24 h

United States: en Page: 10 / 19

SHINE * SUPPLY *

acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Aquatic toxicity (acute) of components

, , ,	<u>'</u>				
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethylene glycol monomontanate	73138-45-1	EC50	>10 ⁹ / _I	aquatic invertebrates	24 h
ethylene glycol monomontanate	73138-45-1	ErC50	>320 ^{mg} / _I	algae	72 h
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	8.5 ^{mg} / _I	fathead minnow	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	5.3 ^{mg} / _I	daphnia magna	48 h
Alcohols, C9-11 eth- oxylated	68439-46-3	ErC50	1 – 10 ^{mg} / _l	algae	96 h
benzaldehyde	100-52-7	LC50	12 ^{mg} / _l	fish	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 11 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

United States: en Page: 12 / 19

acc. to 29 CFR 1910.1200 App D



Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

· · ·	•	,	
Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
aluminium oxide	1344-28-1	abrasive	
distillates (petroleum) hydrotreated, light	64742-47-8	solvents	
Neuburg Siliceous Earth	1020665-14-8	abrasive	
Glycerine	56-81-5	humectant	
ethylene glycol monomontanate	73138-45-1	wax	
Alcohols, C9-11 ethoxylated	68439-46-3	surfactant	
acrylic polymer	75760-37-1	viscosity modifier	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	solvents	EC Annex VI CMRs - Cat. 1B
Silicic acid, lithium magnesium sodium salt	53320-86-8	viscosity modifier	
benzaldehyde	100-52-7	fragrance	
Sodium olefin sulfonate	68439-57-6	surfactant	
Tetrasodium EDTA, anhydrous	64-02-8	chelate / se- questrant	
isobutyl acetate	110-19-0	fragrance	
isopentyl acetate	123-92-2	fragrance	
Benzyl acetate	140-11-4	fragrance	
2-methylpentane-2,4-diol	107-41-5	humectant	
sodium sulfate	7757-82-6	cleaning agent	

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
benzaldehyde	100-52-7		F2

Legend F2

F2 Flammable - Second Degree

United States: en Page: 13 / 19

acc. to 29 CFR 1910.1200 App D



Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
benzaldehyde	100-52-7	F
benzaldehyde	100-52-7	F
benzaldehyde	100-52-7	F

Legend

F Flammability (NFPA®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

Regulated Volatile Organic Compounds (VOC-EPA)
 Regulated Volatile Organic Compounds (VOC-Cal ARB)
 0.25 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 14 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Revision: 2024-04-09 Version number: GHS 3.0 Replaces version of: 2022-03-03 (GHS 2)

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
AU	AIIC	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend

AIIC CICR Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) **IECSC**

INSQ

ISHA-ENCS

KECI Korea Existing Chemicals Inventory NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Chemical Safety Assessment 15.2

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 15 / 19

acc. to 29 CFR 1910.1200 App D



Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.2	Relevant identified uses: Vehicle polishing compound	Relevant identified uses: Vehicle polishing compound Professional use Industrial use	yes
1.3	Details of the supplier of the safety data sheet: Shine Supply 1302 Tower Square, Unit 1 Ventura, CA. 93003 805-535-4332 info@shinesupply.com	Details of the supplier of the safety data sheet: Shine Supply 1343 Callens Rd. Ventura CA 93003 805-535-4332 info@shinesupply.com	yes
1.4	Emergency information service: Nødtelefon: Telefon +47 22 59 13 00 Beskrivelse: Giftinformasjonen	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret. For full text of abbreviations: see SECTION 16.	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components: change in the listing (table)	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes

United States: en Page: 16 / 19





Shine Supply Heavy Cut

Version number: GHS 3.0
Replaces version of: 2022-03-03 (GHS 2)
Revision: 2024-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
15.1		Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from list- ing	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (RI-RTK): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
cD	Combustible dust
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

United States: en Page: 17 / 19





Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

s version of: 2022-03-	03 (GHS 2)
Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

United States: en Page: 18 / 19



acc. to 29 CFR 1910.1200 App D

Shine Supply Heavy Cut

Version number: GHS 3.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 2)

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
OSHA003	May form combustible dust concentrations in air.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 19 / 19