

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Shine Supply Wake-Up

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle polishing compound

Professional use Industrial use

#### 1.3 Details of the supplier of the safety data sheet

Shine Supply 1343 Callens Rd. Ventura CA 93003

805-535-4332 info@shinesupply.com

#### 1.4 Emergency telephone number

**Emergency information service** 

USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

#### **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word warning

- Pictograms

GHS07



- Hazard statements

H315 Causes skin irritation.

United States: en Page: 1 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### - Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Contains a PBT-substance at a concentration of  $\geq$  0.1%. Contains a vPvB-substance at a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Naphtha (petroleum), hydro- treated heavy	CAS No 64742-48-9	5-<12	Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
C9-C15 mixed cycloalkanes and alkanes	CAS No 64742-47-8	5-<12	Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Flam. Liq. 4 / H227	
White mineral oil (petroleum)	CAS No 8042-47-5	1-<5	Asp. Tox. 1 / H304	
decamethylcyclopentasiloxane	CAS No 541-02-6	1-<5	Flam. Liq. 4 / H227	PBT vPvB

Notes

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic) vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

#### Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

United States: en Page: 2 / 20

SHINE \* SUPPLY \*

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Remarks

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow fire-fighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 3 / 20

SHINE \* SUPPLY \*

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

United States: en Page: 4 / 20

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) CAS No TWA Ceil-Coun Name of agent Iden-TWA STEL STEL Nota-[mg/ m³] ing-C [ppm] [ppm] [mg/ ing-C  $m^3$ [mg/ m³] [ppm] 1344-28-NIOSH US alpha-Alumina REL аррх-1 **REL** US 1344-28-PEL 15 alpha-alumina i, dust 29 CFR 1910.1 000 US 29 CFR alpha-alumina 1344-28-**PEL** 5 r, dust 1910.1 000 US aluminium, insol-1344-28-**TLV®** 1 ACuble compounds **GIH®** 2019 US aluminium oxide 1344-28-**PEL** 10 Cal/ dust OSHA (CA) PEL US aluminium oxide 1344-28-5 PEL Cal/ **OSHA** (CA) PEL 64742-US petroleum distil-PEL 500 2,000 29 lates (naphtha) 48-9 CFR 1910.1 (rubber solvent) 000 US mineral oil 8042-47-**TLV®** 5 ACi, ex-Met-**GIH®** Work-2019 PEL US 84-66-2 5 diethyl phthalate Cal/ (CA) OSHA PEL US diethyl phthalate 84-66-2 NIOSH REL (10 h)REL

United States: en Page: 5 / 20

acc. to 29 CFR 1910.1200 App D



## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota- tion	Sourc e
US	diethyl phthalate	84-66-2	TLV®		5						AC- GIH® 2019

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

dust as dust

exMetWorkFI excluding metal working fluids

inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless other-

wise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

age (unless otherwise specified

#### Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
White mineral oil (pet- roleum)	8042-47-5	DNEL	165 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
White mineral oil (pet- roleum)	8042-47-5	DNEL	217 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

#### Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single in- stance)

United States: en Page: 6 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	PNEC	13 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.2 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	0.12 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	2.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. According to EN166 .

#### Skin protection

- Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves (nitrile) which are tested according to EN 374.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 7 / 20



acc. to 29 CFR 1910.1200 App D

# **Shine Supply Wake-Up**

Revision: 2024-04-09

Version number: GHS 7.0 Replaces version of: 2022-03-03 (GHS 6)

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Appearance

· · · · · · · · · · · · · · · · · · ·				
Physical state	liquid (viscous)			
Color	imperial blue			
Particle	not relevant (liquid)			
Odor	sweet			

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	>100 °C at 101 kPa >212 °C at 1 atm closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

#### Explosive limits

- Lower explosion limit (LEL)	0.7 vol%
- Upper explosion limit (UEL)	6 vol%
Vapor pressure	32 hPa at 25 °C
Density	8.8 lb/gal at 25 °C 1.1 g/cm³ at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	>220 °C (auto-ignition temperature (liquids and gases))

United States: en Page: 8 / 20

SHINE \* SUPPLY \*

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Viscosity

3,000 cSt at 25 °C
3,160 cP at 25 °C
none
none
T2D (maximum permissible surface temperature on the equipment: 215°C)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION** 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

United States: en Page: 9 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
White mineral oil (petroleum)	8042-47-5	inhalation: dust/mist	>5 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components

riquatio toxiony (acate	Addate toxicity (deate) of compensate				
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
White mineral oil (petro- leum)	8042-47-5	LL50	>10,000 <sup>mg</sup> / <sub> </sub>	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 <sup>µg</sup> / <sub>I</sub>	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	EC50	>2.9 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	48 h

United States: en Page: 10 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Naphtha (petroleum), hy- drotreated heavy	64742-48-9	EC50	15 <sup>mg</sup> / <sub>l</sub>	microorganisms	40 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 <sup>µg</sup> / <sub>I</sub>	fish	14 d
decamethylcyclopentas- iloxane	541-02-6	EC50	>15 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	21 d

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 11 / 20

SHINE \* SUPPLY \*

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### **SECTION 14: Transport information**

14.1 UN number

 DOT
 UN 3082

 IMDG-Code
 UN 3082

 ICAO-TI
 UN 3082

14.2 UN proper shipping name

DOT Environmentally hazardous substance, liquid, n.o.s.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients) decamethylcyclopentasiloxane, Naphtha (petroleum),

hydrotreated heavy

14.3 Transport hazard class(es)

DOT 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

DOT III
IMDG-Code III
ICAO-TI III

**14.5** Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic decamethylcyclopentasiloxane, Naphtha (petroleum),

environment) hydrotreated heavy

14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not regulated under DOT until packaged in single containers larger than 119 gallons each - liquid, or 882 lbs each - solid.

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, liquid,

n.o.s., (contains: decamethylcyclopentasiloxane, Naph-

tha (petroleum), hydrotreated heavy), 9, III

United States: en Page: 12 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

Danger label(s)

9. fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 173, 335, IB3, T4, TP1, TP29

ERG No 171

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (Naphtha (petroleum), hydro-

treated heavy)

Danger label(s) 9, fish and tree



Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

Stowage category A

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards Yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

#### **SECTION 15: Regulatory information**


# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

#### Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

United States: en Page: 13 / 20





## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

#### **Clean Air Act**

none of the ingredients are listed

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
aluminium oxide	1344-28-1	abrasive	
Naphtha (petroleum), hydrotreated heavy	64742-48-9	solvents	Canada PBiTs EC Annex VI CMRs - Cat. 1B
C9-C15 mixed cycloalkanes and alkanes	64742-47-8	solvents	
polydimethylsiloxane	63148-62-9	surface modifier	
White mineral oil (petroleum)	8042-47-5	lubricant	
decamethylcyclopentasiloxane	541-02-6	solvents	Canada PBiTs CECBP - Priority Chemicals EC PBTs
carnauba wax	8015-86-9	wax	
polyacrylamide	9003-05-8	viscosity modifier	
ethoxylated C11-15 secondary alcohols	68131-40-8	surfactant	
Alcohols, C11-15- secondary, ethoxylated	84133-50-6	surfactant	
coumarin	91-64-5	fragrance	EU Fragrance Allergens
C.I. Acid Yellow 23, trisodium salt	1934-21-0	colorant	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
C.I. Acid Blue 9, disodium salt	3844-45-9	colorant	
C.I. Acid Blue 62	4368-56-3	colorant	

#### - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Naphtha (petroleum), hydrotreated heavy	64742-48-9	A, O	

Legend

Α

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

United States: en Page: 14 / 20

SHIVE \* SUPPLY \*

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

Legend

0

Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### **VOC** content

Regulated Volatile Organic Compounds (VOC-EPA)Regulated Volatile Organic Compounds (VOC-Cal ARB)20 %

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 15 / 20

SHINE

acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### **National inventories**

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.2	Relevant identified uses: Vehicle polishing compound	Relevant identified uses: Vehicle polishing compound Professional use Industrial use	yes
1.3	Details of the supplier of the safety data sheet: Shine Supply 1302 Tower Square, Unit 1 Ventura, CA. 93003 805-535-4332 info@shinesupply.com	Details of the supplier of the safety data sheet: Shine Supply 1343 Callens Rd. Ventura CA 93003  805-535-4332 info@shinesupply.com	yes
1.4	Emergency information service: Nødtelefon: Telefon +47 22 59 13 00 Beskrivelse: Giftinformasjonen	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number	yes
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: octamethylcyclotetrasiloxane		yes

United States: en Page: 16 / 20




# **Shine Supply Wake-Up**

Version number: GHS 7.0
Replaces version of: 2022-03-03 (GHS 6)
Revision: 2024-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
2.3	Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concentra- tion of ≥ 0,1%.	Results of PBT and vPvB assessment: Contains a PBT-substance at a concentration of ≥ 0.1%. Contains a vPvB-substance at a concentration of ≥ 0.1%.	yes
2.3	Endocrine disrupting properties: Contains an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties:  Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.For full text of abbreviations: see SECTION 16.	Hazardous ingredients, Consideration of other advice: Exact percentage of ingredients is withheld as a trade secret.	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16.	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components: change in the listing (table)	yes
8.1		Relevant PNECs of components: change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
11.1	Reproductive toxicity: Suspected of damaging fertility.	Reproductive toxicity: Shall not be classified as a reproductive toxicant.	yes
12.1		Aquatic toxicity (acute) of components: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components: change in the listing (table)	yes
12.6	Endocrine disrupting properties: Contains an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties:  Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed		yes
15.1		Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)	yes
15.1		List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4): none of the ingredients are listed	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

United States: en Page: 17 / 20





# **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EmS	Emergency Schedule
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United States: en Page: 18 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United States: en Page: 19 / 20



acc. to 29 CFR 1910.1200 App D

## **Shine Supply Wake-Up**

Version number: GHS 7.0 Revision: 2024-04-09 Replaces version of: 2022-03-03 (GHS 6)

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 20 / 20