

High Protection. Best Performance.

Data sheet

PEANUT I



GENERAL

Art. no.:	HSG-AUS-021-1,8-12	E-class number:	40-02-01-03
EAN:	4030281187110	Customs tariff number:	84798997
Standard:	based on EN 354 EN 360:2002 RFU CNB/P/11.060 RFU CNB/P/11.085		



High Protection. Best Performance.

Data sheet

PEANUT I

Ultra-compact fall protection device with FS 90 ANSI carabiner on anchoring. The Peanut is already equipped with the new One-4-All shock absorber and is therefore approved for the weight class 50-135-kg.1.8 m length for use in aerial work platforms.

FEATURES

Fall indicator

Max. service life: 4-6 Years Max. number of persons: 1 Max. rated load: 135 kg Patent Suitable for sharp edges from -35 °C to 45 °C Temperature:

Suspension element: Band

Area of application:

Elevating/Mobile Work Platforms, Facade/Window Cleaning



MEASUREMENTS/WEIGHT

Weight: 2.18 kg



High Protection. Best Performance.

CARABINER

Carabiner on anchoring point side:

FS 90 ANSI

Carabiner on belt side: H-156

1,8m

SIZE

Size:

MATERIAL

Material:

POLYESTER, POLYAMIDE, STEEL