



Testosterone Test Online Uk - Testosterone Blood Tests - Balance My Hormones

Testosterone is the male hormone that declines with age or injury to the This test profile not only measures Total testosterone but calculated free testosterone as Calculated free is superior to Free testosterone assays which are not consistent from lab to lab or test to £95 Finger Prick Test

=====

☞ Injectables AAS / Oral AAS / HGH / Weight Loss / Peptides / Post Cycle Therapy

🕒 High Quality / Secured Payment / Guaranteed Confidentiality / Private Data Protection

🔥 Customer support / International shipping / Secure & private

🌐 CHECK OUT OUR STORE: <https://t.co/4wFtEihCFN>

=====

A testosterone test kit will check the levels of the male hormone 'testosterone' in your This means that you'll need to take some of your blood using a finger prick device called a You'll then need to send your sample to our partner lab for You can take your sample easily at home in a few simple steps:

Testosterone Test Kits & Treatment | Asda Online Doctor by ZAVA



Specimen Number	Patient ID	Control Number	Account Number	Account Phase Number	Rtc
Patient Last Name		Account Address			
Patient First Name		Private MD Labs 93 MATHIS DRIVE DICKSON, TN 37055			
Patient Middle Name					
Patient SSN	Patient Phone	Total Volume			
Age (Y/M/D)	Date of Birth	Sex	Fasting		
		M	Yes		
Patient Address		Additional Information			
ACCOUNT BILLING					
Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NPI	Physician ID
08/28/12	08/28/12	08/29/12			
Test Order					
CBC With Differential/Platelet;Comp. Metabolic Panel (14);Testosterone, Serum;Luteinizing Hormone (LH), S.FSH, Serum;Estradiol					
[Redacted]					
TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
CBC With Differential/Platelet					
WBC	8.9		x10E3/uL	4.0-10.5	01
RBC	4.94		x10E6/uL	4.14-5.80	01
Hemoglobin	14.3		g/dL	12.6-17.7	01
Hematocrit	43.9		%	37.5-51.0	01
MCV	89		fL	79-97	01
MCH	28.9		pg	26.6-33.0	01
MCHC	32.6		g/dL	31.5-35.7	01
RDW	13.9		%	12.3-15.4	01
Platelets	473	High	x10E3/uL	140-415	01
Neutrophils	66		%	40-74	01
Lymphs	23		%	14-46	01
Monocytes	7		%	4-13	01
Eos	3		%	0-7	01
Basos	1		%	0-3	01
Neutrophils (Absolute)	5.9		x10E3/uL	1.8-7.8	01
Lymphs (Absolute)	2.0		x10E3/uL	0.7-4.5	01
Monocytes (Absolute)	0.6		x10E3/uL	0.1-1.0	01
Eos (Absolute)	0.3		x10E3/uL	0.0-0.4	01
Baso (Absolute)	0.1		x10E3/uL	0.0-0.2	01
Immature Granulocytes	0		%	0-2	01
Immature Grans (Abs)	0.0		x10E3/uL	0.0-0.1	01
Comp. Metabolic Panel (14)					
Glucose, Serum	84		mg/dL	65-99	01
BUN	19		mg/dL	6-20	01
Creatinine, Serum	1.49	High	mg/dL	0.76-1.27	01
eGFR if NonAfrican Am	63		mL/min/1.73	>59	01
eGFR if African Am	72		mL/min/1.73	>59	01
BUN/Creatinine Ratio	13			8-19	01
Sodium, Serum	138		mmol/L	134-144	01

Testosterone Order testosterone home testing and treatment online with free and fast View Prices from £ To order a treatment, fill in a brief medical A doctor will review your order and prescribe treatment if it's right for For test kits, you can just place an

How to Get Testosterone Replacement Therapy (TRT) in the UK

AGE	AVERAGE TESTOSTERONE LEVEL ng/dL*	95% RANGE**
<25	692	376-1008
25-29	669	257-1081
30-34	521	233-1009
35-39	597	219-975
40-44	597	201-993
45-49	546	220-872
50-54	544	170-918
55-59	552	204-900

Get a blood test showing low total or free testosterone levels (free testosterone levels are often low despite a more normal total testosterone level) If levels are low on two tests (a regulatory requirement in the UK) then you can move to consultation, which can be done remotely in most

Finding a Testosterone Test - Lab Tests Online


Testosterone Test Results Receiving test results You will generally receive results showing your testosterone levels within several Your results may be uploaded to an online health portal for you to view or be sent to you in the In some cases, your doctor may also contact you to discuss your

Testosterone - South Tees Hospitals NHS Foundation Trust

Date	Application	Results Published	Professions Available for This Date
Saturday, 25 September 2021	Friday, 13 November 2020 Monday, 30 August 2021	Thursday, 14 October 2021	Nursing Medicine
Saturday, 9 October 2021	Friday, 13 November 2020 Monday, 13 September 2021	Thursday, 28 October 2021	Nursing Medicine Dentistry Pharmacy Podiatry Physiotherapy
Saturday, 23 October 2021	Friday, 13 November 2020 Monday, 29 September 2021	Friday, 12 November 2021	Nursing Medicine
Saturday, 6 November 2021	Friday, 13 November 2020 Monday, 11 October 2021	Thursday, 25 November 2021	Nursing Medicine Dentistry Pharmacy Podiatry Physiotherapy
Saturday, 20 November 2021	Friday, 13 November 2020 Monday, 15 October 2021	Friday, 10 December 2021	Nursing Medicine
Saturday, 4 December 2021	Friday, 13 November 2020 Monday, 8 November 2021	Wednesday, 12 January 2022	Nursing Medicine Dentistry Pharmacy Podiatry Physiotherapy
Saturday, 18 December 2021	Friday, 13 November 2020 Monday, 22 November 2021	Friday, 21 January 2022	Nursing Medicine


Testosterone is responsible for the development of secondary sexual characteristics in men, and serves to maintain the function of the prostate and seminal Most of the circulating Testosterone is bound to the carrier protein In women, small quantities of testosterone are synthesised in the

Buy Testosterone Testing Kits online | Prescription Doctor



Our testosterone testing kit allows you to test your testosterone levels from the comfort of your own home. You simply produce a sample and send it off in a free-postage envelope to our partnered lab, who can deliver fast results via mail. Testosterone is a hormone (androgen) which is found in both sexes - male and female.

The 6 Best At-Home Testosterone Test Kits



This product is most useful for those who are looking to test multiple types of hormones, with options ranging from Estradiol, Progesterone, DHEA-S, and Cortisol 1X, on top of Because of this, you can get multiple results with one test, making it an incredibly convenient choice for

Buy Testosterone Gel Testogel Online UK | Prescription Doctor

Stocum-Dickson Medical Group, P.L.L.C.

February 7, 2019
Page 1
Lab Report
Printed by:

J
47 Years Old Male DOB: /1971 643996 Ins: (192)

01/17/2019 - Lab Report: Testosterone,Free,Direct, Testosterone, FT4(Thyroxine,free), ...
Provider:

Location of Care: Stocum-Dickson Medical Group, P.L.L.C.

Patient:
ID: ORCHARD
Note: All result statuses are Final unless otherwise noted.

Tests: (1) Testosterone,Free,Direct (144980)
Order Note: Testing performed at: [RN] LabCorp Raritan, 69 First Avenue, Raritan,
NJ, 08869-1800, Phone: 800-631-5250, Laboratory Director:
Free Testosterone(Direct)
[H] 45.2 pg/mL 6.8-21.5

Tests: (2) Testosterone (5070)
Testosterone [H] 2001 ng/dl 362-870

Tests: (3) FT4 (Thyroxine,free) (5015)
FT4 1.28 ng/dl 0.75-1.54

Tests: (4) TSH (Thyroid Stimulating Hormone) (5020)
TSH 2.21 uIU/mL 0.50-6.00

Tests: (5) Glycated Hemoglobin and Estimated average Glucose (55001)
HBA1C 5.5 % 4.0-5.7
EAG [H] 111 MG/DL 70-110

Tests: (6) LH (Luteinizing Hormone) (5035)
LH <0.2\XODDA\ mIU/mL 1.70-11.20
Reference ranges for Normally Menstruating Females
*Follicular phase 1.7-13.3
*Mid-cycle peak 4.1-68.7
*Luteal phase 0.5-19.8

Post-menopausal females 14.4-62.2

Tests: (7) FSH (Follicle Stimulating Hormone) (5030)
FSH <1.0 mIU/mL 1.0-42.5
Reference ranges for Normally Menstruating Females
*Follicular phase 2.7-15.4
*Mid-cycle peak 3.0-22.0
*Luteal phase 1.0-14.4

Post-menopausal females 25.0-160

Tests: (8) Prolactin (004465)
Order Note: Testing performed at: [RN] LabCorp Raritan, 69 First Avenue, Raritan,
NJ, 08869-1800, Phone: 800-631-5250, Laboratory Director: Araceli B Reyes, MD
Prolactin 10.5 ng/mL 4.0-15.2

Tests: (9) Thyroid Peroxidase (TPO) Ab (006676)
Order Note: Testing performed at: [RN] LabCorp Raritan, 69 First Avenue, Raritan,
NJ, 08869-1800, Phone: 800-631-5250, Laboratory Director: Araceli B Reyes, MD


You can also order a testosterone testing kit from us Prices from £99 Review More Prices Get Started
You must complete a short online consultation so that our prescriber can ensure that the treatment is
suitable for Order now to receive your order Wednesday, May 25 All inclusive service No hidden fees
Next day delivery

The Best TRT Protocol

Date and Time Collected	Date Entered	Date and Time Reported	Physician Name	NR	Physician ID
06/15/13 09:05	06/15/13	06/16/13 06:40ET	FLORIAN, G		
Test Ordered					
CBC With Differential/Platelet;Comp. Metabolic Panel (14);Testosterone, Serum;Luteinizing Hormone (LH), eTFSH, Serum;Estradiol					
General Comments					
PID: W 30855					
TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
CBC With Differential/Platelet					
WBC	5.5		x10E3/uL	4.0-10.5	01
RBC	5.16		x10E6/uL	4.14-5.80	01
Hemoglobin	15.3		g/dL	12.6-17.7	01
Hematocrit	46.1		%	37.5-51.0	01
MCV	89		fL	79-97	01
MCH	29.7		pg	26.6-33.0	01
MCHC	33.2		g/dL	31.5-35.7	01
RDW	13.5		%	12.3-15.4	01
Platelets	200		x10E3/uL	140-415	01
Neutrophils	48		%	40-74	01
Lymphs	36		%	14-46	01
Monocytes	11		%	4-13	01
Eos	4		%	0-7	01
Basos	1		%	0-3	01
Neutrophils (Absolute)	2.6		x10E3/uL	1.8-7.8	01
Lymphs (Absolute)	2.0		x10E3/uL	0.7-4.5	01
Monocytes (Absolute)	0.6		x10E3/uL	0.1-1.0	01
Eos (Absolute)	0.2		x10E3/uL	0.0-0.4	01
Baso (Absolute)	0.1		x10E3/uL	0.0-0.2	01
Immature Granulocytes	0		%	0-2	01
Immature Grans (Abs)	0.0		x10E3/uL	0.0-0.1	01
Comp. Metabolic Panel (14)					
Glucose, Serum	86		mg/dL	65-99	01
BUN	16		mg/dL	6-20	01
Creatinine, Serum	0.95		mg/dL	0.76-1.27	01
eGFR If NonAfrican Am	108		mL/min/1.73	>59	01
eGFR If African Am	125		mL/min/1.73	>59	01
BUN/Creatinine Ratio	17			8-19	01
Sodium, Serum	137		mmol/L	134-144	01

Testosterone test kits Order an at-home test kit to get Get a blood test Aromatase Inhibitor Use and Response Aromatase inhibitors are often used in TRT to reduce the conversion of testosterone into They work by binding to the aromatase enzyme and stopping it from binding to

The Best At-Home Testosterone Tests - Verywell Health



The test requires a blood sample and provides results for total The test kit comes with alcohol swabs, three lancets, a bandage for your finger, instructions, and a blood collection This is different from most tests, which require you to press your blood onto a dry sample

TRT UK, How To Get TRT? - Balance My Hormones

Furosap®

Outcome Measure	Baseline (0 week)		Final Visit (12 weeks)		Change (PL)	Change (Furosap)
	Placebo	Furosap Group	Placebo	Furosap Group		
Serum Testosterone (ng/dL)	608 ± 50	545.6 ± 59	596 ± 45	669.6 ± 54*	-12.8	124*
Lean Body Mass (g)	59604 ± 3107	59858 ± 1573	59058 ± 1521	60278 ± 3141*	-545.5	429.3*
Fat-Free Mass (g)	62829 ± 1650	63161 ± 3246	62297 ± 1599	63646 ± 3279*	-532.1	485.5*

You must first obtain a TRT blood test and then get approval from a doctor that your testosterone levels are indeed lower than they should. Our research shows that over 20% of men in the UK who are over 50 suffer from low testosterone however, only 1% of these men get their testosterone analysed and

5 of the best home testosterone tests for 2022

Table 2. Risk Ratio of Depression According to Total and Free Testosterone Quintiles

	Men, %		OR (95% CI)	Adjusted OR (95% CI) ^a
	No Depression (n=3784)	Depression (n=203)		
Total testosterone concentration, ng/dL				
≥ 556	20.3	17.2	1 [Reference]	1 [Reference]
455 to < 556	20.7	15.3	0.87 (0.53-1.42)	0.96 (0.54-1.71)
386 to < 455	20.2	17.7	1.03 (0.64-1.66)	1.10 (0.63-1.94)
308 to < 386	20.0	18.7	1.10 (0.69-1.76)	0.86 (0.48-1.53)
< 308	18.8	31.0	1.94 (1.27-2.97)	1.55 (0.91-2.63)
Free testosterone concentration, ng/dL				
≥ 10	20.5	11.8	1 [Reference]	1 [Reference]
8 to < 10	20.3	17.7	1.52 (0.90-2.56)	1.99 (1.05-3.77)
7 to < 8	20.1	18.2	1.57 (0.93-2.66)	1.84 (0.97-3.50)
6 to < 7	20.0	17.7	1.54 (0.91-2.60)	1.59 (0.83-3.03)
< 6	19.1	34.5	3.12 (1.94-5.02)	2.71 (1.49-4.93)

Abbreviations: CI, confidence interval; OR, odds ratio.

SI conversion factor: To convert total and free testosterone to nanomoles per liter, multiply by 0.0347.

^a Adjusted for age, educational level, smoking, body mass index, cognitive impairment, current or previous treatment of depression, Charlson index, and Physical Component Summary score.

A home testosterone test is a simple kit allowing a person to test their testosterone. This can help indicate if an individual has low. The kits are available to

Testosterone Boosters | Your Complete Guide - Men's Health

Table 2. Crude and Multivariate-Adjusted Data for Mortality Associated With Testosterone Levels

Group	Crude Data		Partially Adjusted Data*		Fully Adjusted Data†	
	HR (95% CI)	P Value	HR (95% CI)	P Value	HR (95% CI)	P Value
Entire sample (N = 858)						
Men with normal testosterone levels (n = 452)	1.00	NA	1.00	NA	1.00	NA
Men with equivocal testosterone levels (n = 240)	1.31 (0.94-1.82)	.11	1.45 (1.04-2.02)	.03	1.38 (0.99-1.92)	.06
Men with low testosterone levels (n = 166)	1.88 (1.35-2.61)	<.001	1.95 (1.39-2.72)	<.001	1.88 (1.34-2.63)	<.001
Sample excluding first-year deaths (N = 808)						
Men with normal testosterone levels (n = 435)	1.00	NA	1.00	NA	1.00	NA
Men with equivocal testosterone levels (n = 224)	1.19 (0.82-1.74)	.36	1.36 (0.93-1.98)	.11	1.31 (0.89-1.92)	.17
Men with low testosterone levels (n = 149)	1.65 (1.13-2.42)	.01	1.71 (1.16-2.52)	.007	1.68 (1.14-2.48)	.009

Abbreviations: CI, confidence interval; HR, hazard ratio; NA, data not applicable.

*The partially adjusted model included the covariates of age, medical morbidity, body mass index (BMI) (calculated as weight in kilograms divided by the square of height in meters), and glucocorticoid and opiate treatment. The average BMI was used to replace missing BMI data (n = 124). Similar results were found when an analysis was done that excluded subjects with missing BMI data.

†The fully adjusted model included the covariates of age, medical morbidity, BMI, glucocorticoid and opiate treatment, race, coronary artery disease, chronic obstructive pulmonary disease, human immunodeficiency virus, diabetes mellitus, hyperlipidemia, and number of testosterone levels obtained. The average BMI was used to replace missing BMI data (n = 123). Similar results were found when an analysis was done that excluded subjects with missing BMI data.

Testosterone levels are measured through blood tests, and in the UK, measured in nanomoles per litre (nmol/l) For men, a "normal" adult reading falls anywhere upwards of 30 nmol/l, with

DHEAS - Lab Tests Online-UK

Table 5. Between-Group Comparisons of Hormone Levels at End of Study for Testosterone- and Placebo-Treated Healthy Control Men*

Hormone	Time	Testosterone		Placebo		F Test	P Value
		No.	Mean (SD)	No.	Mean (SD)		
Patients With Alzheimer Disease							
Serum T, ng/dL	Baseline	7	385.8 (170.1)	9	341.2 (108.7)	13.8	.003
	End of study	7	737.5 (241.9)	8	387.3 (110.1)		
Free T, ng/dL	Baseline	7	5.1 (2.5)	9	4.9 (2.1)	12.1	.005
	End of study	7	9.4 (3.6)	8	4.3 (1.6)		
DHT, ng/dL	Baseline	7	60.1 (25.1)	9	64.5 (28.8)	18.7	.001
	End of study	7	343.0 (178.7)	8	65.6 (24.5)		
E ₂ , pg/mL	Baseline	7	39.7 (10.2)	9	46.3 (16.8)	7.6	.02
	End of study	7	58.6 (7.9)	8	48.9 (11.4)		
FSH, μ U/mL	Baseline	7	10.2 (8.4)	9	10.9 (10.5)	11.7	.005
	End of study	7	1.4 (2.0)	8	11.9 (11.9)		
LH, μ U/mL	Baseline	7	5.1 (4.0)	9	6.3 (6.3)	10.9	.006
	End of study	7	0.5 (1.0)	8	5.8 (5.5)		
Healthy Controls							
Serum T, ng/dL	Baseline	10	387.7 (76.6)	12	346.8 (111.9)	1.94	.18
	End of study	10	597.1 (554.3)	11	310.7 (84.4)		
Free T, ng/dL	Baseline	10	6.2 (1.8)	12	6.5 (2.9)	2.57	.13
	End of study	10	11.2 (13.0)	11	5.1 (1.9)		
DHT, ng/dL	Baseline	10	62.3 (17.7)	12	73.1 (40.8)	5.70	.03
	End of study	10	180.7 (132.6)	11	78.6 (28.8)		
E ₂ , pg/mL	Baseline	10	50.3 (11.5)	12	50.3 (8.6)	1.20	.29
	End of study	10	58.9 (13.9)	11	52.0 (15.3)		
FSH, μ U/mL	Baseline	10	7.3 (6.8)	12	7.1 (8.3)	1.26	.28
	End of study	10	3.0 (2.4)	11	4.2 (2.3)		
LH, μ U/mL	Baseline	10	4.9 (3.1)	12	4.1 (3.7)	0.02	.89
	End of study	10	2.2 (2.0)	11	2.4 (1.3)		

*Abbreviations are explained in the first footnote to Table 1.

The measurement of DHEAS is used very infrequently in the UK as other tests can be more A doctor may measure DHEAS in those with signs or symptoms that may be due to the presence or too much male It is sometimes used in the investigation of Cushing's Sample Required? A blood sample taken from a vein in your arm

FSH - Lab Tests Online-UK

Test Name	In Range	Out of Range	Reference Range	Lab
6.1 - 6.4 > or = 6.5		Higher risk of diabetes Consistent with diabetes		
FERRITIN	88		20-345 ng/mL	SC
T3, FREE	3.9		2.3-4.2 pg/mL	SC
TSH	0.95	0.07-0.45 mIU/L	0.40-4.50 mIU/L	SC
T4, FREE	1.0		0.8-1.8 ng/dL	SC
THYROXINE, FREE, DIRECT	The current lot of free T4 reagent available from the manufacturer produces results that are approximately 8% higher than previous reagent lots. Please interpret these results accordingly.			
ESTRADIOL (E2)	37		< OR = 39 pg/mL	SC
** Abnormal results for this test will not appear in the out of range column.				
Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low estradiol levels are anticipated (e.g. males, pre-pubertal children, and hypogonadal/post menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LC/MS assay is recommended. (Order code 30289X)				
LIPOPROTEIN (a)	39		<75 nmol/L	SC
C-REACTIVE PROTEIN	<0.1		< 0.8 mg/dL	SC
Please be advised that patients taking Carboxypenicillins may exhibit falsely decreased C-Reactive Protein levels due to an analytical interference in this assay.				
TESTOSTERONE, TOTAL (LC-MS/MS)				
TESTOSTERONE TOTAL	685		250-1100 ng/dL	Q9
THYROID PEROXIDASE ANTIBODIES				
THYROID PEROXIDASE ABS	66	H	<35 IU/mL	NW
VITAMIN D, 25-HYDROXY, LC/MS/MS				
VITAMIN D, 25-OH, TOTAL	28	L	30-100 ng/mL	Q9
25-OH(D3) indicates both endogenous production and				

Control of FSH and LH production is a complex feedback system being regulated by oestradiol from the ovaries or testosterone from the In women, FSH stimulates the growth and development of ovarian follicles (unfertilised eggs) during the follicular phase of the menstrual This cycle is divided into two phases, the follicular

Testosterone For Sale - Everything You Need To Know For 2020

Table 3. Glucose, Insulin, Plasma Lipids, and Metabolic Syndrome Outcomes by Treatment Group

	Mean (SD)				Change Difference (95% CI)	P Value
	Baseline		Final Visit			
	Testosterone (n = 113) ^a	Placebo (n = 110) ^a	Testosterone (n = 113) ^a	Placebo (n = 110) ^a		
Glucose, Insulin, and Plasma Lipids						
Glucose, mmol/L	5.6 (0.6)	5.5 (0.6)	5.6 (0.7)	5.7 (0.8)	-0.2 (-0.4 to -0.1)	.007
Insulin, µIU/L	10.1 (9.8)	8.9 (5.9)	10.2 (7.6)	11.5 (11.8)	-3.2 (-6.2 to -0.1)	.04
Insulin sensitivity-Quickly	0.3 (0)	0.4 (0)	0.3 (0)	0.3 (0)	0 (0 to 0)	.03
Insulin resistance-HOMA-IR	2.6 (2.6)	2.3 (1.5)	2.6 (2.0)	2.9 (2.9)	-0.9 (-1.7 to -0.1)	.02
Total cholesterol, mmol/L	5.6 (1.0)	5.5 (1.0)	5.4 (1.0)	5.4 (1.0)	-0.2 (-0.4 to 0)	.03
HDL cholesterol, mmol/L	1.2 (0.3)	1.1 (0.3)	1.0 (0.3)	1.1 (0.3)	-0.1 (-0.2 to -0.1)	<.001
Triglycerides, mmol/L	1.6 (1.0)	1.5 (1.1)	1.5 (0.8)	1.6 (0.9)	-0.1 (-0.2 to 0.1)	.33
LDL cholesterol, mmol/L	3.9 (0.9)	3.8 (0.9)	3.8 (1.0)	3.7 (0.9)	0 (-0.2 to 0.1)	.83
Ratio total cholesterol/HDL cholesterol	5.1 (1.3)	5.0 (1.2)	5.5 (1.4)	5.0 (1.2)	0.4 (0.2 to 0.6)	<.001
Metabolic Syndrome^b						
	No. (%)				Odds Ratio (95% CI)	
Waist circumference	37 (32.7)	31 (28.2)	36 (31.9)	29 (26.4)	1.3 (0.7 to 2.3)	.74
Glucose	26 (24.8)	21 (19.1)	25 (22.3)	30 (27.2)	0.8 (0.4 to 1.4)	.10
Blood pressure	100 (86.5)	92 (83.6)	105 (92.9)	93 (84.5)	2.4 (1.0 to 5.9)	.08
HDL cholesterol	41 (36.2)	43 (39.1)	63 (56.6)	46 (41.8)	1.8 (1.0 to 3.0)	.003
Triglycerides	38 (33.6)	32 (29.1)	45 (40.7)	36 (32.7)	1.4 (0.8 to 2.4)	.46
Metabolic syndrome	39 (34.5)	34 (30.9)	54 (47.8)	39 (35.5)	1.7 (0.97 to 2.8)	.07

Abbreviations: CI, confidence interval; HDL, high-density lipoprotein; LDL, low-density lipoprotein. SI conversion factors: To convert glucose from mmol/L to mg/dL, divide by 0.0555; total cholesterol, HDL cholesterol, and LDL cholesterol from mmol/L to mg/dL, divide by 0.0259; triglycerides from mmol/L to mg/dL, divide by 0.0113.

^aSome data were missing for participants, but the percentage of missing values never exceeded 3.6%.

^bPercentage of participants who met the component criteria (waist circumference, glucose, blood pressure, HDL cholesterol, triglycerides) for the metabolic syndrome.

Introducing Test-600x by Anabolic Research, a fast-acting testosterone booster that is known to deliver on its claims for lean muscle gains, strength boosts, and increased It's available as a tablet form of testosterone for sale and can be purchased without a Benefits: Promotes Lean Muscle Gains & Fat Loss

The Best Testosterone Boosters of 2022

Best for Prostate Support: RSP Key ingredients: D-aspartic acid, fenugreek, diindolylmethane, maca

Rating:5 out of RSP Prime-T sticks to what works in its blend of ingredients and nutrients for testosterone Vitamins B12 and B3 boost cardiovascular function and red blood cell

The 7 Best Supplements to Boost Testosterone Levels in 2022


Table 1: Testosterone levels (ng/dL) in healthy men

Age	Total testosterone	Free testosterone	Bioavailable testosterone
40-49	252-916	5.3-26.3	101-499
50-59	215-878	4.2-22.2	80-420
60-69	196-859	3.7-18.9	69-356
70-79	156-819	2.2-14.7	41-279

Source: "Male Testosterone: What is normal?," Barrett-Conor, *Clinical Endocrinology* 2005;62(3):263-64.

Best vitamin D supplement: Nature Made Vitamin Best fenugreek supplement: NOW Foods Best saw palmetto supplement: Bulk Supplements Saw Palmetto Best ginger supplement:

6 Best At-Home Hormone Tests in 2021 - Healthline



Anyone can take at-home tests to measure their testosterone levels and determine if they have the appropriate amount for their age and Learn more about testosterone Metabolism

[Previous Page](#) - [Next Page](#)