



Star Spangled Beach

• A Free Project Sheet •
• NOT FOR RESALE •

QUILT 1



Featuring fabrics from the **Star Spangled Beach** collection by **Sharon Lee** for **STUDIO e fabrics**

Fabric Requirements

- (A) 7481-11 3/8 yard (0.35m)
- (B) 7488-01 2/3 yard (0.61m)
- (C) 1351-Burgundy** 3/4 yard (0.69m)*
- (D) 7490-77 3/4 yard (0.69m)
- (E) 7489-88 3/8 yard (0.35m)
- (F) 7480-01 5/8 yard (0.58m)
- (G) 7486-01 3/4 yard (0.69m)
- (H) 7479-11 2 1/8 yards (1.95m)
- (I) 7484-01 3/8 yard (0.35m)
- (J) 7483-77 3/8 yard (0.35m)
- (K) 7487-77 1 1/4 yards (1.15m)
- Backing
7482-77 5 1/4 yards (4.81m)

Additional Supplies Needed

- Batting 76" x 92"
(193.04 cm x 233.68 cm)
(Recommended:
Air Lite® Colour Me 100% Cotton)
- Piecing and sewing thread
- Quilting and sewing supplies

* Includes Binding
** Just Color! Collection

Project Information

- Design by Heidi Pridemore
- Finished Quilt Size 68" x 84"
(172.72 cm x 213.36 cm)
- Skill Level: Advanced Beginner

Fabrics in the Collection



Irregular Patch
Chambray - 7479-11



Sandals
White - 7480-01



Patriotic Daisies
Chambray - 7481-11



Bathing Suits
Navy - 7482-77




Sunglasses
Navy - 7483-77




Flags
White - 7484-01




Stripe
Chambray - 7485-11




Low-Volume Anchors
White - 7486-01



Plaid
Navy - 7487-77



Cherries
White - 7488-01



Small Stars
Red - 7489-88



Blocks
Navy - 7490-77

Select Fabric from
Just Color!



Burgundy
1351-Burgundy

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7481-11 Patriotic Daisies – Chambray), cut:

- (1) 11 ½" x WOF strip, sub-cut (2) 11 ½" squares.

Fabric B (7488-01 Cherries – White), cut:

- (4) 2" x WOF strips, sub-cut (12) 2" x 11 ½" strips.
- (6) 2" x WOF strips, sub-cut (12) 2" x 14 ½" strips.

Fabric C (1351-Burgundy Just Color! – Burgundy), cut:

- (2) 2 ½" x WOF strips, sub-cut (20) 2 ½" squares.
- (8) 2 ½" x WOF strips for the binding.

Fabric D (7490-77 Blocks – Navy):

- Fussy cut (12) 7 ½" squares, each entered on a block.

Fabric E (7489-88 Small Stars – Red), cut:

- (2) 4 ½" x WOF strips, sub-cut (12) 4 ½" squares.

Fabric F (7480-01 Sandals – White), cut:

- (2) 3 ½" x WOF strips, sub-cut (12) 3 ½" x 4 ½" strips.
- (3) 3 ½" x WOF strips, sub-cut (12) 3 ½" x 7 ½" strips.

Fabric G (7486-01 Low-Volume Anchors – White), cut:

- (4) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 66 ½" strips.
- (3) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 56 ½" strips.

Fabric H (7479-11 Irregular Patch – Chambray), cut:

- (2) 6 ½" x 72 ½" LOF strips.
- From the remaining fabric, cut (2) 6 ½" x 68 ½" WOF strips, piece as needed.

Fabric I (7484-01 Flags – White), cut:

- (1) 11 ½" x WOF strip, sub-cut (2) 11 ½" squares.

Fabric J (7483-77 Sunglasses – Navy), cut:

- (1) 11 ½" x WOF strip, sub-cut (2) 11 ½" squares.

Fabric K (7487-77 Plaid – Navy), cut:

- (16) 2 ½" x WOF strips, sub-cut (31) 2 ½" x 14 ½" strips.

Backing (7482-77 Bathing Suits – Navy), cut:

- (2) 92" x WOF strips. Sew the strips together and trim to 76" x 92" to make the back.

Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) 2" x 11 $\frac{1}{2}$ " Fabric B strip to each side of (1) 11 $\frac{1}{2}$ " Fabric A square. Sew (1) 2" x 14 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A square to make (1) 14 $\frac{1}{2}$ " Block One square (Fig. 1). Repeat to make a second Block One square.




Fig. 1

2. Repeat Step 1 and refer to Figures 2-3 for fabric identification, placement and orientation to make (2) Block Two squares and (2) Block Three squares.




Fig. 2




Fig. 3

3. Sew (1) 4 $\frac{1}{2}$ " Fabric E square to the left side of (1) 3 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric F strip. Sew (1) 3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ " Fabric F strip to the top of the newly sewn strip to make (1) 7 $\frac{1}{2}$ " Unit 1 square (Fig. 4). Repeat to make (12) Unit 1 squares total.




Fig. 4

4. Sew (1) 7 $\frac{1}{2}$ " Fabric D square to the left side of (1) Unit 1 square to make the top row. Sew (1) Unit 1 square to the left side of (1) 7 $\frac{1}{2}$ " Fabric D square to make the bottom row. Sew together the (2) rows lengthwise to make (1) 14 $\frac{1}{2}$ " Block Four square (Fig. 5). Repeat to make 65) Block Four squares total.





Fig. 5


5. Sew together (4) 2 ½” Fabric C squares and (3) 2 ½” x 14 ½” Fabric K strips, end to end and alternating them from left to right, to make (1) Block Five strip (Fig. 6). Repeat to make (5) Block Five strips total.



6. Sew together (1) 2 ½” x 14 ½” Fabric K strip, (1) Block One square, (1) 2 ½” x 14 ½” Fabric K strip, (1) Block Four square, (1) 2 ½” x 14 ½” Fabric K strip, (1) Block Two square and (1) 2 ½” x 14 ½” Fabric K strip, in that order from left to right, to make Row One (Fig. 7).

7. Repeat Step 6 and refer to Figure 7 for component identification, placement and orientation to make Row Two, Row Three and Row Four.

8. Sew together the (5) Block Five strips and (4) pieced Rows in numerical order, lengthwise and alternating them from the top to the bottom, to make the 50 ½” x 66 ½” Center Block (Fig. 7).



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

9. Sew (1) 3 ½” x 66 ½” Fabric G strip to each side of the Center Block. Sew (1) 3 ½” x 56 ½” Fabric G strip to the top and to the bottom of the Center Block.

10. Sew (1) 6 ½” x 72 ½” Fabric H strip to each side of the Center Block. Sew (1) 6 ½” x 68 ½” Fabric H strip to the top and to the bottom of the Center Block to make the quilt top.


Layering, Quilting and Finishing

11. Press the quilt top and 76” x 92” backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

12. Cut the ends of the (8) Fabric C binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

13. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*