

MAYWOOD  STUDIO

# Around the Block Quilt



**Around the Block Quilt by Maywood Studio**

Featuring Cup of Cheer by Kimberbell®

**34½" x 42½"**

[maywoodstudio.com](http://maywoodstudio.com)

Around the Block Quilt Pattern Instructions


For best results, read the pattern completely first.

Charm Squares for roof (flying geese) and door.

1. Cut 24 Charm Squares in half. If the print is directional like the word print, cut it in half so the words are running down the length. One rectangle will be used for a roof the other for a door. Use the door rectangles in Step 4.



2. Trim the roof triangles to 2-1/2" x 4-1/2" for a total of 24 B rectangles.
3. Place a C square and B triangle right sides together. Sew along the marked line (or crease). Trim the excess leaving a 1/4" seam allowance. Press toward B. Sew another C triangle to the opposite corner of the B rectangle. Trim and press toward C. Make a total of 24 roofs.



4. Fold the door rectangles in half to measure 2-1/2" x 2-1/2". Sew a 1/4" seam along the two long sides. Trim the corners. Turn the rectangle right side out. Press.



5. Center a door on the bottom edge of an A square. Baste the two together using an 1/8" seam. Either top stitch the door to the A square or hand sew a tack stitch at the two top corners of the door to stabilize.



6. Sew a roof top to each A/C unit. Press toward the A/C unit.



Make 24 Houses  
4-1/2" x 6-1/2"

7. Sew two rows of four houses. Press the seam allowances open. ←→



8. Sew two rows of six houses. Press the seam allowances open.




9. Sew a G rectangle to the bottom of each row of four houses. Press toward G.




10. Sew an H rectangle to the bottom edge of each row of six houses. Press toward H.



11. Corner houses. Sew an E triangle to one side of a house. Press toward E. Sew another E triangle to the other side of the house. Press toward E. Repeat for the remaining 3 corner units.



12. Sew an F triangle to the base of the house. Press toward F.



13. Sew a corner unit to each short end of a row of six houses. Press the seam allowances open.

14. Sew a row of four houses to the top and bottom of the I center rectangle. Press toward the G (grass) rectangles.


15. Sew the rows of 6 houses and corner units to each side of the quilt top. Press toward the H (grass) rectangles.

16. Make your quilt sandwich: layer the quilt top, right side up, over the batting and backing, wrong sides up. Baste layers to secure.






17. Quilt as desired.

18. Make and attach the single fold binding: Join the 1-1/2" x WOF strips together to create one continuous piece. Sew the binding to the front of the quilt with a 1/4 seam allowance. Turn the binding to the back of the quilt and press, turning the raw edge under. Pin in place, mitering each corner as you go. Stitch binding by hand with matching thread.





# Around the Block Quilt Yardage & Cutting Chart

FABRIC		CUTTING
	CP-MASCUP 2 Charm Packs	Charm Pack One A - Trim 24 charm squares to 4-1/2" x 4-1/2" Charm Pack Two Cut 24 charm squares in half once. NOTE: If the print is directional cut it in half so the words are running down the length. B - Trim the length of one rectangle of each fabric to 2-1/2" x 4-1/2" for the roofs. D - Doors: see instructions. Uses the remaining rectangles.
	Fabric 1 MAS10209-N 1/2 yd	C squares: Cut (48) 2-1/2" x 2-1/2" Mark once diagonally or crease once diagonally  E triangles: Cut 8 using template E
	Fabric 2 MAS10205-K 3/8 yd	F - Cut (1) 5-1/2" square cut twice diagonally G - Cut (2) 3-1/2" x 16-1/2" H - Cut (2) 3-1/2" x 24-1/2"
	Fabric 3 MAS10203-Q 2/3 yd	I - Cut (1) 16-1/2" x 24-1/2"  *Note: this is a directional print, make sure the houses are facing the right direction before you cut this piece.
	Fabric 4 MAS10209-Q 1/3 yd	Binding Cut 4 strips, 1-1/2" wide, single fold binding
	Backing 1-1/3 yds	Your Choice

