



# CHRISTMAS JOYS FLANNEL QUILT

36½" x 44½" quilt – designed by Debbie Beaves



Christmas Joys Flannel collection by Kris Lammers for Maywood Studio

MAYWOOD  STUDIO

## Instructions

1. Make a strip set by sewing the WOF strips of fabrics 3, 5 and 6 together in the order shown (fig.a). Press the seams toward the center square. In the same manner, make an additional strip set with the 14" long strips of fabrics 3, 5 and 6. Press the seams toward the center square.



Cut both strip sets into 2½" wide units for a total of 21 units.

2. Sew the 28" strips of fabrics 4, 7, 5, 6 and 8 together in the order shown (fig.b). Press all seams toward the center square.

Cut the strip set into 2½" wide units for a total of 10.

3. Following the diagram below (fig.c), sew step 1 and step 2 units together as shown into four vertical rows. Press seams up. Next, sew the 6½" squares and step 1 units together into 3 vertical rows. Press seams away from the 6½" squares. Sew one step 1 unit and two step 2 units together to make the bottom row and press seams toward the step 1 unit. Finally, sew all the rows together as shown, pressing seams away from the 6½" squares to complete the pieced quilt top.







Use 12 of your favorite scenes for the 6½" squares. There will be 3 left over.



4. Measure the quilt top through the middle. Trim two borders to this length for the long sides of the pieced quilt top. Press toward the inner border. Repeat in Step 5-7.
5. Sew a 3½" cornerstone square of fabric 6 on each short end of the remaining inner border strips. Press toward the inner border.
6. Sew the inner border/cornerstone strips to the short ends of the quilt. Press toward the inner border.



7. Sew two outer border strips to the long sides of the quilt. Press toward the outer border.
8. Sew the remaining outer border strips to the remaining sides of the quilt. Press toward the outer border.
9. Layer the backing (wrong side up), batting and pieced quilt top (right side up) together. Baste layers to secure.
10. Quilt as desired.
11. Bind using an ½" seam allowance. If necessary trim some of the quilt flannel layers to avoid tightly bound edges.

FABRIC		CUTTING	FABRIC		CUTTING
	Fabric 1 F9000-B 2/3 yd = 3 rows of motifs	From Fabric 1: Fussy Cut 12– 6½" x 6½" squares of your favorite scenes (there will be 3 left over).		Fabric 7 F9009-G 1/8 yd	From Fabric 7, cut: 1– 2½" x 28" strip
	Fabric 2 F9002-E 1-1/8 yds	From Fabric 2, Fussy Cut: 2– 3½" x WOF strips 2– 3½" x WOF strips for Inner Border		Fabric 8 F9009-R 1/2 yd	From Fabric 8, cut: 1– 2½" x 28" strip 2– 2½" x 40½" strips for side borders 2– 2½" x 36½" strips for top & bottom borders
	Fabric 3 F9003-G 1/4 yd	From Fabric 3, cut: 1– 2½" x WOF strip 1– 2½" x 14" strip		Fabric 9 Binding F9007-RG 1/2 yd	From Fabric 9, cut: 5– 2½" x WOF strips
	Fabric 4 F9004-R 1/8 yd	From Fabric 4, cut: 1– 2½" x 28" strip		Backing F9001-Z SUGGESTED 1-1/2 yds	One piece directional backing.
	Fabric 5 F9005-R 1/4 yd	From Fabric 5, cut: 2– 2½" x WOF strips Subcut one strip into: 1– 2½" x 14" 1– 2½" x 28"			
	Fabric 6 F9006-G 1/3 yd	From Fabric 6, cut: 2– 2½" x WOF strips Subcut one strip into: 1– 2½" x 14" 1– 2½" x 28" Cornerstones cut: 4– 3½" x 3½"			

