

MAYWOOD  STUDIO

Jingle Table Runner



Jingle Table Runner

featuring Jingle All the Way, We Whisk You a Merry Christmas
and Kimberbell® Basics - all from Maywood Studio

17" x 38"

#madewithmaywood
maywoodstudio.com



MAYWOOD STUDIO


KIMBERBELL®

Jingle & whisk


FABRIC: Black Runner




Fabric 1
MAS8247-J



Fabric 2
MAS8248-G




Fabric 3
MAS9399-G



Fabric 4
MAS8209-R2



Fabric 5
MAS8248-R



Fabric 6
MAS8248-W



Fabric 7
MAS8243-GG

FABRIC: White Runner



Fabric 1
MAS8247-W



Fabric 2
MAS8240-WW




Fabric 3
MAS8243-GG



Fabric 4
MAS8210-R2



Fabric 5
MAS8248-R



Fabric 6
MAS8216-G



Fabric 7
MAS8246-G

Jingle Table Runner

Please read all instructions before you begin.
All seam allowance is 1/4" unless otherwise stated. Use a light sizing/starch on the squares before cutting triangles to help control stretching along the bias edges.

FABRIC: Black Runner

Fabric 1	MAS8247-J (includes backing)	1-1/3
Fabric 2	MAS8248-G	3/8
Fabric 3	MAS9399-G	1/8
Fabric 4	MAS8209-R2 (includes binding)	1/2
Fabric 5	MAS8248-R	1/8
Fabric 6	MAS8248-W	1/4
Fabric 7	MAS8243-GG	1/8

FABRIC: White Runner

Fabric 1	MAS8247-W (includes backing)	1-1/3
Fabric 2	MAS8240-WW	3/8
Fabric 3	MAS8243-GG	1/8
Fabric 4	MAS8210-R2	1/8
Fabric 5	MAS8248-R (includes binding)	1/2
Fabric 6	MAS8216-G	1/4
Fabric 7	MAS8246-G	1/8

Cutting

Finished Size 17" x 38"

Fabric 1

For borders cut:
I: (2) 3-1/2" x 25" strips
J: (2) 3-1/2" x 18" strips
K: (2) 3-1/2" x 20" strips
For backing cut LOF from remaining

Fabric 2

E: (1) 7" x 14" strip
F: (1) 9" square, cut twice diagonally
A: (3) 1-1/2" squares

Fabric 3

B: (6) 1-1/2" x 3" strips
L: (1) 1-1/2" x 20" strip

Fabric 4

C: (1) 3" x 20" strip

*Binding for black runner:

(3) 2-1/2" x WOF strips

Fabric 5

C: (1) 3" x 20" strip

*Binding for white runner:

(3) 2-1/2" x WOF strips


Fabric 6

D: (1) 3" x 14" strip

Fabric 7

G: (2) 2" x 22" strips
H: (4) 2" x 16" strips


WOF - Width of Fabric
LOF - Length of Fabric
RST - Right Sides Together
HST - Half Square Triangle




Cut twice on the diagonal.

Instructions: Black Runner


1. Sew one A square between two B strips. Press in the direction indicated by the arrows. Make 3.




2. Sew the C strips and L strip together into a strip set. Press. Cut into six 3" wide units.




3. Sew the units from steps 1 and 2 into blocks as shown below. Press. Make 3 Present Blocks.




4. Sew D and E together. Press. Cut into four 3" wide units.




5. Sew an F piece to each D/E unit. Press. Make 4.




6. Sew one Present block from step 3 to one unit from step 5 as shown below. Press. Make 2.




7. Sew one Present Block from step 3 to two units from step 5 as shown below. Press. Make 1.




8. Trim the excess from each F triangle, flush with the edge of the Present Blocks.




9. The symbol indicates cross seams from row to row. Using the Present Blocks, line up the cross seams with right sides together. Pin to secure. Sew the rows together. Press.



10. Trim the sides as shown leaving 1/4" from the outer corner of the Present Blocks.



11. Sew one G strip to each long side of the table runner. Trim on each end. Press.



12. Sew two H strips to opposite corners of the quilt as shown below. Press. Sew the two remaining H strips to the other two opposite corners of the quilt as show below. Press. Trim excess.



13. Center the I strip on a long side of the quilt. Pin to secure. Sew I to the quilt. Press. Sew the remaining I strip to the opposite side of the quilt. Press. Trim the excess corners (45 degree angle).



14. Sew a J to opposite corners of the table runner. Press.

15. Sew a K to the remaining opposite corners of the table runner. Press.

16. Trim the excess corners of the K and J strips flush with the long sides of the table runner.




17. Layer the backing (wrong side up), batting and table runner top (right side up). Baste layers to secure.

18. Quilt as desired.


19. Trim the backing and batting flush with the quilt top. Bind the edges using a 3/8" wide seam allowance.

Instructions: White Runner


1. Sew one A square between two B strips. Press in the direction indicated by the arrows. Make 3.




2. Sew the C strips and L strip together into a strip set. Press. Cut into six 3" wide units.




3. Sew the units from steps 1 and 2 into blocks as shown below. Press. Make 3 Present Blocks.




4. Sew D and E together. Press. Cut into four 3" wide units.




5. Sew an F piece to each D/E unit. Press. Make 4.




6. Sew one Present block from step 3 to one unit from step 5 as shown below. Press. Make 2.




7. Sew one Present Block from step 3 to two units from step 5 as shown below. Press. Make 1.




8. Trim the excess from each F triangle, flush with the edge of the Present Blocks.




9. The symbol indicates cross seams from row to row. Using the Present Blocks, line up the cross seams with right sides together. Pin to secure. Sew the rows together. Press.



10. Trim the sides as shown leaving 1/4" from the outer corner of the Present Blocks.



11. Sew one G strip to each long side of the table runner. Trim on each end. Press.



12. Sew two H strips to opposite corners of the quilt as shown below. Press. Sew the two remaining H strips to the other two opposite corners of the quilt as show below. Press. Trim excess.



13. Center the I strip on a long side of the quilt. Pin to secure. Sew I to the quilt. Press. Sew the remaining I strip to the opposite side of the quilt. Press. Trim the excess corners (45 degree angle).



14. Sew a J to opposite corners of the table runner. Press.

15. Sew a K to the remaining opposite corners of the table runner. Press.

16. Trim the excess corners of the K and J strips flush with the long sides of the table runner.



17. Layer the backing (wrong side up), batting and table runner top (right side up). Baste layers to secure.

18. Quilt as desired.

19. Trim the backing and batting flush with the quilt top. Bind the edges using a 3/8" wide seam allowance.